Appendix 10.1

Preliminary Geo-Environmental Risk

Assessment 2015

PRELIMINARY GEO-ENVIRONMENTAL RISK ASSESSMENT

ABERGELLI POWER PROJECT

for Abergelli Power Ltd

Applicant Reference: 287521A

Preliminary Geo-Environmental Risk Assessment for Abergelli Power Project

Applicant Reference: 287521A

Prepared for Abergelli Power Ltd

Prepared by Parsons Brinckerhoff 29 Cathedral Road Cardiff CF11 9HA

Tel: 02920 827000 www.pbworld.com



| \sim | NIT. | | ıT | |
|--------|------|------|----|---|
| CO | NI | _ ⊏I | 41 | Э |

| | | Page |
|---------|--|------|
| EXECUT | IVE SUMMARY | 3 |
| INTRODU | JCTION | 5 |
| 1 | INTRODUCTION | 7 |
| 1.1 | Context and Objectives | 7 |
| 1.2 | Scope of Work | 8 |
| 1.3 | Limitations | 9 |
| 1.4 | Business Management System Control | 10 |
| PRELIMI | NARY RISK ASSESSMENT | 11 |
| 2 | PRELIMINARY RISK ASSESSMENT | 13 |
| 2.1 | Site Referencing Information | 13 |
| 2.1 | Site Setting and Surrounding Environment | 13 |
| 2.2 | Geological Information | 14 |
| 2.3 | Hydrogeological Information | 19 |
| 2.4 | Hydrological and Drainage Information | 21 |
| 2.6 | Recorded Landfill Sites | 22 |
| 2.7 | Recorded Animal Burial Grounds | 22 |
| 2.8 | Pollution Controls | 23 |
| 2.9 | Sensitive Land Uses | 23 |
| 2.10 | Historical Development & Potentially Contaminative Land Uses | 23 |
| 2.11 | Potentially Contaminative Land Uses | 26 |
| 2.12 | Sources of Contamination | 26 |
| 2.13 | Preliminary Conceptual Site Model | 27 |
| CONCLU | SIONS AND RECOMMENDATIONS | 31 |
| 3 | CONCLUSIONS AND RECOMMENDATIONS | 33 |
| 3.1 | Conclusions | 33 |
| 3.2 | Recommendations | 33 |
| FIGURES | | 35 |

Figure 1.1 – Site Location Plan

Figure 10.1 – Potential Sources of Contamination and Locations of Interest

APPENDICES

Appendix A – GroundSure Reports

Appendix B – BGS Borehole Logs

Appendix C - Coal Authority Mining Report

Appendix D - Landfill Working Plan Records from NRW



EXECUTIVE SUMMARY

| Introduction | Wett Dougr commissioned Dorone Pringleshoff Ltd to undertake a Drallingiana Dial |
|----------------|--|
| introduction | Watt Power commissioned Parsons Brinckerhoff Ltd to undertake a Preliminary Risk |
| | Assessment of Abergelli Power Project, South Wales to form a baseline geo- |
| | environmental assessment to enable the completion of Chapter 10, Geology, Ground |
| 0'. 1". | Conditions and Hydrogeology of the Environmental Statement. |
| Site History | The Project Site and surrounding area has remained predominantly grass fields and |
| | with areas of woodland and marshland stretching back from the earliest historical data |
| | from 1876 to the present day. |
| | A gravel pit was present from 1896, and identified as 'old' in 1913. Other significant |
| | historical land uses surrounding the Project Site, include Abergelli Colliery, and |
| | associated buildings identified from 1935, and disused from 1964, a spoil heap adjacent |
| | the colliery was identified from 1964. The location of this spoil heap was identified as |
| | an embankment in 2002. This is likely to be associated with the landfilling works and |
| | associated landfill extension which took place in the 1990's. The National Grid |
| | 'Swansea North' substation in the western of the Project Site is evident on the historical |
| | maps from 1991 to current day. |
| Geology | 'Made Ground' is only likely to be present in areas where there are structures and |
| | hardstanding associated with previous development, i.e. the landfill and surrounding the |
| | colliery farm buildings. |
| | The British Geological Survey on-line viewer and GroundSure Geolnsight Report |
| | indicates that the area within the Project Site boundary is underlain by superficial |
| | deposits of glacial till (predominantly clay), and glaciofluvial deposits of sand and |
| | gravel. There are also pockets of alluvium and peat present locally across the Project |
| | Site. The bedrock geology consists of the Grovesend Formation comprising |
| | mudstones, siltstones, with well-developed coals, and minor lithic sandstones overlying |
| | the Swansea Member. There are two coal seams that were were worked from Abergelli |
| | Colliery, these are known as the Swanse Four Feet and Craigola. |
| | Across the Project Site there are a number of historical ground working features, |
| | including spoil / refuse heaps, a colliery and old gravel pits. The workings have included |
| | the production of sand and gravel, and the working of coal seams underground. |
| Hydrogeology & | The superficial deposits that cover the Project Site are classified as unproductive strata |
| Hydrology | associated with the glacial till, and a Secondary A Aquifer associated with the |
| | glaciofluvial deposits. The bedrock is classified as a Secondary A Aquifer. The |
| | Environment Agency website and GroundSure Report indicate that the Project Site is |
| | not situated within a groundwater Source Protection Zone (SPZ), with no SPZs are |
| | located within 1km of the Project Site. The groundwater vulnerability has a varying |
| | classification, from low to high leaching potential, dependent on the geology across the |
| | Project Site. |
| | There is one licenced groundwater abstraction on the Project Site, associated with |
| | Abergelli Farm, used for general farming and domestic purposes. This is not currently |
| | used. There are an additional 16No. groundwater abstraction licences within 2km of |
| | the Project Site. |
| | The closest potable water supply is from the Lower Lliw Reservoir approximately 1km |
| | north of the Project Site. |
| | There are numerous drainage ditches, springs and small ponds present across the |
| | Project Site that drain into the Afon Llan. The Afon Llan flows in a south westerly |
| | direction to the west and south of the Project Site, discharging into the Loughor Estuary. |
| | Another watercourse, the Afon Lliw located 1.3km north of the Project Site also |
| | discharges into the Loughor Estuary. |
| | A pollution incident dated May 2007 relating to inert materials and wastes close to the |
| | northern entrance to the Project Site caused significant impact to the water |
| | environment. |





| Conceptual Site | The identified potential sources include the waste in the landfill and landfill extension, |
|--------------------------|---|
| Model | Abergelli Colliery, and water treatment processes that took place where the landfill is now located, and landfill and ground gases associated with these historic land uses. Other possible on Project Site sources include possible fertilisers from agricultural practises, and leaks and spills from associated machinery. Human receptors have been identified based on the proposed current and end land use including residents of dwellings within the vicinity of the Project Site, site workers and construction workers during the Project construction works. Controlled water receptors have been identified as both the bedrock and superficial deposits that underlie the Project Site that are classified as Secondary A aquifers. The abstraction well on the Project Site for Abergelli Farm, and the various surface water bodies across the Project Site are also considered controlled water receptors. Potential pathways have been identified from these sources to residents, workers and controlled waters. |
| Conclusions and | In order to provide further information to assess the potential 'pollutant linkages', a |
| Recommendations | ground investigation will be carried out at detailed design stage to assess soil, ground gas and groundwater conditions at the Project Site. |
| | Analytical data will then be used to undertake risk assessments to assess potential risks to human health and controlled waters. The ground investigation will obtain information on ground instability hazards, including the depth and extent of any peat horizons. It will also focus on potential underground mine workings using mine abandonment plans. This information will then be used to complete a mining risk |
| | assessment and interpretative geotechnical report. |
| This sheet is intended a | s a summary only |



SECTION 1

INTRODUCTION



1 INTRODUCTION

1.1 Context and Objectives

- 1.1.1 Abergelli Power Ltd (APL) (the 'Client') has commissioned Parsons Brinckerhoff Ltd to undertake a Preliminary Geo-Environmental Risk Assessment (desk study) of the Abergelli Power Project (the Project Site). The Project Site location is shown on Figure 1.1.
- 1.1.2 The principal objectives of the study were:
 - To provide baseline information for the Geology, Ground Conditions and Hydrogeology Chapter 10 of the Environmental Statement (ES) for the Project Site;
 - To detail the geo-environmental setting of the Project Site to include the surrounding land use, historical land use, geology, hydrology and hydrogeology;
 - To assess the potential for pollutant linkages based on current and future land uses; and
 - To provide recommendations for further investigations or assessments if considered necessary.
- 1.1.3 The report has been completed to reflect the requirements of Preliminary Risk Assessments as outlined in Environment Agency document CLR11 'Model Procedures for the Management of Land Contamination'; which emphasises the use of conceptual site models and the identification of "source-pathway-receptor" pollutant linkages.
- 1.1.4 In addition the key geo-environmental characteristics of the Project Site and the surrounding area will be described to identify any key constraints, resources and assets that could affect or be affected by the Project.
- 1.1.5 The Project comprises:
 - A new Power Generation Plant in the form of a Simple Cycle Gas Turbine (SCGT) peaking power generating station fuelled by natural gas and capable of providing a rated electrical output of up to 299 Megawatts (MW) comprising:
 - The Generating Equipment including between one and five Gas Turbine Generators and Balance of Plant which are located on the "Generating Equipment Site";
 - A new Access Road to the Generating Equipment Site from the B4489, formed by upgrading an existing Access Road between the B4489 junction and the Swansea North Substation and



- constructing a new section of Access Road from the Swansea North Substation to the Generating Equipment site; and
- During construction and decommissioning, a temporary construction compound (the Laydown Area).
- A new Gas Connection to bring natural gas to the Generating Equipment from the National Transmission System; and
- A new Electrical Connection to export power from the Generating Equipment to the National Grid Electricity Transmission System (NGETS).
- 1.1.6 The Generating Equipment, Access Road, and Laydown Area are together known as the Power Generation Plant, and are located within the Power Generation Plant Site.
- 1.1.7 The current proposed layout of the scheme is presented on Figure 1.2.

1.2 Scope of Work

- 1.2.1 The preliminary geo-environmental risk assessment collates and presents factual information available for the Project Site from the following sources:
 - GroundSure Geolnsight Report (geological conditions, hazards and mining hazards) (GS-1587648 29th July 2014) (Appendix A);
 - GroundSure EnviroInsight Report (groundwater vulnerability, landfills and pollution incident records, and sensitive land uses within the vicinity of the Project) (GS-158647, 29th July 2014) (Appendix A),
 - The GroundSure MapInsight Report (historical maps) (GS-1587646 30th July 2014) (Appendix A),
 - Soilscape Website (Cranfield University) via http://www.landis.org.uk//soilscapes (viewed 30th July 2014);
 - Review of available BGS information via http://mapapps2.bgs.ac.uk/geoindex/home.html (viewed 30th July 2014) (Selected information reproduced in Appendix B);
 - Review of Geological Survey Maps, scale 1:10,560 Glamorgan Sheet SN60SE, 1964, 1971, and Provisional Edition Sheet SN60SW 1961;
 - Review of EA Groundwater Vulnerability 1:10,000 Map Series, West Glamorgan, Sheet 35, 1996.



- Review of EA, 'What's in your backyard?' Website: http://maps.environment-agency.gov.uk/wiyby/ (viewed 30th July 2014);
- Consultation information from National Resources Wales (NRW);
- Consultation information from the City and County of Swansea Council (CCS);
- Coal Authority Mining Report, 1st August 2014 (Appendix C); and
- Google Earth Pro imagery (viewed 28th November 2014).
- 1.2.2 Parsons Brinckerhoff has reviewed planning applications submitted within the vicinity of the Project Site, but they did not include any information not already publicly available.
- 1.2.3 This report includes a review of the geological, hydrological and hydrogeological information, recorded mining/mineral extraction activities, pollution incidents, landfills, pollution controls, hazardous substance registrations and the historical development of the Project Site and up to a 1 km radius surrounding the Project Site.
- 1.2.4 Based on this information, a preliminary conceptual site model has been produced through a tabular description of identified potential sources of contamination, pathways for contaminant migration and potential receptors for current and proposed future end uses.
- 1.2.5 The conceptual site model identifies complete source pathway receptor pollutant linkages that could affect human health and controlled waters, and highlights gaps and uncertainties in the available information.

1.3 Limitations

- 1.3.1 Parsons Brinckerhoff has prepared this report for the sole use of the Client in accordance with generally accepted consulting practices and for the intended purposes as stated in the agreement under which this work was completed. This report may not be relied upon by any other party without the explicit written agreement of Parsons Brinckerhoff. No other third party warranty, expressed or implied, is made as to the professional advice included in this report. This report must be used in its entirety.
- 1.3.2 The records search was limited to information available in a confidential manner from the Client, GroundSure Ltd and public sources including regulatory authorities.



1.3.3 Unless Parsons Brinckerhoff has actual knowledge to the contrary, information obtained from interviews or provided to Parsons Brinckerhoff by site personnel and other information sources has been assumed to be correct. Parsons Brinckerhoff does not assume any liability for misrepresentation of information or for items not visible, accessible, or present on the subject Project Site at the time of the site reconnaissance.

1.4 Business Management System Control

1.4.1 Parsons Brinckerhoff operates under a Business Management System. The Management System comprises the processes necessary for effective operation of the business and is designed to meet the requirements of BS OHSAS 18001:2007, ISO 9001:2008 and ISO 14001:2004.

Safety Management

1.4.2 Site activities, as well as office based work, has been undertaken in accordance with Parsons Brinckerhoff's Integrated Management System – Safety Management Series which operates within the standard outlined in BS OHSAS 18001:2007 (Certificate of Registration: 81259-2010-AHSO-GBR-UKAS).

Quality Control

1.4.3 Work on this project and the preparation of this report has been undertaken in accordance with PB's Integrated Management System – Quality Control Series which operates within the standard outlined in ISO 9001:2008 (Certificate registration No 81255-2010-AQ-GBR-UKAS).

Environmental Management

1.4.4 The design and implementation of this project has been undertaken in accordance with Parsons Brinckerhoff's Integrated Management System - Environmental Management System Series that has been developed in line with ISO 14001:2004 (Certificate registration No. 81257-2010-AE-GBR-UKAS).



SECTION 2

PRELIMINARY GEO-ENVIRONMENTAL RISK ASSESSMENT



2 PRELIMINARY GEO-ENVIRONMENTAL RISK ASSESSMENT

2.1 Site Referencing Information

2.1.1 Site referencing information is provided within Table 2.1 Error! Reference source not found. and the Project Site location is illustrated on Figure 1.1.

Table 2.1: Site Description

| Name of Site | Abergelli Power Project |
|------------------------------|---|
| Site Location | Abergelli Farm. |
| | The Project Site is 2 km north of junction 46 of the M4, approximately 1.4 km south east of Felindre, 1.2 km west of Llwyncelyn and 1.6 km north of Llangyfelach. |
| Size and Shape of Site | The site is an irregular shape in plan with an approximate total area of 30 ha. |
| NGR / Latitude and Longitude | Approximate centre of the site at: NGR 265284, 201431; |
| | Latitude: 51°41'52.92 Longitude: 3°57'12.95 |
| Current Site Use | The land use is predominantly agricultural, used for sheep and horse grazing. |
| | Within the Project Site there is a small historic landfill and the remains of Abergelli Colliery, both of which are located north of Abergelli Farmhouse. |

2.1 Site Setting and Surrounding Environment

2.1.1 The site setting and surrounding environment is described in Table 2.2.

Table 2.2 Site Setting and Surrounding Environment

| Site Access | Site access will commence from the west via the B4489 utilising the existing National Grid road and then extends (via current agricultural land) to the west of the Generating Equipment Site and along the southern boundary of the Gas Compressor Station. |
|-----------------------------------|---|
| Ground Cover | Ground cover at the Power Generation Plant Site primarily comprises fields used for grazing, bounded by drainage ditches, fencing and hedgerows. The Generating Equipment Site and Laydown Area are divided into two areas by a soft surface horse training track known as 'the gallops' with a block of broadleaved woodland to the east classified as Ancient Woodland and a Site of Importance for Nature Conservation (SINC). |
| Site Topography & Elevation | The land within the proposed Generating Equipment Site is at approximately 90 m above Ordnance Datum (AOD) and gently slopes down towards the south. |



| Surrounding Area | The area surrounding the Project Site is, at present, predominantly rural in character, although there is a park and ride facility to the south and a substantial amount of utilities infrastructure in the area, some of which cross the Project Site. |
|------------------------------------|---|
| | A Gas National Transmission System Pipeline (Feeder 28), and a Welsh Water Main pipeline cross the Project Site and there is also a network of electricity pylons and overhead lines which lead to and from National Grid's Swansea North substation. Furthermore a Water Treatment Works is located to the north west while the Cefn Betingau Solar Park is located to the east of Project Site. |
| | The closest residential dwellings are detailed in Chapter 3, the closest 440m south of the Generating Equipment Site, and Abergelli Farmhouse approximately 620m north of the Generating Equipment Site. |
| Environmentally Sensitive Areas | A block of broadleaved woodland to the east of the existing Generating Equipment Site is classified as Ancient Woodland and a Site of Importance for Nature Conservation (SINC). Further Ancient Woodland is also present to the south of the National Grid Access Road. |

2.2 Geological Information

- 2.2.1 The geology of the Project Site has been reviewed with reference to the following sources:
 - BGS Digital Geological map of Great Britain at 1:50,000 scale www.bgs.ac.uk/geoindex; viewed on 30th July 2014;
 - The GroundSure GeoInsight Report (geological conditions, hazards and mining hazards) (GS-1587648 29th July 2014), Appendix A;
 - BGS archive borehole log: SN60SE24, Appendix B;
 - Review of Geological Survey Maps, scale 1:10,560 Glamorgan Sheet SN60SE, 1964, 1971, and Provisional Edition Sheet SN60SW 1961; and
 - Coal Authority Mining Report, Appendix C.
- 2.2.2 On the basis of the above, the ground conditions beneath the Project Site are likely to comprise the following:

Made Ground

2.2.3 Made Ground is not indicated on BGS records. It is only likely to be present in areas where there are structures and hardstanding associated with previous development, i.e. the landfill and surrounding the colliery farm buildings within the vicinity of the Project Site.



2.2.4 If present, the stratum would be of unknown provenance and could include a range of materials such as colliery spoil.

Superficial Deposits

- 2.2.5 The superficial deposits located across the Project Site comprise predominantly of glacial till (a diamicton; predominantly clay) and glaciofluvial deposits of sand and gravel. There are also pockets of alluvium and peat present locally within the Project Site boundary. The mapped peat is located north west of Abergelli Farm, and within the north eastern corner of the Generating Equipment Site and Laydown Area, see the excerpt of a superficial geology map in Appendix A. The likely permeability of the superficial deposits range from very low (within the clays) to very high (within the sand and gravel) across the Project Site.
- 2.2.6 There are records of three boreholes formed within the Project Site boundary held by the British Geological Survey (BGS); only one of these is currently available for viewing online¹ and presented in Appendix B. The record has a reference of SN60SE24 and is located east of Abergelli Farm (NGR 265200, 201600), in an area mapped as being underlain by Devensian glaciofluvial deposits of sand and gravel.
- 2.2.7 The superficial deposits recorded on the log comprise yellow brown gravelly clay down to 6 metres below ground level (m bgl), overlying a grey brown clayey gravelly sand, clayey sand and sandy clay down to 15.8 m bgl of likely glaciofluvial deposits that is underlain by firm yellow clay becoming stiff grey gravelly clay that is likely to be glacial till; proven to a maximum depth of 16.8 m bgl. Traces of coal were identified at 10.7 m bgl within the clayey sand.

Bedrock Geology

- 2.2.8 The bedrock geology underlying the Project Site consists of the Grovesend Formation from the Westphalian stage of the Carboniferous period, comprising "argillaceous mudstones and siltstones, with well-developed coals, and minor lithic sandstones". This is the youngest unit in the South Wales coalfields. The lower boundary "is placed at the base of the Swansea Four Fee Coal of the Swansea district" "where it overlies mudstone seatearth" at the top of the Swansea Member.
- 2.2.9 The north eastern corner of the Project Site consists of the Swansea Member, also from the Westphalian stage, comprising "green-grey pennant sandstone, with thin mudstone / siltstone and seat earth interbeds and mainly thin coals". The lower boundary of the Swansea

¹http://scans.bgs.ac.uk/sobi_scans/boreholes/256144/images/10509869.html

http://www.bgs.ac.uk/lexicon/lexicon.cfm?pub=GDB



Member "is placed at the base of the Golden Seam (Swansea Three Feet or Graigola) (Woodland et al., 1957), where the coal rests on mudstone seatearth within the Pennant Sandstone Formation". This geological formation is overlain conformably by the Grovesend Formation.

- 2.2.10 There are many faults identified within the region of the Project Site. The faults predominantly run from north west to south east, with the downthrow (displacement) noted to the west-south west. There is no information of the dip angle on the geological maps.
- 2.2.11 There was a 'Slant' identified at Abergelli Colliery, which provided access to both the Graigola and Swansea Four feet coal seams. At a slightly higher latitude than Abergelli Colliery the Swansea Four Feet and Brynwhilach Two Feet seams are identified with fault offsetting both seams.
- 2.2.12 The permeability of the bedrock geology ranges from low to high, depending on the degree of fracturing. There are nine faults across the Project Site, two of which have been observed, according to BGS records, and the others inferred either as a normal fault or along a coal seam. An excerpt from the geology map is provided in Appendix A.

Soils and Agriculture

- 2.2.13 There are two different soil classification areas across the Project Site. The predominant soil classification is described as "slowly permeable." wet, very acidic upland soils with a peaty surface". The soils are described as "low fertility" and land cover is described as "moorland rough grazing and forestry". The precipitation "drains to the stream network". It is noted in the source information that overgrazing of this unit could lead to accelerated run-off and soil erosion³.
- 2.2.14 Through the centre and north eastern section of the Project Site, the soils are described as "freely draining, slightly acid loamy soils". The soils are of "low fertility", with "arable and grassland" land cover and precipitation "drains to local groundwater and rivers". There is potential for groundwater contamination with these soils, comprising nitrate, siltation and nutrient enrichment of streams from soil erosion.
- 2.2.15 The agricultural land classification for the land within and surrounding the Project Site is grade 4 ("poor quality agricultural land")⁴ "with severe limitations which significantly restricts the range of crops and / or level

³ http://www.landis.org.uk/soilscapes/index.cfm

⁴ Ministry of Agriculture, Fisheries and Food Welsh Office Agricultural Department (1975) Agricultural Land Classification of England and Wales Map, Scale 1:2,000,000.



of yields, mainly suited to grass with occasional arable crops"⁵. The Project Site is known to be utilised as improved grazing for sheep and horses, with small areas of marshy grassland and woodland copses interspersing the improved grassland to the north and east. The importance of this resource is considered low.

Ground Workings and Mineral Resources

- 2.2.16 According to the GroundSure GeoInsight Report (Appendix A), based on historical mapping there have been a number of historical surface ground working features on the Project Site. These comprise refuse heaps, a colliery, old gravel pits, unspecified pits and a pond.
- 2.2.17 The GroundSure GeoInsight Report has identified a gravel pit at Abergelli Fach that produced sand and gravel. There are also a number of surface mineral workings, including sand and gravel, sand, sandstone and one underground deep coal working within 1km of the Project Site. All operations have a "ceased" status (i.e. they are no longer active workings).
- 2.2.18 The Project Site is not within an area of tin or clay mining, or brine or gypsum extraction.

Underground Coal Mining

- 2.2.19 A review of the GroundSure GeoInsight Report identified Abergelli Colliery which is located adjacent to the Project Site approximately 500 m north of Abergelli Farm. A coal pit, shaft, colliery, and mine spoil heap have all been identified on historical mapping at locations extending to between 480 m and 1 km from the Project Site boundary (i.e. off-Project Site).
- 2.2.20 Further details on Abergelli Colliery are presented in the Coal Authority Mining Report (Appendix C) and are summarised below.
- 2.2.21 The Project Site is in the likely zone of influence from workings in three seams of coal, from shallow to a depth of 380 m. The Coal Mining Report indicates the coal seams were last worked in 1986⁶.
- 2.2.22 There are two mine entries close to the Project Site, one of which is located in the vicinity of Abergelli Colliery (north of Abergelli Fach Farm). The other is located south of the National Grid's 'Swansea North' electrical substation at NGR 264970, 200800. There is no record of any treatment to the mine entries.

APL-6 2 0(App10 1)-PB-ENV-STAT-FV March 20154

⁵ Ministry of Agriculture, Fisheries and Food Welsh Office Agricultural Department (October 1988) Agricultural Land Classification of England and Wales, Revised guidelines and criteria for grading the quality of agricultural land.
⁶ Non-Residential Coal Authority Report, 01/08/14



2.2.23 The Project Site is currently not in an area for which the Coal Authority is determining to grant a licence to remove coal using underground methods, where a licence has been granted or in an area that is likely to be affected at the surface from any planned future workings. However, reserves of coal exist and could be worked in the future.

Opencast Coal Mining

2.2.24 The Coal Authority report states that the Project Site is not within the boundary of an opencast site from which coal has been removed by opencast methods, and does not lie within 200 m of a boundary of an opencast site. It also states that the Project Site is not within 800 m of the boundary of an opencast site for which the Coal Authority are determining whether to grant a licence to remove coal by opencast methods, or for which a licence to remove coal has been granted.

Ground Stability / Subsidence

- 2.2.25 The Coal Authority Mining Report (Appendix C) indicates that no notice of the risk of the land being affected by subsidence has been given under section 46 of the Coal Mining Subsidence Act 1991.
- 2.2.26 Abergelli Farm has been subject to remedial works, by or on behalf of the Coal Authority under its emergency surface hazard call out procedures. No further information was provided, however two damage notices or claims for alleged subsidence damage were made in June 1995 and November 1996.
- 2.2.27 Geological hazards at the site identified in the GroundSure Geolnsight Report are detailed within Table 2.3.

Table 2.3 Geological Hazards

| Stability | Collapsible ground | Negligible to very low | | |
|---------------|----------------------------|--|--|--|
| | Compressible ground | Negligible to <u>high</u> | | |
| | Ground dissolution | Null to negligible | | |
| | Landslide | Very low to low | | |
| | Running sand | Negligible to low | | |
| | Shrinking or Swelling Clay | Negligible to very low | | |
| Radon hazards | | The Project Site is in a Radon Affected Area, as between 3-5% of properties are above the Action Level. Radon protective measures may be necessary in the Project. | | |



- 2.2.28 The high hazard associated with compressible ground is mapped and presented within the GroundSure GeoInsight Report and is presumably associated with the peat. One of the high hazard areas is situated in the location of the Generating Equipment Site, along the eastern boundary, and the other to the west and north west of Abergelli Farm.
- 2.2.29 Consideration of this hazard will be made in the design of any ground works (including site investigation, earthworks, de-watering) and foundation design.

2.3 Hydrogeological Information

- 2.3.1 The hydrogeology of the site has been reviewed with reference to the following sources:
 - GroundSure EnviroInsight report dated 29th July 2014 (Appendix A); and
 - Environment Agency Website 'What's in your backyard' (http://www.environment-agency.gov.uk/) 30th July 2014.
- 2.3.2 The aquifer classifications associated with the superficial geology comprise "unproductive strata" for the glacial till and "secondary A aquifer" for the glaciofluvial deposits.
- 2.3.3 The bedrock geology has been classified as a Secondary A aquifer.
- 2.3.4 Unproductive strata are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow.
- 2.3.5 Secondary A aquifers are permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers.
- 2.3.6 The BGS archived borehole log identified a water strike at 10.7m bgl (ground level was 113m AOD). However, there was no information regarding the resting water level in this borehole.
- 2.3.7 The GroundSure Envirolnsight Report has identified areas susceptible to groundwater flooding within 50 m of the Project Site. This is associated with superficial deposits, where shallow unconsolidated sedimentary aquifers overlie unproductive strata. The susceptibility to groundwater flooding is potentially at the surface, which means that given the geological conditions in the area, groundwater flooding hazard should be considered in all land-use planning decisions. The



BGS confidence rating of this groundwater flooding is classified as 'high'.

2.3.8 Groundwater quality in the study area has been assessed against the objectives of the Water Framework Directive (WFD). According to the EA website the current quantitative quality is good and is predicted to remain so in 2015. The current chemical quality is poor and expected to remain so in 2015.

Licenced Groundwater Abstractions

- 2.3.9 The GroundSure Envirolnsight Report has identified one groundwater abstraction licence on the Project Site, associated with Abergelli Farm. The licence number is 22/59/4/0027 with groundwater used for general farming and domestic purposes. The version start date was 01/02/1993, as there is no end date, it has been assumed to be still active.
- 2.3.10 There are an additional 16 No. groundwater abstraction licences within 2 km of the Project Site all used for general farming and domestic purposes. The location of licensed groundwater abstractions within the vicinity of the site are presented in Figure 10.1 of the Environmental Statement.

Groundwater Vulnerability

- 2.3.11 The Project Site does not lie within a groundwater Source Protection Zone (SPZ).
- 2.3.12 Groundwater vulnerability has been identified from the GroundSure Envirolnsight Report with a varying classification across the Project Site; i.e. from low to high leaching potential.
- 2.3.13 Low soil vulnerability is described as soils in which pollutants are unlikely to penetrate the soil layer because either water movement is largely horizontal, or they have the ability to attenuate diffuse pollutants. High soil vulnerability is described as coarse or moderately shallow soils which readily transmit non-adsorbed pollutants and liquid discharges but have some ability to attenuate adsorbed pollutants because of their clay or organic matter content.

Discharge Consents to Groundwater

- 2.3.14 There have been three discharge consents on the Project Site, all now expired or revoked:
 - Discharging to land associated with Abergelli Farm in 1987;



- The National Grid Gas Compressor Station, discharging sewage to an unnamed land drain, effective between 2007 and 2010; and
- Trade discharges (site drainage) to the Afon Llan, revoked in 2011.
- 2.3.15 Further details of other discharge consents within 500 m of the Project Site boundary is presented in the GroundSure Envirolnsight Report.
- 2.4 Hydrological and Drainage Information
- 2.4.1 There are a number of small watercourses within the vicinity of the Project Site that drain to the Afon Llan, along with a number of springs and small ponds.
- 2.4.2 The Afon Llan flows in a south westerly direction to the west and south of the Project Site, discharging into the Loughor Estuary. In addition, another watercourse, the Afon Lliw is located approximately 1.3 km north of the Project Site and also discharges into the Loughor Estuary.
- 2.4.3 Artificial water features include the Felindre water treatment works with covered reservoir situated immediately north of the Project Site, and the Lower Lliw reservoir situated approximately 1.1 km north of the Project Site.
- 2.4.4 The closest potable water supply is from the Lower Lliw Reservoir approximately 1 km north west of the Project Site. The original start date of abstraction was 09/08/1989.

Flood Risk

- 2.4.5 The GroundSure EnviroInsight Report indicates that the southern tip of the scoping boundary is located in an area at risk from flooding with an estimated annual probability of between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers (i.e. Flood Zone 2 and 3). However, the Project Site is not located within an area at risk from flooding.
- 2.4.6 According to the British Geological Survey (BGS) there are areas within 50 m of the Project Site that are susceptible to groundwater flooding. This is associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits flooding).

Licensed Surface Water Abstractions

2.4.7 According to the GroundSure EnviroInsight Report there are no surface water abstractions within the Project Site boundary. However, there is one licensed surface water abstraction within 825 m east of the Project Site used for "lake and pond throughflow", sourced from the Afon Llan.



Discharge Consents to Surface Water

2.5 There are no active discharge consents to surface water; however there are seven consents which have either expired or have been surrendered.

Recorded Pollution Incidents

2.5.2 According to the GroundSure Envirolnsight Report there have been three pollution incidents within the Project Site. Two were related to atmospheric pollutants and effects, causing a minor impact to air in 2002 situated in the National Grid Gas Plc. The third was related to inert materials and wastes described as soils and clay causing a significant impact to the water environment. The incident was dated May 2007 and located on the northern boundary of the Project Site.

2.6 Recorded Landfill Sites

- 2.6.1 The GroundSure EnviroInsight Report and Environmental Agency data indicate one authorised landfill and an adjacent historic "Landfill Extension" located within the Project Site boundary, presented in Figure 10.1. This is named the Abergelli Fach Farm landfill and its current status is 'closed'. The total void space was calculated at 75,000m³, with a total tonnage of 142,500t. The landfill was only able to accept non-biodegradable wastes.
- 2.6.2 The Landfill Extension is reported to have accepted inert waste. The planning application for this extension was granted in 1997. National Resources Wales (NRW) have provided the Working Plan and associated drawings for the landfill which were dated March 1994 (Appendix D). The total void space was calculated at 99,898m³, with a total tonnage of 179,816t.
- 2.6.3 The Working Plan described the land as low lying, and poorly drained. Approximately three quarters of the landfill area was covered by a mine soil dump from Abergelli Colliery. This mine waste was removed leaving a layer of well compacted mine waste over the majority of the landfill area. The area of ground that was covered by the mine spoil was used for drying out of water treatment sludge (aluminium sulphate) though ceased when the landfill became operational. No further information on this operation is known.

2.7 Recorded Animal Burial Grounds

2.7.1 Information obtained from CCS indicates there was no local cull of animals in Swansea, Neath Port Talbot or Carmarthenshire during the



Foot and Mouth outbreak in 2001. No mass burial of animals have been recorded at the Project Site.

2.8 Pollution Controls

2.8.1 There is one Integrated Pollution Prevention and Control (IPPC) permit located within the Project Site boundary. This is for the Gas Compressor Station for the combustion of any fuel held by National Grid Gas Plc.

2.9 Sensitive Land Uses

2.9.1 There are two areas of ancient woodland within the Project Site. One area of ancient woodland is located north east of the Generating Equipment Site and another to the south of the Access Road. Further detail is provided within the Ecology Chapter of the Environmental Statement (Chapter 8).

2.10 Historical Development & Potentially Contaminative Land Uses

2.10.1 Historical maps are provided in the GroundSure MapInsight Report in Appendix A, Google Earth was also used to view satellite imagery of more recent land uses. The historic development of the Project Site is summarised within Table 2.4.

Table 2.4 Historical Map Summary

| Dates/Sources | On Project Site | Off Project Site |
|---|---|--|
| 1876-1878 1:10,560 1:2,500 | The Project Site is predominantly agricultural fields and tracks, with areas of woodland and marshland. There are a number of buildings associated with Abergelli Fach and Abergelli Fawr in the central region of the Project Site, and Bryn Mawr along the north western corner of the Project Site. | The land is predominantly agricultural. A lime kiln is identified to the south east of the Project Site; west of the Maes-eglwys development. |
| 1896 – 1897 1:10,560 1898 – 1899 1:2,500 | A gravel pit is identified to the west of Abergelli Fach. The woodland in the south of the Project Site has now been identified as Abergelli Fach Plantation and Lletty Morfil Plantation. | An old gravel pit is identified to the south of the Project Site that was not previously identified. An old tramway is identified to the north of the Project Site, which was not previously identified on the older map. |



| Dates/Sources | On Project Site | Off Project Site |
|--|---|--|
| 1913-1914 1:10,560 1913-1918 1:2,500 | The gravel pit is now identified as old. Rises and streams are now indicated on the map. | Two old quarries have been identified. One approximately 500 m west and one approximately 750 m north west of the Project Site. A tank is identified next to a spring just off Project Site, north of Abergelli Fach Plantation. The limekiln previously identified is now labelled as old limekiln. |
| 1921 1:10,560 | No significant changes. | No significant changes. |
| 1935-1938 1:10,560 1935 1:2,500 | Abergelli Colliery, associated buildings, engine houses, railway sidings, slant (loading bay) and tank are identified on the map, north of Abergelli Fach. | No significant changes. |
| 1948 1:10,560 | The buildings associated with Abergelli Colliery have changed slightly but still appear to be operational. | No significant changes. |
| 1964 1:10,560 1960 1:2,500 1958 1:2,500 | The colliery is now identified as disused. A spoil heap/tip adjacent to the colliery is identified to the north west of the mine with a routeway into the centre of the tip. Railway sidings tracks run through the colliery and ends at the edge of the spoil heap/tip. | The tank next to Abergelli Plantation and the previously identified spring are no longer identified. The old tramway is now labelled as dismantled. |
| 1975 1:10,000 1974 1:2,500 | The railway sidings and one building associated with the Abergelli Colliery are no longer identified. Electricity pylons are identified across the site, towards the central section of the Project Site, running in a north east to south west direction. | A tip is labelled approximately 300 m to the south of the Project Site. |



| Dates/Sources | On Project Site | Off Project Site |
|---|--|--|
| 1991 1:10,000 1989-1:2,500 | An electrical substation is present in the south western corner of the Project Site, adjacent to Lletty-morfil Plantation. | A gas valve compound is shown adjacent to the north western Project Site boundary. Beyond the gas valve compound are covered |
| 1989-1992 | A large warehouse building is now present in this area. Abergelli Fach is now labelled as | reservoirs and associated water treatment works. The tip to the south of the |
| 1992-1993 1:2,500 1999 Google Earth Pro imagery | Abergelli Farm and looks to have been redeveloped. Abergelli Fawr is now labelled as ruins. From the earliest imagery | Project Site is no longer identified. |
| .5.7 | available on Google Earth Pro the old gravel pit does not look to be backfilled. The landfill looks to be backfilled and the slope graded. The majority of the landfill extension is vegetated. | |
| 2002 1:10,000 | An embankment previously identified as a spoil heap or similar is present to the north west of the former mine. Two buildings associated with the | No significant changes. |
| 2002 Google Earth Pro imagery | colliery remain. The landfill is becoming vegetated. The northern part of the landfill extension looks to be currently worked | |
| 2006 and 2008 Google Earth Pro imagery | The eastern part of the landfill is under hardstanding for units and vehicles associated with current landfilling operations. There is a large trench through the landfill extension running south east to north west. | No significant changes. |
| 2010 1:10,000 2010 Google Earth Pro imagery | The previous track across the site to Abergelli Farm is now developed into a roadway. Vegetation is developing on the eastern part of the old gravel pit. The landfills no longer look operational. There are no vehicles or units remaining, although the trench is still present. Vegetation is maturing. | No significant changes. |



| Dates/Sources | On Project Site | Off Project Site |
|-------------------------------------|---|-------------------------|
| 2013 Google Earth Pro imagery | Vegetation is becoming well developed on the eastern part of the old gravel pit and over the landfill and landfill extension areas. | No significant changes. |

2.11 Potentially Contaminative Land Uses

2.11.1 Table 2.5 and Figure 10.1 of the Environmental Statement presents potentially contaminative land uses identified on-Project Site and within 500m of the Project Site boundaries. It also details contaminant groups potentially present as a result of these land uses.

Table 2.5 Potentially Contaminative Land Uses

| Process/ Land use | Location | Contaminant Groups Potentially Present on-site | |
|---|--|---|--|
| Abergelli Colliery, engine houses, tanks, railway sidings/conveyor belt and spoil heap | North of Abergelli Fach (Farm) on the Project Site. | Metals and metalloids, polycyclic aromatic hydrocarbons (PAHs), hydrocarbons, lubricating oils, sulphates, asbestos, ground gas including coal bed methane. | |
| Drying out of water treatment Abergelli Colliery and | | Aluminium sulphate and heavy metals | |
| Historic Landfill and Landfill Extension | North west of Abergelli Colliery (north of Abergelli Fach) on the Project Site. | Hydrocarbons, asbestos and unknown contaminants associated with the waste, landfill gas. | |
| Gas Compressor Station and electricity pylons | Western part of the Project Site – Operated by National Grid Gas Plc. Electricity pylons traverse across the Project Site | Polychlorinated biphenyls (PCB's), other transformer oils and solvents | |
| Agricultural land and plantations | Across the majority of site including plantations to the south of the Project Site. | Fertilisers, hydrocarbons and lubricating oils associated with machinery. | |

2.12 Sources of Contamination

2.12.1 The most likely sources of contamination for the Project Site are:



- Contamination associated with the historic landfill and landfill extension;
- Contamination associated with the historic colliery, including aluminium sulphate sludge; and
- Contamination from agricultural land use including leaks/spills from machinery.

2.13 Preliminary Conceptual Site Model

- 2.13.1 On the basis of the information summarised above, a preliminary conceptual site model (CSM) has been developed for the Project Site. The CSM identifies potential contaminants, receptors (both on and offsite) and exposure pathways that may be present. The identification of such potential "pollutant linkages" is a key aspect of the evaluation of potentially contaminated land.
- 2.13.2 An approach based on CIRIA report C552 has been adopted within this report. For each of the pollutant linkages, an estimate is made of;
 - The potential severity of the risk; and
 - The likelihood of the risk occurring.
- 2.13.3 Table 2.6 presents the classification of the severity of the risk.

Table 2.6: Severity of Risk

| Severe | Acute risks to human health; Major pollution of controlled waters(watercourses or groundwater) | |
|--------|--|--|
| Medium | Chronic (long-term) risk to human health; Pollution of sensitive controlled waters (surface waters or aquifers) | |
| Minor | Requirement for protective equipment during site works to migrate health effects; Damage to non-sensitive ecosystems or species | |

2.13.4 The probability of the risk occurring is classified according to criteria given in Table 2.7.

Table 2.7: Probability of Risk Occurring

| High Likelihood | Pollutant linkage may be present, and risk is almost certain to occur in the long term, or there is evidence of harm to the receptor. | |
|-----------------|---|--|
| Likely | Pollutant linkage may be present, and it is probable that the | |



| | risk will occur over the long term. | | | |
|--|---|--|--|--|
| Low Likelihood Pollutant linkage may be present and there is a possibility the risk occurring, although there is no certainty that it will do so. | | | | |
| Unlikely | Pollutant linkage may be present but the circumstances under which harm would occur are improbable. | | | |

2.13.5 An overall evaluation of the level of risk is gained from a comparison of the severity and probability as presented in Table 2.8.

Table 2.8: Comparison of Severity and Probability

| | | Severity | | | | | |
|-----------|--------------------|---------------------|-----------------------|------------------------|--|--|--|
| | | Severe Medium | | Minor | | | |
| lity | High Likelihood | Very high risk | High Risk | Moderate / low risk | | | |
| <u>io</u> | Likely | High risk | Moderate risk | Low risk | | | |
| Proba | Low Likelihood | Moderate risk | Moderate/ low risk | Very low risk | | | |
| | Unlikely | Moderate / low risk | Low risk | Very low risk | | | |

- 2.13.6 Potential "pollutant linkages" associated with the Project are detailed within Table 2.9.
- 2.13.7 It should be noted that the identification of potential "pollutant linkages" does not indicate that they are significant in any way or that the Project Site is unsuitable for its current/proposed use. It does however act as a way of focusing future data collection at the Project Site and identifying any key potential risks associated with the Project Site.
- 2.13.8 The risks to construction workers associated with the Project Site are considered negligible with embedded mitigation taken into consideration, such as PPE and following best practice procedures.
- 2.13.9 The current conservative assessment is based on a desk study and will be confirmed through intrusive investigation prior to detailed design.
- 2.13.10 It should also be noted that potential risks associated with ground instability are not incorporated into the assessment.



Table 2.9 Potential Pollutant Linkages Associated with the Future Development and their Preliminary Risk Rating

| Source | Pathway | Receptor | Scale | Risk | Comment | |
|---|--|--|---|--|--|---|
| Waste within the historic landfill and landfill extension (Including the process of drying out water treatment | Direct contact with shallow groundwater impacted with landfill leachates. | Construction Workers | Very localised small scale areas Low Low Low | Low | The majority of the development area will comprise hardstanding; therefore the risk of exposure is negligible. Regular contact with this potential contaminative source is unlikely. The presence of vegetation across the majority of the Project Site limits exposure via the direct contact pathway. Also, the potential sources of contamination cover a small area of the land within the Project Site. The risk associated with this S-P-R is irrespective of the Project going ahead. | |
| sludge) | | Human Health: Future workers on the Generating Equipment | | Low | As above. In addition, the exposure durations are limited and the receptor class is less sensitive. Regular contact with site soils is unlikely. | |
| | Cross contamination via piling during the development works. | Controlled Waters: Secondary A superficial and bedrock aquifers and an abstraction well | | | Low | Whilst a pathway could be created via such a means, the area which will require piling is on greenfield land and therefore the probability of the risk occurring is unlikely; therefore the risk is considered low. Groundwater flow direction is currently unconfirmed. |
| | Landfill gas generation | · 1 | | There is potential for landfill gases to be present within the landfill and landfill extension. The gas generation | | |
| | | Human Health: Future workers on the Generating Equipment | | | is anticipated to be low as the landfill was licenced to only receive inert and nonbiodegradeable waste. This needs to be considered as buried structures will be constructed to the east of the landfills. The exposure durations are limited and the receptor class is less sensitive; the generating equipment site is relatively distant from the landfill hence the "Low" classification. | |



| Source | Pathway | Receptor | Scale | Risk | Comment |
|---|-------------------------------|---|---|-------------------|---|
| | Mine gas generation | Human Health: Residents of dwellings within the study area | Extent of mine workings is unknown | High | During the construction works there is a likelihood that ground gas from coal bed methane or mine workings may be disturbed. |
| | | Human Health: Future workers on the Generating Equipment | | High | |
| Agricultural land use | Surface run-off | Controlled waters, drainage ditches within the Project Site boundary | Wide spread across land, but very low frequency use | Low | Sprayed fertilisers could be washed into receiving surface waters. Drainage ditches run across the Project Site and may transport contaminants. The farming practices and potential use of chemicals is unknown but as the land is predominantly used for grazing the risk is considered low. The risk associated with this S-P-R is irrespective of the Project going ahead. |
| Natural gas from potential peat stratum | Natural ground gas generation | Human Health: Future workers on the Generating Equipment | One area of mapped peat identified | Moderate / Low | There is potential for natural ground gases to be present within the peat stratum mapped in localised areas within the Project Site. The gas generation is anticipated to be moderate to low in these areas and this currently vents naturally. |
| | | Construction workers | | Moderate / Low | Construction workers may potentially disturb the peat habitat during the construction works; this is particularly relevant with sub-surface construction activities where ground gas may accumulate. |



SECTION 3

CONCLUSIONS AND RECOMMENDATIONS



3 CONCLUSIONS AND RECOMMENDATIONS

3.1 Conclusions

- 3.1.1 APL commissioned Parsons Brinckerhoff to undertake a preliminary risk assessment (desk study) as part of the geology, ground conditions and hydrogeology chapter for the Environmental Statement of Abergelli Power Project.
- 3.1.2 The geological and hydrogeological conditions have been investigated and described on the basis of the available published information.
- 3.1.3 Following a review of information relating to the site and surrounding area, a number of discrete potential 'pollutant linkages' have been identified at the Project Site.
- 3.1.4 Potential sources from the previous use of the site are localised and include an historic landfill and landfill extension, a colliery and historic water treatment processes associated with the mine, a potentially backfilled gravel pit, and agricultural use including potential animal burials.

3.2 Recommendations

- 3.2.1 In order to provide further information for this assessment to assess the potential 'pollutant linkages', a focused intrusive ground investigation is recommended.
- 3.2.2 This would likely be incorporated into the site-wide ground investigation and include exploratory holes (boreholes and trial pits) to investigate soil and groundwater conditions at the Project Site, and to characterise the deposits in each of the areas identified as a potential source of contamination.
- 3.2.3 The ground investigation would also obtain information on ground instability hazards, including the depth and extent of any peat horizons. It will also focus on potential underground mine workings using mine abandonment plans. This information will then be used to complete a mining risk assessment and interpretative geotechnical report.
- 3.2.4 Sampling of soils, groundwater and surface water will be carried out for chemical analysis to establish the presence/absence of any contamination and allow the assessment of the significance through the completion of a risk assessment.
- 3.2.5 Ground gas monitoring will also be required in the area due the increased potential for gas generation from coal workings, the landfill or peat areas.







FIGURES



APPENDIX A

GROUNDSURE REPORTS



APPENDIX B

BGS BOREHOLE LOG



APPENDIX C

COAL AUTHORITY MINING REPORT



APPENDIX D

LANDFILL WORKING PLAN RECORDS FROM NRW



APPENDIX A

GROUNDSURE REPORTS



Parsons Brinckerhoff

27-29 PARSONS BRINCKERHOFF LTD, CATHEDRAL ROAD, CARDIFF, CF11 9HA GroundSure

GS-1587647

Reference:

Your Reference:

PB84891

Report Date

29 Jul 2014

Report Delivery

Method:

Email - pdf

GroundSure Envirolnsight

Address: ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Dear Sir/ Madam,

Thank you for placing your order with GroundSure. Please find enclosed the **GroundSure Enviroinsight** as requested.

If you need any further assistance, please do not hesitate to contact our helpline on 08444 159000 quoting the above GroundSure reference number.

Yours faithfully,

Managing Director Groundsure Limited

Enc.

GroundSure EnviroInsight



GroundSure **Envirolnsight**

Address: ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Date: 29 Jul 2014

Reference: GS-1587647

Client: Parsons Brinckerhoff

NW NE

Aerial Photograph Capture date:

22-May-2010

Grid Reference:

265243,201702

Site Size:

146.24ha

Contents Page

| Contents Page | 3 |
|---|----|
| Overview of Findings | 5 |
| Using this report | 8 |
| 1. Environmental Permits, Incidents and Registers Map | 9 |
| 1. Environmental Permits, Incidents and Registers | 10 |
| 1.1 Industrial Sites Holding Licences and/or Authorisations | |
| 1.1.1 Records of historic IPC Authorisations within 500m of the study site: | 10 |
| 1.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site: | |
| 1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site: | |
| 1.1.5 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site: | |
| 1.1.6 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site: | |
| 1.1.7 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site: | |
| 1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations: | |
| 1.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site: | |
| 1.2 Dangerous or Hazardous Sites | |
| 1.3 Environment Agency Recorded Pollution Incidents | |
| 1.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site: | |
| 1.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site: | |
| 1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990 | |
| 2. Landfill and Other Waste Sites Map | |
| 2. Landfill and Other Waste Sites | |
| 2.1 Landfill Sites | |
| 2.1.1 Records from Environment Agency landfill data within 1000m of the study site: | |
| 2.1.2 Records of Environment Agency historic fanding sites within 1500m of the study site: | |
| 2.1.4 Records of Local Authority landfill sites within 1500m of the study site: | |
| 2.2 Other Waste Sites | |
| 2.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site: | |
| 2.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site: | |
| 3. Current Land Use Map | |
| 3. Current Land Uses | |
| 3.1 Current Industrial Data | |
| 3.2 Petrol and Fuel Sites | |
| 3.3 Underground High Pressure Oil and Gas Pipelines | |
| 4. Geology | |
| 4.1 Artificial Ground and Made Ground | |
| 4.2 Superficial Ground and Drift Geology4.3 Bedrock and Solid Geology | |
| 5. Hydrogeology and Hydrology | |
| | |
| 5a. Aquifer Within Superficial Geology | |
| 5b. Aquifer Within Bedrock Geology and Abstraction Licenses | |
| 5c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses | |
| 5d. Hydrology – Detailed River Network and River Quality | 28 |
| 5. Hydrogeology and Hydrology | |
| 5.1 Aquifer within Superficial Deposits | |
| 5.2 Aquifer within Bedrock Deposits | |
| 5.3 Groundwater Abstraction Licences | |
| J. 1 JUI 1000 YYOU ADJU GUIUH EICHICO | , |

| 5.5 Potable Water Abstraction Licences | |
|--|---------------|
| 5.6 Source Protection Zones | |
| 5.7 Groundwater Vulnerability and Soil Leaching Potential | |
| 5.8 River Quality | |
| 5.8.1 Biological Quality: | |
| 5.9 Detailed River Network | |
| 5.10 Surface Water Features | |
| 6. Environment Agency Flood Map for planning (from rivers and the sea) | |
| 6. Flooding | 55 |
| 6.1 Zone 2 Flooding | |
| 6.2 Zone 3 Flooding | |
| 6.3 Flood Defences | |
| 6.4 Areas benefiting from Flood Defences | |
| 6.5 Areas benefiting from Flood Storage | |
| 6.6 Groundwater Flooding Susceptibility Areas | |
| 6.6.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study si | te?56 |
| 6.6.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions? | |
| 6.7 Groundwater Flooding Confidence Areas | 56 |
| 7. Designated Environmentally Sensitive Sites Map | 57 |
| 7. Designated Environmentally Sensitive Sites | 58 |
| 7.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site: | 58 |
| 7.2 Records of National Nature Reserves (NNR) within 2000m of the study site: | 58 |
| 7.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site: | |
| 7.4 Records of Special Protection Areas (SPA) within 2000m of the study site: | |
| 7.5 Records of Ramsar sites within 2000m of the study site: | |
| 7.6 Records of Ancient Woodland within 2000m of the study site: | |
| 7.7 Records of Local Nature Reserves (LNR) within 2000m of the study site: | |
| 7.8 Records of World Heritage Sites within 2000m of the study site: | |
| 7.9 Records of Environmentally Sensitive Areas within 2000m of the study site: | |
| 7.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site: | |
| 7.11 Records of National Parks (NP) within 2000m of the study site: | |
| 7.12 Records of Nitrate Sensitive Areas within 2000m of the study site: | |
| · | |
| 8. Natural Findings | Hazards 61 |
| 8.1 Detailed BGS GeoSure Data | |
| 8.1.1 Shrink Swell | |
| 8.1.2 Landslides | |
| 8.1.3 Soluble Rocks | |
| 8.1.4 Compressible Ground | |
| 8.1.5 Collapsible Rocks | |
| 8.1.6 Running Sand | |
| 9. Mining | 63 |
| 9.1 Coal Mining | 63 |
| 9.2 Shallow Mining | |
| 9.3 Brine Affected Areas | |
| Contact Details | 64 |
| Standard Terms and Conditions | 65 |

Overview of Findings

For further details on each dataset, please refer to each individual section in the main report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

| Section 1: Environmental Permits, Incidents and Registers | On-sit | e | 0-50m | 51-25 | 0 2 | 51-500 |
|--|---------|-------|--------|---------|--------------|---------------|
| 1.1 Industrial Sites Holding Environmental Permits and/or Authorisations | | | | | | |
| 1.1.1 Records of historic IPC Authorisations | 0 | | 0 | 0 | | 0 |
| 1.1.2 Records of Part A(1) and IPPC Authorised Activities | 2 | | 0 | 0 | | 0 |
| 1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) | 0 | | 0 | 0 | | 0 |
| 1.1.4 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) | 0 | | 0 | 0 | | 0 |
| 1.1.5 Records of List 1 Dangerous Substances Inventory sites | 0 | | 0 | 0 | | 0 |
| 1.1.6 Records of List 2 Dangerous Substances Inventory sites | 0 | | 0 | 0 | | 0 |
| 1.1.7 Records of Part A(2) and Part B Activities and Enforcements | 0 | | 0 | 0 | | 0 |
| 1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations | 0 | | 0 | 0 | | 0 |
| 1.1.9 Records of Licensed Discharge Consents | 3 | | 0 | 2 | | 3 |
| 1.1.10 Records of Planning Hazardous Substance Consents and Enforcements | 0 | | 0 | 0 | | 1 |
| 1.2 Records of COMAH and NIHHS sites | 0 | | 0 | 2 | | 0 |
| 1.3 Environment Agency Recorded Pollution Incidents | | | | | | |
| 1.3.1 National Incidents Recording System, List 2 | 3 | | 0 | 0 | | 2 |
| 1.3.2 National Incidents Recording System, List 1 | 0 | | 0 | 0 | | 0 |
| 1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990 | 0 | | 0 | 0 | | 0 |
| Section 2: Landfill and Other Waste Sites | On-site | 0-50m | 51-250 | 251-500 | 501-1000 | 1000- 5000 |
| 2.1 Landfill Sites | | | | | | |
| 2.1.1 Environment Agency Registered Landfill Sites | 1 | 0 | 0 | 0 | 0 | Not searched |
| 2.1.2 Environment Agency Historic Landfill Sites | 1 | 0 | 2 | 1 | 0 | 0 |
| 2.1.3 BGS/DoE Landfill Site Survey | 0 | 0 | 0 | 1 | 0 | 0 |
| 2.1.4 GroundSure Local Authority Landfill Sites Data | 0 | 0 | 0 | 0 | 0 | 0 |
| 2.2 Landfill and Other Waste Sites Findings | | | | | | |
| 2.2.1 Operational and Non-Operational Waste Treatment, Transfer and Disposal Sites | 2 | 0 | 0 | 0 | Not searched | Not searched |
| 2.2.2 Environment Agency Licensed Waste Sites | 2 | 0 | 0 | 0 | 2 | 4 |

| Section 3: Current Land Use | On-site | 0-50m | 51-250 | 251-500 |
|--|---------|-------|--------|--------------|
| 3.1 Current Industrial Sites Data | 14 | 6 | 6 | Not searched |
| 3.2 Records of Petrol and Fuel Sites | 0 | 0 | 0 | 0 |
| 3.3 Underground High Pressure Oil and Gas Pipelines | 0 | 0 | 0 | 0 |
| | | | | |
| Section 4: Geology | | | | |
| 4.1 Are there any records of Artificial Ground and Made Ground present beneath the study site? | | ١ | No | |

| Section 4: Geology | |
|--|-----|
| 4.1 Are there any records of Artificial Ground and Made Ground present beneath the study site? | No |
| 4.2 Are there any records of Superficial Ground and Drift Geology present beneath the study site? | Yes |
| 4.3 For records of Bedrock and Solid Geology beneath the study site see the detailed findings section. | |

| Section 5: Hydrogeology and Hydrology | Ogy 0-500m | | | | | |
|--|-------------------|-------|--------|--------------|--------------|---------------|
| 5.1 Are there any records of Strata Classification in the Superficial Geology within 500m of the study site? | Yes | | | | | |
| 5.2 Are there any records of Strata Classification in the Bedrock Geology within 500m of the study site? | Yes | | | | | |
| | On-site | 0-50m | 51-250 | 251-500 | 501-1000 | 1000- 2000 |
| 5.3 Groundwater Abstraction Licences (within 2000m of the study site) | 1 | 0 | 1 | 1 | 5 | 10 |
| 5.4 Surface Water Abstraction Licences (within 2000m of the study site) | 0 | 0 | 0 | 0 | 2 | 3 |
| 5.5 Potable Water Abstraction Licences (within 2000m of the study site) | 0 | 0 | 0 | 0 | 0 | 2 |
| 5.6 Source Protection Zones (within 500m of the study site) | 0 | 0 | 0 | 0 | Not searched | Not searched |
| 5.7 Groundwater Vulnerability and Soil Leaching Potential (within 500m of the study site) | 4 | 0 | 2 | 1 | Not searched | Not searched |
| | On-site | 0-50m | 51-250 | 251-500 | 501-1000 | 1000- 1500 |
| 5.8 Is there any Environment Agency information on river quality within 1500m of the study site? | No | No | No | No | Yes | Yes |
| 5.9 Detailed River Network entries within 500m of the site | 47 | 19 | 72 | 82 | Not searched | Not searched |
| 5.10 Surface water features within 250m of the study site | Yes | Yes | Yes | Not searched | Not searched | Not searched |

Section 6: Flooding 6.1 Are there any Environment Agency Zone 2 floodplains within Yes 250m of the study site? 6.2 Are there any Environment Agency Zone 3 floodplains within Yes 250m of the study site? 6.3 Are there any Flood Defences within 250m of the study site? No $6.4\,$ Are there any areas benefiting from Flood Defences within 250m No of the study site? $6.5\,$ Are there any areas used for Flood Storage within 250m of the No study site? 6.6 What is the maximum BGS Groundwater Flooding susceptibility Potential at Surface within 50m of the study site? 6.7 What is the BGS confidence rating for the Groundwater Flooding High susceptibility areas?

| 7.1 Records of Sites of Special Scientific Interest (SSSI)7.2 Records of National Nature Reserves (NNR) | 0 | 0 | 0 | | | |
|--|---|---|---|---|---|---|
| 7.2 Records of National Nature Reserves (NNR) | | | U | 0 | 0 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.3 Records of Special Areas of Conservation (SAC) | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.4 Records of Special Protection Areas (SPA) | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.5 Records of Ramsar sites | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.6 Records of Ancient Woodlands | 1 | 0 | 0 | 0 | 1 | 6 |
| 7.7 Records of Local Nature Reserves (LNR) | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.8 Records of World Heritage Sites | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.9 Records of Environmentally Sensitive Areas | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.10 Records of Areas of Outstanding Natural Beauty (AONB) | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.11 Records of National Parks | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.12 Records of Nitrate Sensitive Areas | 0 | 0 | 0 | 0 | 0 | 0 |
| 7.13 Records of Nitrate Vulnerable Zones | 0 | 0 | 0 | 0 | 0 | 0 |

Section 8: Natural Hazards

8.1 What is the maximum risk of natural ground subsidence?

High

| Section 9: Mining | |
|--|-----|
| 9.1 Are there any coal mining areas within 75m of the study site? | Yes |
| 9.2 What is the risk of subsidence relating to shallow mining within 150m of the study site? | Low |
| 9.3 Are there any brine affected areas within 75m of the study site? | No |

Using this report

The following report is designed by Environmental Consultants for Environmental Professionals bringing together the most up-to-date market leading environmental data. This report is provided under and subject to the Terms & Conditions agreed between GroundSure and the Client. The document contains the following sections:

1. Environmental Permits, Incidents and Registers

Provides information on Regulated Industrial Activities and Pollution Incidents as recorded by Regulatory Authorities, and sites determined as Contaminated Land. This search is conducted using radii up to 500m.

2. Landfills and Other Waste Sites

Provides information on landfills and other waste sites that may pose a risk to the study site. This search is conducted using radii up to 1500m.

3. Current Land Uses

Provides information on current land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. These searches are conducted using radii of up to 500m. This includes information on potentially contaminative industrial sites, petrol stations and fuel sites as well as high pressure underground oil and gas pipelines.

4. Geology

Provides information on artificial and superficial deposits and bedrock beneath the study site.

5. Hydrogeology and Hydrology

Provides information on productive strata within the bedrock and superficial geological layers, abstraction licenses, Source Protection Zones (SPZs) and river quality. These searches are conducted using radii of up to 2000m.

6. Flooding

Provides information on surface water flooding, flood defences, flood storage areas and groundwater flood areas. This search is conducted using radii of up to 250m.

7. Designated Environmentally Sensitive Sites

Provides information on the Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR), Special Areas of Conservation (SAC), Special Protection Areas (SPA), Ramsar sites, Local Nature Reserves (LNR), Areas of Outstanding Natural Beauty (AONB), National Parks (NP), Environmentally Sensitive Areas, Nitrate Sensitive Areas, Nitrate Vulnerable Zones and World Heritage Sites and Scheduled Ancient Woodland. These searches are conducted using radii of up to 2000m.

8. Natural Hazards

Provides information on a range of natural hazards that may pose a risk to the study site. These factors include natural ground subsidence.

9. Mining

Provides information on areas of coal and shallow mining.

10. Contacts

This section of the report provides contact points for statutory bodies and data providers that may be able to provide further information on issues raised within this report. Alternatively, GroundSure provide a free Technical Helpline (08444 159000) for further information and guidance.

Note: Maps


Only certain features are placed on the maps within the report. All features represented on maps found within this search are given an identification number. This number identifies the feature on the mapping and correlates it to the additional information provided below. This identification number precedes all other information and takes the following format -ld: 1, ld: 2, etc. Where numerous features on the same map are in such close proximity that the numbers would obscure each other a letter identifier is used instead to represent the features. (e.g. Three features which overlap may be given the identifier "A" on the map and would be identified separately as features 1A, 3A, 10A on the data tables provided).

Where a feature is reported in the data tables to a distance greater than the map area, it is noted in the data table as "Not Shown".

All distances given in this report are in Metres (m). Directions are given as compass headings such as N: North, E: East, NE: North East from the nearest point of the study site boundary.



1. Environmental Permits, Incidents and Registers Map







1. Environmental Permits, Incidents and Registers

1.1 Industrial Sites Holding Licences and/or Authorisations

Searches of information provided by the Environment Agency and Local Authorities reveal the following information:

1.1.1 Records of historic IPC Authorisations within 500m of the study site:

0

Database searched and no data found.

1.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:

2

The following Part A(1) and IPPC Authorised Activities are represented as points on the Environmental Permits, Incidents and Registers Map:

| ID | Distance | Direction | NGR | | Details |
|-----|----------|-----------|------------------|--|--|
| 19B | 0.0 | On Site | 264950 200990 | Operator: National Grid Gas Plc Installation Name: Felindre, Gas Compressor Station Process: COMBUSTION; ANY FUEL =>50MW | Permit Number: RP3232LD Original Permit Number: RP3232LD EPR Reference: - Issue Date: 2/7/2007 Effective Date: 2/7/2007 Last date noted as effective: 2014-04-01 Status: Superceded |
| 20B | 0.0 | On Site | 264950 200990 | Operator: National Grid Gas Plc Installation Name: Felindre, Gas Compressor Station Process: COMBUSTION; ANY FUEL =>50MW | Permit Number: WP3230TU Original Permit Number: RP3232LD EPR Reference: - Issue Date: 29/3/2010 Effective Date: 29/3/2010 Last date noted as effective: 2014-04-01 Status: Effective |

1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:

0

Database searched and no data found.



| 1.1.4 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site: | |
|---|---|
| | 0 |
| Database searched and no data found. | |
| 1.1.5 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site: | 0 |
| Database searched and no data found. | |
| 1.1.6 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site: | 0 |
| Database searched and no data found. | |
| 1.1.7 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site: | 0 |
| Database searched and no data found. | |
| 1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations: | 0 |
| Database searched and no data found. | |
| 1.1.9 Records of Licensed Discharge Consents within 500m of the study site: | 8 |
| | |

The following Licensed Discharge Consents records are represented as points on the Environmental Permits, Incidents and Registers Map:

| ID | Distance | Direction | NGR |] | Details |
|----|----------|------------|------------------|---|--|
| 6 | 0.0 | On Site | 265500 202500 | Address: Abergelli Farm Felindre Swansea, Abergelli Farm Felindre Swansea, Felindre Swansea, Swansea, Swansea, SWANSEA Effluent Type: Unspecified Permit Number: BP0051701 Permit Version: 1 | Receiving Water: To Land Status: Consent Expired - Time Limit Issue date: 14/8/1987 Effective Date: 14/8/1987 Revocation Date: - |



| ID | Distance | Direction | NGR | Det | tails |
|---------|----------|------------|------------------|---|---|
| 7 | 0.0 | On Site | 265052 200870 | Address: Nat'l Grid Compressor Sta Swansea, Nat'l Grid Newb'd Compressor Sta, Felindre, Swansea, SA5 7LU Effluent Type: Sewage Discharges - Final/treated Effluent - Not Water Company Permit Number: BP0370301 Permit Version: 1 | Receiving Water: Unnamed Land Drain Status: Surrendered Under Epr 2010 Issue date: 2/11/2007 Effective Date: 2/11/2007 Revocation Date: 26/8/2010 |
| 8 | 0.0 | On Site | 265183 200917 | Address: National Grid Site Llangyfelach, National Grid Site, Llangyfelach, Felindre, Swansea Effluent Type: Trade Discharges - Site Drainage Permit Number: BP0361101 Permit Version: 1 | Receiving Water: Afon Llan Status: Surrendered Under Epr 2010 Issue date: - Effective Date: - Revocation Date: 16/6/2011 |
| 9 | 146.0 | SW | 265460 200690 | Address: Maes Eglwys Farm Pantlasau Morristo, Maes Eglwys Farm Pantlasau Morri, Pantlasau Morriston, Morriston Effluent Type: Unspecified Permit Number: BF0214701 Permit Version: 1 | Receiving Water: To Land Nr. River Llan Status: Consent Expired - Time Limit Issue date: 1/2/1979 Effective Date: 1/2/1979 Revocation Date: 22/4/1994 |
| 10 | 188.0 | N | 264330 200950 | Address: Penywaun Fach Cottages Felindre Swa, Penywaun Fach Cottages Felindre, Felindre Swansea., Swansea. Effluent Type: Unspecified Permit Number: BP0108201 Permit Version: 1 | Receiving Water: To Land Status: Consent Expired - Time Limit Issue date: - Effective Date: - Revocation Date: - |
| 11 C | 302.0 | NW | 264500 202400 | Address: Felindre Chlor.overflow, Felindre Chlor.overflow Effluent Type: Unspecified Permit Number: BP0180001 Permit Version: 1 | Receiving Water: To Land Status: Consent Expired - Time Limit Issue date: 2/10/1989 Effective Date: 2/10/1989 Revocation Date: 14/3/1994 |
| 12 | 365.0 | NW | 264500 202500 | Address: Felindre Wtw (septic Tank Disc, Felindre Wtw (septic Tank Disc Effluent Type: Unspecified Permit Number: BC0011901 Permit Version: 1 | Receiving Water: Unnamed Trib. River Lliw Status: Consent Expired - Time Limit Issue date: 22/5/1970 Effective Date: 22/5/1970 Revocation Date: - |
| 13 | 442.0 | SE | 265250 200300 | Address: Bungalow At Gorswen Farm Pontlasse, Bungalow At Gorswen Farm Pontlas, Pontlasse Swansea, Swansea, Swansea, Effluent Type: Unspecified Permit Number: BP0011401 Permit Version: 1 | Receiving Water: To Land Status: Consent Expired - Time Limit Issue date: 7/2/1986 Effective Date: 7/2/1986 Revocation Date: - |

 ${\bf 1.1.10\,Records\,of\,Planning\,Hazardous\,Substance\,Consents\,and\,Enforcements\,within\,500m\,of\,the\,study\,site:}$

1

The following records are represented as points on the Environmental Permits, Incidents and Registers Map:

| ID | Distance | Direction | Application Reference Number | NGR | Application Status | Application Date | Address | Details | Details of Enforcement Action |
|-----|----------|-----------|------------------------------------|------------------|-----------------------|---------------------|---|----------------------|--|
| 21C | 265.0 | NW | HAZ 5/92 | 264539 202392 | Approved | No details. | Felindre Waterworks, Felindre, Welsh Water, Swansea, West Glamorgan, SA5 7NP | Storage of chlorine. | Enforcement: No Enforcement Notified Date of Enforcement: No Enforcement Notified Comment: No Enforcement Notified |



1.2 Dangerous or Hazardous Sites

Records of COMAH & NIHHS sites within 500m of the study site:

2

The following COMAH & NIHHS Authorisation records provided by the Health and Safety Executive are represented as polygons or buffered points on the Environmental Permits, Incidents and Registers Map:

| ID | Distance | Direction | Company | Address | Operational Status | Tier |
|-----|----------|-----------|---|--|-----------------------|------------------------------|
| 16 | 58.0 | NW | Dwr Cymru / Welsh Water | Dwr Cymru / Welsh Water, Felindre Water Treatment Works, Felindre, Swansea, Sa5 7np | Current COMAH Site | COMAH Lower Tier Operator |
| 17C | 168.0 | NW | Welsh Water Development Authority | Welsh Water Development Authority(glamorgan Water Division), Felindre Treatment Plant, Felindre, Sa5 7np | Historical NIHHS Site | - |

1.3 Environment Agency Recorded Pollution Incidents

1.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:

5

The following NIRS List 2 records are represented as points on the Environmental Permits, Incidents and Registers Map:

| ID | Distance | Direction | NGR | De | etails |
|----|----------|-----------|------------------|---|---|
| 1A | 0.0 | On Site | 265129 200977 | Incident Date: 25/06/2002 Incident Identification: 87384 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Smoke | Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor) |
| 2A | 0.0 | On Site | 265129 200977 | Incident Date: 25/06/2002 Incident Identification: 87384 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Smoke | Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor) |
| 3 | 0.0 | On Site | 264841 202246 | Incident Date: 10/05/2007 Incident Identification: 493773 Pollutant: Inert Materials and Wastes Pollutant Description: Soils and Clay | Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact) |
| 4 | 467.0 | S | 264189 200169 | Incident Date: 16/08/2002 Incident Identification: 100861 Pollutant: Oils and Fuel Pollutant Description: Mixed/Waste Oils | Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact) |
| 5 | 496.0 | SE | 266090 200500 | Incident Date: 10/05/2001 Incident Identification: 5132 Pollutant: Other Pollutant Pollutant Description: Other | Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor) |



1.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:

0

Database searched and no data found.

1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990


How many records of sites determined as contaminated land under Section 78R of the Environmental Protection Act 1990 are there within 500m of the study site?

0

Database searched and no data found.



2. Landfill and Other Waste Sites Map







2. Landfill and Other Waste Sites

2.1 Landfill Sites

2.1.1 Records from Environment Agency landfill data within 1000m of the study site:

1

The following Environment Agency landfill records are represented as polygons on the Landfill and Other Waste Sites map:

| ID | Distance (m) | Direction | NGR | | Details |
|----|--------------|-----------|------------------|---|--|
| 2 | 0.0 | On Site | 265014 201890 | Address: Abergelli Fach Farm, Felindre, Swansea, SA5 7NN Landfill Reference: 34108.0 Environmental Permitting Regulations (Waste) Reference: LLE001 Landfill Type: A5: Landfill taking Non- Biodegradeable Wastes | Operator: Llewellyn Bryn Status: Closure IPPC Reference: EPR Reference: |

2.1.2 Records of Environment Agency historic landfill sites within 1500m of the study site:

4

The following landfill records are represented as either points or polygons on the Landfill and Other Waste Sites map:

| ID | Distance (m) | Direction | NGR | Details | |
|----|--------------|-----------|------------------|--|---|
| 5 | 0.0 | On Site | 265020 201808 | Site Address: Abergelli Fach Farm Landfill Extension, Felindre Waste Licence: Yes Site Reference: - Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - | Licence Issue: 06-Sep-1999 Licence Surrendered: Licence Hold Address: Felindre Operator: Abergelli Fach Farm Landfill Extension |
| 6 | 147.0 | SE | 264900 200200 | Site Address: British Steel Corporation, Velindre, Pant-lasau, Swansea Waste Licence: Yes Site Reference: - Waste Type: Industrial, Household, Environmental Permitting Regulations (Waste) Reference: - | Licence Issue: 21-Jun-1991 Licence Surrendered: 20-Jun-1994 Licence Hold Address: Velindre, Swansea Operator: - |
| 7B | 200.0 | SE | 265200 200400 | Site Address: Gorswen Farm, Pontdassau, Llangyfelach, Glamorgan Waste Licence: - Site Reference: - Waste Type: - Environmental Permitting Regulations (Waste) Reference: - | Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: - |



| ID Dis | tance (m) | Direction | NGR | Details | |
|--------|-----------|-----------|------------------|---|--|
| 8 302 | 2.0 | SE | 265200 200300 | Site Address: Gors Wen, Felindre Waste Licence: - Site Reference: - Waste Type: Inert, Industrial, Special, Environmental Permitting Regulations (Waste) Reference: - | Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: - |

2.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:

1

The following landfill records are represented as points on the Landfill and Other Waste Sites map:

| ID | Distance (m) | Direction | NGR | | Details |
|----|--------------|-----------|------------------------------|--|---|
| 1B | 266.0 | SE | 26520 0.0 20050 0.0 | Address: Gorswen Farm, Pontdassau, Llangyfelach, Glam BGS Number: 1208.0 | Risk: No risk to aquifer Waste Type: N/A |

2.1.4 Records of Local Authority landfill sites within 1500m of the study site:

0

Database searched and no data found.

2.2 Other Waste Sites

2.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:

2

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

| ID | Distance (m) | ^e Direction | n NGR | | | Details |
|----|-----------------|------------------------|------------------|--|---|--|
| 3A | 0.0 | On Site | 265117 201648 | Type of Site: Recycling Facility Site Address: Abergelli Fach Farm, Felindre, SWANSEA, West Glamorgan, SA5 7NN | Planning Application Reference: 2008/0827 Date: - | Further Details: Scheme comprises change of use from agricultural land to recycling of green waste and composting treatment. An application (ref: 2008/0827) for detailed planning permission was refused by Swansea C.C. A detailed planning application has been refused. Data Source: Historic Planning Application Data Type: Point |



| ID | Distance (m) | ^e Direction | NGR | | | Details |
|----|-----------------|------------------------|------------------|--|---|--|
| 4A | 0.0 | On Site | 265117 201648 | Type of Site: Waste Transfer Station Site Address: Landfill Site, Abergelli Fach Farm, Felindre, SWANSEA, West Glamorgan, SA5 7NN | Planning Application Reference: 2002/0312 Date: - | Further Details: Scheme comprises provision of a waste transfer station together with the removal of inert material and engineering works at Abergelli tip. An application (ref: 2002/0312) for Detailed Planning permission was submitted to Swansea C.C. on 22nd February 2002. Data Source: Historic Planning Application Data Type: Point |

2.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site:

8

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:


| ID | Distance (m) | Direction | NGR | De | tails |
|-----|-----------------|------------|------------------|--|---|
| 9 | 0.0 | On Site | 265014 201890 | Site Address: Abergelli Fach Farm, Felindre, Swansea, SA5 7NN Type: Landfill taking Non-Biodegradeable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: LLE001 EPR reference: EA/EPR/XP3198FC/A001 Operator: Llewellyn Bryn Waste Management licence No: 34108 Annual Tonnage: 82628.0 | Issue Date: 29/09/1994 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Closure Site Name: Abergelli Fach Farm Correspondence Address: -, - |
| 10 | 0.0 | On Site | 265020 201808 | Site Address: - Type: Landfill taking Non-Biodegradeable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: LLE002 EPR reference: EA/EPR/CP3098FZ/V002 Operator: Llewellyn William Bryn Waste Management licence No: 34165 Annual Tonnage: 35000.0 | Issue Date: 06/09/1999 Effective Date: - Modified: 10/10/2003 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Expired Site Name: Abergelli Fach Farm Landfill Extension Correspondence Address: -, - |
| 11C | 864.0 | SE | 266400 200300 | Site Address: Morriston Hospital, Heol Maes Eglwys, Morriston, Swansea, SA6 6NL Type: Clinical Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MOR003 EPR reference: EA/EPR/TP3598FV/S002 Operator: Morriston Hospital NHS Trust Waste Management licence No: 34135 Annual Tonnage: 1606.0 | Issue Date: 30/03/1996 Effective Date: - Modified: - Surrendered Date: 11/04/2001 Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: Morriston Hospital Correspondence Address: -, - |
| 12C | 864.0 | SE | 266400 200300 | Site Address: Morriston Hospital, Heol Maes Eglwys, Morriston, Swansea, SA6 6NL Type: Clinical Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MOR003 EPR reference: - Operator: Morriston Hospital N H S Trust Waste Management licence No: 34135 Annual Tonnage: 0.0 | Issue Date: 30/03/1996 Effective Date: - Modified: - Surrendered Date: 11/04/2001 Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: Morriston Hospital Correspondence Address: -, Morriston Hospital, Heol Maes Eglwys, Morriston, Swansea, SA6 6NL |



| ID | Distance (m) | Direction | NGR | De | tails |
|--------------|-----------------|-----------|------------------|---|---|
| Not shown | 1209.0 | S | 263976 199417 | Site Address: Jr Works, Bryntywod, Swansea, SA5 7LE Type: - Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: GAV004 EPR reference: EA/EPR/EB3397TU/A001 Operator: Mr Gavin Griffiths Waste Management licence No: 900031 Annual Tonnage: 0.0 | Issue Date: 09/09/2013 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Griffiths Recycling Correspondence Address: -, - |
| Not shown | 1209.0 | S | 263976 199417 | Site Address: Jr Works, Bryntywod, Langyfelach, Swansea, SA5 7LE Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: GAV004 EPR reference: EA/EPR/EB3397TU/A001 Operator: Mr Gavin Griffiths Waste Management licence No: 900031 Annual Tonnage: 75000.0 | Issue Date: 09/09/2013 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Griffiths Recycling Correspondence Address: -, - |
| Not shown | 1222.0 | S | 263865 199418 | Site Address: J R Works, Bryntywod Llangyfellach, Swansea, W Glamorgan, SA5 7LE Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: GRI015 EPR reference: DP3193SR/V002 Operator: Griffiths Pallet Services Ltd Waste Management licence No: 100069 Annual Tonnage: 0.0 | Issue Date: 08/04/2008 Effective Date: - Modified: 29/01/2010 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Griffiths Pallet Services Correspondence Address: -, - |
| Not shown | 1222.0 | S | 263865 199418 | Site Address: Former J R Works, Bryntywod, Llangyfellach, Swansea, West Galmorgan, SA5 7LE Type: Material Recycling Treatment Facility Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: GRI039 EPR reference: EA/EPR/NP3699VX/T001 Operator: Griffiths Waste Management Ltd Waste Management licence No: 100069 Annual Tonnage: 24999.0 | Issue Date: 08/04/2008 Effective Date: 23/12/2010 Modified: 29/01/2010 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred Site Name: Former J R Steelworks Correspondence Address: -, - |



3. Current Land Use Map







3. Current Land Uses

3.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site:

26

The following records are represented as points on the Current Land Uses map.

| ID | Distance (m) | Direction | Company | NGR | Address | Activity | Category |
|-----|-----------------|-----------|------------------------------|------------------|---------|---------------------|-------------------------------|
| 1 | 0.0 | On Site | Pylon | 264821 200971 | SA5 | Electrical Features | Infrastructure and Facilities |
| 2 | 0.0 | On Site | Pylon | 264863 200735 | SA5 | Electrical Features | Infrastructure and Facilities |
| 3 | 0.0 | On Site | Pylon | 264980 200840 | SA5 | Electrical Features | Infrastructure and Facilities |
| 4A | 0.0 | On Site | Pylon | 264807 200643 | SA5 | Electrical Features | Infrastructure and Facilities |
| 5A | 0.0 | On Site | Electricity Sub Station | 264817 200683 | SA5 | Electrical Features | Infrastructure and Facilities |
| 6 | 0.0 | On Site | Chimney | 265024 201070 | SA5 | Chimneys | Industrial Features |
| 7B | 0.0 | On Site | Gas Compressor Station | 265075 201068 | SA5 | Gas Features | Infrastructure and Facilities |
| 8B | 0.0 | On Site | Chimney | 265068 201107 | SA6 | Chimneys | Industrial Features |
| 9 | 0.0 | On Site | Pylon | 264733 200726 | SA5 | Electrical Features | Infrastructure and Facilities |
| 10 | 0.0 | On Site | Pylon | 264742 200899 | SA5 | Electrical Features | Infrastructure and Facilities |
| 11 | 0.0 | On Site | Pylon | 264922 200788 | SA5 | Electrical Features | Infrastructure and Facilities |
| 12 | 0.0 | On Site | Pylon | 265653 201680 | SA6 | Electrical Features | Infrastructure and Facilities |
| 13 | 0.0 | On Site | Pylon | 265395 201479 | SA6 | Electrical Features | Infrastructure and Facilities |
| 14 | 0.0 | On Site | Pylon | 265041 201203 | SA5 | Electrical Features | Infrastructure and Facilities |
| 15 | 12.0 | Ν | Pylon | 264095 200669 | SA5 | Electrical Features | Infrastructure and Facilities |
| 16 | 14.0 | Е | Pylon | 265860 201991 | SA6 | Electrical Features | Infrastructure and Facilities |
| 17 | 21.0 | SE | Pylon | 265335 200929 | SA6 | Electrical Features | Infrastructure and Facilities |
| 18 | 25.0 | NE | Pylon | 265681 201011 | SA6 | Electrical Features | Infrastructure and Facilities |
| 19C | 36.0 | N | Gas Valve Compound | 264788 202296 | SA5 | Gas Features | Infrastructure and Facilities |
| 20C | 38.0 | N | Gas Valve Compound | 264788 202298 | SA5 | Gas Features | Infrastructure and Facilities |
| 21 | 76.0 | SW | Pylon | 264554 200892 | SA5 | Electrical Features | Infrastructure and Facilities |



| ID | Distance (m) | Direction | Company | NGR | Address | Activity | Category |
|----|-----------------|-----------|---------|------------------|---------|---------------------|-------------------------------|
| 22 | 130.0 | S | Pylon | 264918 200442 | SA6 | Electrical Features | Infrastructure and Facilities |
| 23 | 178.0 | NE | Pylon | 266060 202293 | SA6 | Electrical Features | Infrastructure and Facilities |
| 24 | 217.0 | SE | Pylon | 264177 200429 | SA5 | Electrical Features | Infrastructure and Facilities |
| 25 | 224.0 | NW | Pylon | 264485 201107 | SA5 | Electrical Features | Infrastructure and Facilities |
| 26 | 243.0 | NW | Pylon | 263952 200875 | SA5 | Electrical Features | Infrastructure and Facilities |

3.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site:

0

Database searched and no data found.

3.3 Underground High Pressure Oil and Gas Pipelines

Records of high pressure underground pipelines within 500m of the study site:

0

Database searched and no data found.





4.1 Artificial Ground and Made Ground

Database searched and no data found.

The database has been searched on site, including a 50m buffer.

4.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

| Lex Code | Description | Rock Type |
|------------|-----------------------------------|-----------------------------|
| TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| ALV-CSSG | ALLUVIUM | CLAY, SILT, SAND AND GRAVEL |
| TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| ALV-CSSG | ALLUVIUM | CLAY, SILT, SAND AND GRAVEL |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| PEAT-P | PEAT | PEAT |
| TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| PEAT-P | PEAT | PEAT |
| GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |

4.3 Bedrock and Solid Geology

The database has been searched on site, including a 50m buffer.


| Lex Code | Description | Rock Type |
|----------|---------------------|-----------------------------------|
| GDB-MDSS | GROVESEND FORMATION | MUDSTONE, SILTSTONE AND SANDSTONE |
| GDB-MDSS | GROVESEND FORMATION | MUDSTONE, SILTSTONE AND SANDSTONE |
| SW-SDST | SWANSEA MEMBER | SANDSTONE |
| GDB-MDSS | GROVESEND FORMATION | MUDSTONE, SILTSTONE AND SANDSTONE |
| GDB-MDSS | GROVESEND FORMATION | MUDSTONE, SILTSTONE AND SANDSTONE |
| SW-MDSS | SWANSEA MEMBER | MUDSTONE, SILTSTONE AND SANDSTONE |
| SW-SDST | SWANSEA MEMBER | SANDSTONE |
| | · | |



(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)




5. Hydrogeology and Hydrology5a. Aquifer Within Superficial Geology






5b. Aquifer Within Bedrock Geology and Abstraction Licenses






5c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses





5d. Hydrology – Detailed River Network and River Quality







5.1 Aquifer within Superficial Deposits

Are there records of strata classification within the superficial geology at or in proximity to the property? Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the GroundSure Enviroinsight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (5a):

| ID | Distance (m) | Direction | Designation | Description |
|----|-----------------|-----------|--------------|--|
| 1 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 2 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 3 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 4 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 5 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 18 | 0.0 | On Site | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 19 | 0.0 | On Site | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 20 | 0.0 | On Site | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 21 | 51.0 | SE | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 22 | 108.0 | E | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 6 | 137.0 | SE | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 23 | 296.0 | E | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |



| ID | Distance (m) | Direction | Designation | Description |
|----|-----------------|-----------|--------------|--|
| 24 | 376.0 | SE | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 25 | 401.0 | S | Unproductive | These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow |
| 7 | 476.0 | SE | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |

5.2 Aquifer within Bedrock Deposits

Are there records of strata classification within the bedrock geology at or in proximity to the property? Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the GroundSure Enviroinsight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (5b):

| ID | Distance (m) | Direction | Designation | Description |
|----|-----------------|-----------|-------------|--|
| 1 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |
| 2 | 0.0 | On Site | Secondary A | Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers |

5.3 Groundwater Abstraction Licences

Are there any Groundwater Abstraction Licences within 2000m of the study site?

Yes

The following Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (5b):

| ID | Distance (m) | Direction | NGR | Details | |
|----|-----------------|-----------|------------------|--|---|
| 5 | 0.0 | On Site | 265100 201700 | Licence No: 22/59/4/0027 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well In Enclosure 481 At Abergelli Farm, Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: 5/3596 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |



| ID | Distance (m) | Direction | NGR | Details | |
|--------------|-----------------|-----------|------------------|---|--|
| 6 | 179.0 | SW | 265500 200600 | Licence No: 22/59/4/0013 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well On Land Belonging To Maeseglwys Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3627 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| 7 | 328.0 | E | 265950 201360 | Licence No: 22/59/4/0022 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring At Cwfn Betinge Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3625 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| 8 | 655.0 | E | 266330 201060 | Licence No: 22/59/4/0008 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well At Felin Wen Court Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/809 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| 9 | 678.0 | NW | 263790 201280 | Licence No: 22/59/4/0011 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring At Fforest Newydd Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/267 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 26/3/1999 Version End Date: |
| 10 | 848.0 | W | 263250 200420 | Licence No: 22/59/4/0016 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring In Field 830,cefn Fforest Fawr Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3595 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |
| Not shown | 870.0 | N | 265750 203390 | Licence No: 22/59/4/0024 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well At Rhosfawr Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3495 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| Not shown | 888.0 | N | 264580 203130 | Licence No: 22/59/4/0003 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring In Field No. 5700 At Lletty-thomas Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |
| 13 | 1045.0 | E | 266730 201050 | Licence No: 22/59/4/0006 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring In Field No. 586 At Gelliwastad Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3534 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |



| ID | Distance (m) | Direction | NGR | Details | |
|--------------|-----------------|-----------|------------------|--|--|
| 14 | 1151.0 | E | 266980 201790 | Licence No: 22/59/4/0025 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring In Enc. South West Of Pontycoedcae Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3613 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| Not shown | 1363.0 | E | 267260 202190 | Licence No: 22/59/4/0019 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well In Field No. 437 At Nantymilwr Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3473 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/2/1993 Version End Date: |
| Not shown | 1413.0 | NW | 264830 203860 | Licence No: 22/59/4/0005 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring 1 At Pant Y Fallen Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3471 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |
| Not shown | 1539.0 | E | 267200 200460 | Licence No: 22/59/1/0057 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well & Reservoir In Enc. No. 2047 Nr Wernfadog Cottage Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3514 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 30/3/1966 Version End Date: |
| Not shown | 1543.0 | N | 265730 204090 | Licence No: 22/59/4/0039 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well At Cwmcile Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR3576 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 30/3/1966 Version End Date: |
| Not shown | 1661.0 | N | 266080 204130 | Licence No: 22/59/4/0039 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring Adjacent To Pentre Bedw Cottage Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR3576 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 30/3/1966 Version End Date: |
| Not shown | 1824.0 | N | 265500 204400 | Licence No: 22/59/4/0040 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring In Enc. No. 847 At Maestir Mawr Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR3614 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 30/3/1966 Version End Date: |
| Not shown | 1906.0 | E | 267610 200910 | Licence No: 22/59/1/0013 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Well In Field No. 349 At Penrhiwgwysfa Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3580 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |



| ID | Distance (m) | Direction | NGR | Detai | ls |
|--------------|-----------------|-----------|------------------|--|--|
| Not shown | 1920.0 | N | 265250 204490 | Licence No: 22/59/4/0005 Details: General Farming & Domestic Direct Source: Eaw Groundwater Point: Spring 2 At Pant Y Fallen Farm Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR5/3471 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/12/1965 Version End Date: |

5.4 Surface Water Abstraction Licences

Are there any Surface Water Abstraction Licences within 2000m of the study site?

Yes

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (5b):

| ID | Distance (m) | Direction | NGR | Details | |
|--------------|-----------------|-----------|------------------|--|--|
| 23 | 825.0 | E | 266720 202280 | Licence No: 22/59/4/0066 Details: Lake & Pond Throughflow Direct Source: Eaw Surface Water Point: Un-named Trib Of Afon Llan Data Type: Point | Annual Volume (m³): 469612 Max Daily Volume (m³): 2730 Application No: - Original Start Date: 17/4/1990 Expiry Date: - Issue No: 1 Version Start Date: 1/4/2005 Version End Date: |
| 24 | 862.0 | E | 266710 202510 | Licence No: 22/59/4/0066 Details: Lake & Pond Throughflow Direct Source: Eaw Surface Water Point: Un-named Trib Of Afon Llan Data Type: Point | Annual Volume (m³): 469612 Max Daily Volume (m³): 2730 Application No: - Original Start Date: 17/4/1990 Expiry Date: - Issue No: 1 Version Start Date: 1/4/2005 Version End Date: |
| Not shown | 1014.0 | NW | 264890 203440 | Licence No: 22/59/4/0065 Details: Potable Water Supply - Storage Direct Source: Eaw Surface Water Point: Lower Lliw Reservoir Data Type: Point | Annual Volume (m³): 82964500 Max Daily Volume (m³): 227300 Application No: - Original Start Date: 9/8/1989 Expiry Date: - Issue No: 101 Version Start Date: 18/9/2003 Version End Date: |
| Not shown | 1014.0 | NW | 264890 203440 | Licence No: 22/59/4/0065 Details: Potable Water Supply - Storage Direct Source: Eaw Surface Water Point: Lower Lliw Reservoir - Point B Data Type: Point | Annual Volume (m³): 82964500 Max Daily Volume (m³): 454600 Application No: - Original Start Date: 9/8/1989 Expiry Date: - Issue No: 101 Version Start Date: 1/4/2011 Version End Date: |



| ID | Distance (m) | Direction | NGR | Details | |
|--------------|-----------------|-----------|------------------|---|---|
| Not shown | 1951.0 | S | 266130 198870 | Licence No: 22/59/1/0083 Details: Spray Irrigation - Direct Direct Source: Eaw Surface Water Point: Unnamed Stream Data Type: Point | Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 1/4/2001 Version End Date: |

5.5 Potable Water Abstraction Licences

Are there any Potable Water Abstraction Licences within 2000m of the study site?

Yes

The following Potable Water Abstraction Licences records are represented as points, lines and regions on the SPZ and Potable Water Abstraction Licences Map (5c):

| ID | Distance (m) | Direction | NGR | Ι | Details |
|--------------|-----------------|-----------|------------------|--|--|
| Not shown | 1014.0 | NW | 264890 203440 | Licence No: 22/59/4/0065 Details: Potable Water Supply - Storage Direct Source: Eaw Surface Water Point: Lower Lliw Reservoir Data Type: Point | Annual Volume (m³): 82964500 Max Daily Volume (m³): 227300 Original Application No: - Original Start Date: 9/8/1989 Expiry Date: - Issue No: 101 Version Start Date: Version End Date: |
| Not shown | 1014.0 | NW | 264890 203440 | Licence No: 22/59/4/0065 Details: Potable Water Supply - Storage Direct Source: Eaw Surface Water Point: Lower Lliw Reservoir - Point B Data Type: Point | Annual Volume (m³): 82964500 Max Daily Volume (m³): 454600 Original Application No: - Original Start Date: 9/8/1989 Expiry Date: - Issue No: 101 Version Start Date: Version End Date: |

5.6 Source Protection Zones

Are there any Source Protection Zones within 500m of the study site?

No

Database searched and no data found.



5.7 Groundwater Vulnerability and Soil Leaching Potential

Is there any Environment Agency information on groundwater vulnerability and soil leaching potential within 500m of the study site?

| Distance (m) | Direction | Classification | Soil Vulnerability Category | Description |
|--------------|-----------|--|-----------------------------|--|
| 0 | On Site | Minor Aquifer/High Leaching Potential | H2 | Deep, permeable, coarse textured soils which readily transmit a wide range of pollutants because of their rapid drainage and low attenuation potential. |
| 0 | On Site | Minor Aquifer/Low Leaching Potential | L | Soils in which pollutants are unlikely to penetrate the soil layer because either water movement is largely horizontal, or they have the ability to attenuate diffuse pollutants. |
| 0 | On Site | Minor Aquifer/Intermediate Leaching Potential | I1 | Soils which can possibly transmit a wide range of pollutants. |
| 0 | On Site | Minor Aquifer/High Leaching Potential | H1 | Soils which readily transmit liquid discharges because they are shallow or susceptible to rapid flow directly to rock, gravel or groundwater. |
| 194 | N | Minor Aquifer/High Leaching Potential | НЗ | Coarse textured or moderately shallow soils which readily transmit non-adsorbed pollutants and liquid discharges but have some ability to attenuate adsorbed pollutants because of their clay or organic matter content. |
| 243 | NW | Minor Aquifer/Intermediate Leaching Potential | I1 | Soils which can possibly transmit a wide range of pollutants. |
| 440 | S | Minor Aquifer/Low Leaching Potential | L | Soils in which pollutants are unlikely to penetrate the soil layer because either water movement is largely horizontal, or they have the ability to attenuate diffuse pollutants. |

5.8 River Quality

Is there any Environment Agency information on river quality within 1500m of the study site?

Yes



5.8.1 Biological Quality:

Biological Quality data describes water quality in terms of 83 groups of macroinvertebrates, some of which are pollution sensitive. The results are graded from A ('Very Good') to F ('Bad').

The following Biological Quality records are shown on the Hydrology Map (5d):

| ID | Distance | Divertion | NCD | | | Biological Quality Grade | | | | |
|--------------|----------|-----------|------------------|---|------|--------------------------|------|------|------|--|
| ID | (m) | Direction | NGR | River Quality Grade - | 2005 | 2006 | 2007 | 2008 | 2009 | |
| 399BW | 667.0 | N | 264600 202900 | River Name: Loughor Lliw Reach: Conf.nant Y Crimp - Conf Un Named Trib. End/Start of Stretch: Start of Stretch NGR | А | А | А | А | В | |
| 400BW | 667.0 | N | 264600 202900 | River Name: Loughor Lliw Reach: Conf Un Named Trib - Lower Lliw Res End/Start of Stretch: End of Stretch NGR | А | А | А | А | В | |
| Not shown | 954.0 | NW | 264800 203300 | River Name: Loughor Lliw Reach: Conf Un Named Trib - Lower Lliw Res End/Start of Stretch: Start of Stretch NGR | А | А | А | А | В | |
| Not shown | 1333.0 | S | 263900 199300 | River Name: Llan Reach: Melin Llan Br Llangafelach - Cuckoo Mill End/Start of Stretch: Start of Stretch NGR | В | В | В | В | В | |
| Not shown | 1333.0 | S | 263900 199300 | River Name: Llan Reach: Cuckoo Mill - Felin-wen End/Start of Stretch: End of Stretch NGR | В | В | В | В | В | |



5.8.2 Chemical Quality:

Chemical quality data is based on the General Quality Assessment Headline Indicators scheme (GQAHI). In England, each chemical sample is measured for ammonia and dissolved oxygen. In Wales, the samples are measured for biological oxygen demand (BOD), ammonia and dissolved oxygen. The results are graded from A ('Very Good') to F ('Bad').

The following Chemical Quality records are shown on the Hydrology Map (5d):

| | | | | _ | | Chem | ical Quality | Grade | |
|--------------|-----------------|-----------|------------------|--|------|------|--------------|-------|------|
| ID | Distance (m) | Direction | NGR | River Quality Grade | 2005 | 2006 | 2007 | 2008 | 2009 |
| 404BX | 614.0 | Е | 266300 201000 | River Name: Llan Reach: Cuckoo Mill - Felin-wen End/Start of Stretch: Start of Stretch NGR | А | А | А | А | - |
| 405BX | 614.0 | Е | 266300 201000 | River Name: Llan Reach: Felin-wen - Cynghordy End/Start of Stretch: End of Stretch NGR | А | А | А | А | - |
| 406BW | 667.0 | N | 264600 202900 | River Name: Lliw Reach: Conf.nant Y Crimp - Conf Un Named Trib. End/Start of Stretch: Start of Stretch NGR | А | А | А | А | - |
| 407BW | 667.0 | N | 264600 202900 | River Name: Lliw Reach: Conf Un Named Trib - Lower Lliw Res End/Start of Stretch: End of Stretch NGR | А | А | А | А | - |
| 408BM | 759.0 | NE | 266400 202900 | River Name: Llan Reach: Felin-wen - Cynghordy End/Start of Stretch: Start of Stretch NGR | А | А | А | А | - |
| Not shown | 954.0 | NW | 264800 203300 | River Name: Lliw Reach: Conf Un Named Trib - Lower Lliw Res End/Start of Stretch: Start of Stretch NGR | А | А | А | А | - |
| 410BY | 1097.0 | NW | 263760 202700 | River Name: Lliw Reach: Conf.nant Y Crimp - Conf Un Named Trib. End/Start of Stretch: Sample Point NGR | А | А | А | А | - |
| 411BY | 1097.0 | NW | 263760 202700 | River Name: Lliw Reach: Conf Un Named Trib - Lower Lliw Res End/Start of Stretch: Sample Point NGR | А | А | А | А | - |
| Not shown | 1333.0 | S | 263900 199300 | River Name: Llan Reach: Cuckoo Mill - Felin-wen End/Start of Stretch: End of Stretch NGR | А | А | А | А | - |
| Not shown | 1333.0 | S | 263900 199300 | River Name: Llan Reach: Melin Llan Br Llangafelach - Cuckoo Mill End/Start of Stretch: Start of Stretch NGR | А | А | А | А | - |



5.9 Detailed River Network

Are there any Detailed River Network entries within 500m of the study site?

Yes

The following Detailed River Network records are represented on the Hydrology Map (5d):



| ID | Distance (m) | Direction |] | Details |
|---------|--------------|-----------|---|--|
| 1 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 2 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 3 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 4 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Culvert Main River Status: Currently Undefined |
| 5B | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 6 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 7 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 8 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 9 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 10 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 11 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 12 | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 13 | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 14 | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 15 A | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 16 A | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 17 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 18 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 19 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 20 E | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



| ID | Distance (m) | Direction | ı | Details |
|---------|--------------|-----------|---|--|
| 22 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 23 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 24 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 25 B | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 26 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 27 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 28 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 29 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 30 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 31 C | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 32 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 33 C | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 34 D | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 35 D | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 36 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 37 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 38 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 39 E | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 40 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 41 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 42 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



| ID | Distance (m) | Direction | Г | Details Details |
|---------|--------------|-----------|---|--|
| 43 | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 44 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 45 | 0.0 | On Site | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 46 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 47 | 0.0 | On Site | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 48 | 2.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 49 | 2.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 50 | 2.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 51 F | 2.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 52 F | 2.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 53 | 3.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 54 B | 3.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 55 | 3.0 | SE | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined |
| 56 | 3.0 | SE | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined |
| 57 | 4.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 58 H | 8.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 59 G | 9.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 60 | 14.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 61 G | 24.0 | E | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 62 | 26.0 | SW | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined |
| 63 | 31.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



| ID | Distance (m) | Direction | I | Details |
|---------|--------------|-----------|---|--|
| 64 | 40.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 65 H | 41.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 66 | 50.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 67 L | 52.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 68 | 52.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 691 | 52.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 701 | 52.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 71J | 68.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 72J | 68.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 73 | 76.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 74 K | 96.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 75 K | 98.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 76 K | 98.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 77 K | 99.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 78 | 102.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 79 P | 108.0 | W | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 80 N | 109.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 81 K | 112.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 82 | 112.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 83 | 116.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 84 L | 118.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



| ID | Distance (m) | Direction | ı | Details |
|----------|--------------|-----------|---|---|
| 85 | 119.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 86 | 122.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 87 | 136.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 88 M | 136.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 89 M | 136.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 90 | 139.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined |
| 91 N | 147.0 | E | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 92 | 147.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 93 M | 149.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 94 O | 151.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 95 L | 152.0 | S | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 96 | 155.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 97 | 155.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 98 O | 156.0 | S | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 99 S | 158.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined |
| 10 0R | 158.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined |
| 10 1U | 160.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 10 2V | 164.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 10 3P | 165.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 10 4Q | 165.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 10 5T | 170.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



| ID | Distance (m) | Direction | Details | | |
|---------------|--------------|-----------|---|---|--|
| 10 6Y | 172.0 | E | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 10 7M | 175.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 10 8 | 180.0 | SW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 10 9Q | 182.0 | W | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 OR | 184.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 1M | 185.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 2S | 189.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 3A A | 190.0 | SW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 4T | 191.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 5T | 191.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 6M | 196.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 7W | 196.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 8U | 198.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 11 9A C | 199.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 0X | 200.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | |
| 12 1V | 200.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 2 | 203.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 3 | 203.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 4W | 203.0 | E | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 5 | 204.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 6X | 208.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | |



| ID | Distance (m) | Direction | Details | | |
|---------------|--------------|-----------|---|---|--|
| 12 7X | 208.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | |
| 12 8Y | 208.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 12 9X | 209.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | |
| 13 0 | 214.0 | Е | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 13 1R | 214.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 2V | 220.0 | Е | River Name: Drains Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 3 | 230.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 4Z | 232.0 | E | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 5 | 234.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 6U | 234.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 7Z | 244.0 | E | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 13 8 | 249.0 | E | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 13 9A A | 253.0 | SW | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 0A B | 256.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 1A B | 256.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 2Z | 258.0 | Е | River Name: Drains Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 3A C | 264.0 | E | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 14 4Z | 264.0 | E | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 5 | 267.0 | SE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 6A O | 276.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 7Y | 277.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |



| ID | Distance (m) | Direction | Details | | |
|---------------|--------------|-----------|---|---|--|
| 14 8A D | 282.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 14 9 | 283.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 0A F | 290.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 1 | 290.0 | SW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 2Z | 291.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 3 | 294.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 4A D | 301.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 5A D | 301.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 6A E | 303.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 7A E | 310.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 8A F | 310.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 15 9A F | 311.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 0A K | 315.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | |
| 16 1A H | 317.0 | Е | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 16 2A G | 320.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 3 | 320.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 4 | 320.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 5A F | 321.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 6A F | 322.0 | Е | River Name: Drains Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 7A G | 322.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 16 8A H | 324.0 | E | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |



| ID | Distance (m) | (m) Direction | Details | | |
|---------------|--------------|---------------|---|--|--|
| 16 9A H | 324.0 | Е | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 17 0 | 328.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 1 | 328.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 2 | 342.0 | Е | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | |
| 17 3A F | 343.0 | Е | River Name: Drains Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 4 | 345.0 | S | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 5AI | 348.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 6AI | 348.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 7A F | 348.0 | Е | River Name: Drains Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 8A J | 350.0 | W | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 17 9A J | 350.0 | W | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 0 | 354.0 | SW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 1A K | 359.0 | SE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Culvert Main River Status: Currently Undefined | |
| 18 2AI | 365.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 3A F | 366.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 4A M | 372.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 5A N | 375.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 6A L | 376.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 7A L | 388.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 8A M | 391.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |
| 18 9A P | 400.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | |



| ID | Distance (m) | Direction | Details | | | |
|---------------|--------------|-----------|--|---|--|--|
| 19 0 | 403.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 1 | 403.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 2A L | 406.0 | N | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 3 | 411.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 4A N | 413.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 5 | 423.0 | N | River Name: Nant y Crimp Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | | |
| 19 6A O | 423.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | | |
| 19 7A X | 430.0 | W | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 19 8A R | 430.0 | Е | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | | |
| 19 9A P | 431.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 0 | 433.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 1 | 439.0 | SW | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | | |
| 20 2A N | 439.0 | Е | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 3 | 453.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 4 | 455.0 | NW | River Name: Nant y Tarw Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | | |
| 20 5 | 456.0 | NE | River Name: Afon Llan Welsh River Name: - Alternative Name: - | River Type: Primary River Main River Status: Currently Undefined | | |
| 20 6 | 456.0 | NE | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 7A Q | 463.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |
| 20 8A S | 464.0 | NW | River Name: Nant y Tarw Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | | |
| 20 9 | 464.0 | NW | River Name: Nant y Crimp Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined | | |
| 21 0A Q | 466.0 | N | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined | | |



| ID | Distance (m) | Direction | D | etails |
|---------------|--------------|-----------|---|---|
| 21 1 | 478.0 | NW | River Name: Nant y Tarw Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined |
| 21 2 | 479.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 3 | 481.0 | SW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Secondary River Main River Status: Currently Undefined |
| 21 4A R | 485.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 5B B | 488.0 | NW | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 6A N | 492.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 7A S | 493.0 | N | River Name: Nant y Tarw Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 8A T | 495.0 | NE | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 21 9A V | 495.0 | Е | River Name: - Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |
| 22 0 | 499.0 | NW | River Name: Drain Welsh River Name: - Alternative Name: - | River Type: Tertiary River Main River Status: Currently Undefined |



5.10 Surface Water Features

Are there any surface water features within 250m of the study site?

Yes

The following surface water records are not represented on mapping:



| Distance (m) | Direction |
|--------------|-----------|
| 0.0 | On Site |
| 1.0 | SE |
| | |




| Distance (m) | Direction |
|--------------|-----------|
| 1.0 | SE |
| 2.0 | NW |
| 2.0 | NW |
| 2.0 | NE |
| 2.0 | NE |
| 2.0 | S |
| 3.0 | |
| 3.0 | NE |
| 4.0 | W |
| 0.8 | W |
| 9.0 | |
| 11.0 | NE NE |
| 13.0 | N |
| 14.0 | S |
| 24.0 | |
| 28.0 | N |
| 31.0 | E |
| 40.0 | NE NE |
| 41.0 | W |
| 52.0 | S |
| 52.0 | S |
| 52.0 | NE |
| 52.0 | NE |
| 57.0 | S |
| 64.0 | SW |
| 65.0 | SW |
| 68.0 | N N |
| 68.0 | |
| 76.0 | |
| 91.0 | SE SE |
| 95.0 | NW |
| 95.0 | SW |
| 96.0 | E |
| 98.0 | SE |
| 98.0 | E |
| 98.0 | E |
| 99.0 | |
| 102.0 | |
| 105.0 | NW |
| 108.0 | W |
| 109.0 | NE |
| 112.0 | NE NE |
| 112.0 | NE NE |
| 117.0 | NE NE |
| 117.0 | W |
| 118.0 | S |
| 119.0 | |
| 121.0 | E |
| 122.0 | NE |
| 136.0 | E |
| 136.0 | |
| 147.0 | <u></u> Е |
| 147.0 | <u></u> Е |
| 147.0 | |
| 151.0 | SE |
| 131.0 | JE |



| Distance (m) | Direction |
|--------------|-----------|
| 152.0 | S |
| 155.0 | E |
| 155.0 | E |
| 156.0 | S |
| 160.0 | SE |
| 161.0 | E |
| 165.0 | W |
| 165.0 | W |
| 166.0 | E |
| 169.0 | W |
| 170.0 | SE |
| 172.0 | |
| 175.0 | E |
| 180.0 | SW |
| 182.0 | W |
| 184.0 | |
| 185.0 | |
| 189.0 | |
| 190.0 | SW |
| 191.0 | SE |
| 191.0 | SE |
| 196.0 | E |
| 196.0 | E |
| 197.0 | NW |
| 198.0 | SE |
| 199.0 | E |
| 200.0 | |
| 203.0 | NE |
| 203.0 | NE |
| 203.0 | |
| 205.0 | SE |
| 207.0 | W |
| 208.0 | E |
| 214.0 | |
| 220.0 | E |
| 232.0 | NW |
| 232.0 | |
| 234.0 | SE |
| 234.0 | SE |
| 239.0 | W |
| 244.0 | E |
| 247.0 | |
| | |



6. Environment Agency Flood Map for planning (from rivers and the sea)







6.1 Zone 2 Flooding

Environment Agency Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 1 – Environment Agency Flood Map for Planning:

Is the site within 250m of an Environment Agency Zone 2 floodplain?

Yes

The following floodplain records are represented as green shading on the Flood Map:

| ID | Distance (m) | Direction | Update | Туре |
|----|--------------|-----------|-------------|----------------------------|
| 1A | 0.0 | On Site | 10-Jun-2014 | Zone 2 - (Fluvial Models) |
| 2 | 0.0 | On Site | 10-Jun-2014 | Zone 2 - (Fluvial Models) |

6.2 Zone 3 Flooding

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 1 – Environment Agency Flood Map for Planning.

Is the site within 250m of an Environment Agency Zone 3 floodplain?

Yes

The following floodplain records are represented as blue shading on the Flood Map:

| ID | Distance (m) | Direction | Update | Туре |
|----|--------------|-----------|-------------|----------------------------|
| 9A | 0.0 | On Site | 10-Jun-2014 | Zone 3 - (Fluvial Models) |
| 10 | 0.0 | On Site | 10-Jun-2014 | Zone 3 - (Fluvial Models) |

6.3 Flood Defences

Are there any Flood Defences within 250m of the study site?

No

Database searched and no data found.



6.4 Areas benefiting from Flood Defences

Are there any areas benefiting from Flood Defences within 250m of the study site?

No

6.5 Areas benefiting from Flood Storage

Are there any areas used for Flood Storage within 250m of the study site?

No

6.6 Groundwater Flooding Susceptibility Areas

6.6.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site?

Yes

Does this relate to Clearwater Flooding or Superficial Deposits Flooding?

Superficial Deposits Flooding

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

6.6.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?

Potential at Surface

Where potential for groundwater flooding to occur at surface is indicated, this means that given the geological conditions in the area groundwater flooding hazard should be considered in all land-use planning decisions. It is recommended that other relevant information e.g. records of previous incidence of groundwater flooding, rainfall, property type, and land drainage information be investigated in order to establish relative, but not absolute, risk of groundwater flooding.

6.7 Groundwater Flooding Confidence Areas

What is the British Geological Survey confidence rating in this result?


High

Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.



7. Designated Environmentally Sensitive Sites Map





No



Presence of Designated Environmentally Sensitive Sites within 2000m of the study site?

| | 7.1 Record | s of Sites of S | Special Scientific Interest (SSSI) within 2000m of the study site: | |
|---|-----------------|-----------------|--|---------------------------|
| | | | | 2 |
| | Council fo | or Wales a | Special Scientific Interest (SSSI) records provided by Natural England Scottish Natural Heritage are represented as polygons on ive Sites Map: | |
| | Distance (m) | Direction | SSSI Name | Data Source |
| 1 | 1334.0 | NW | Nant Y Crimp Cou | ntryside Council for Wale |
| 2 | 1897.0 | SW | | ntryside Council for Wale |
| | 7.2 Record | s of National | Nature Reserves (NNR) within 2000m of the study site: Database searched and no data found. | 0 |
| | 7.3 Record | s of Special A | Areas of Conservation (SAC) within 2000m of the study site: | 0 |
| | | | Database searched and no data found. | |
| | 7.4 Record | s of Special F | Protection Areas (SPA) within 2000m of the study site: | 0 |
| | | | Database searched and no data found. | |
| | 7.5 Record | s of Ramsar s | sites within 2000m of the study site: | 0 |
| | | | Database searched and no data found. | |



7.6 Records of Ancient Woodland within 2000m of the study site:

8

The following Ancient Woodland records are supplied by English Nature/Scottish Natural Heritage/Countryside Council for Wales and are represented as polygons on the Designated Environmentally Sensitive Sites Map:

| ID | Distance (m) | Direction | Ancient Woodland Name | Data Source |
|--------------|-----------------|-----------|-----------------------|-----------------------------------|
| 3 | 0.0 | On Site | Unknown | Ancient and Semi-Natural Woodland |
| 4 | 962.0 | W | PENLLERGAER FOREST | Ancient and Semi-Natural Woodland |
| 5 | 1196.0 | NW | LLWYN-GWENO WOOD | Ancient and Semi-Natural Woodland |
| Not shown | 1235.0 | S | Unknown | Ancient and Semi-Natural Woodland |
| 7 | 1319.0 | W | Unknown | Ancient and Semi-Natural Woodland |
| 8 | 1616.0 | SW | TIR-FFORDD WOOD | Ancient and Semi-Natural Woodland |
| 9 | 1774.0 | W | TYN-Y-CWM WOOD | Ancient and Semi-Natural Woodland |
| Not shown | 1989.0 | SW | VALLEY WOOD | Ancient Replanted Woodland |

| 1 |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |



| 7.11 Records of National Parks (NP) within 2000m of the study site: | (|
|--|---|
| Database searched and no data found. | |
| 7.12 Records of Nitrate Sensitive Areas within 2000m of the study site: | (|
| Database searched and no data found. | |
| 7.13 Records of Nitrate Vulnerable Zones within 2000m of the study site: | (|
| Database searched and no data found. | |





8.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a **GroundSure GeoInsight**, available from **our website**. The following information has been found:

8.1.1 Shrink Swell

What is the maximum Shrink-Swell* hazard rating identified on the study site?

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays.

8.1.2 Landslides

What is the maximum Landslide* hazard rating identified on the study site?

Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Possibility of slope instability problems after major changes in ground conditions. Consideration should be given to stability if changes to drainage or excavations take place. Possible increase in construction cost to reduce potential slope stability problems. Existing property no significant increase in insurance risk due to natural slope instability problems.

8.1.3 Soluble Rocks

What is the maximum Soluble Rocks* hazard rating identified on the study site?

Null - Negligible

Soluble rocks are not present in the search area. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks.

^{*} This indicates an automatically generated 50m buffer and site.



8.1.4 Compressible Ground

What is the maximum Compressible Ground* hazard rating identified on the study site?

High

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Very significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Construction may not be possible at economic cost. For existing property probable increase in insurance risk from compressibility especially if water conditions or loading of the ground change significantly.

8.1.5 Collapsible Rocks

What is the maximum Collapsible Rocks* hazard rating identified on the study site?

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits.

8.1.6 Running Sand

What is the maximum Running Sand** hazard rating identified on the study site?

Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Possibility of running sand problems after major changes in ground conditions. Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should reduce likelihood of problems due to running sand. For new build consider possibility of running sand into trenches or excavations if water table is high or sandy strata are exposed to water. Avoid concentrated water inputs to site. Unlikely to be an increase in construction costs due to potential for running sand. For existing property no significant increase in insurance risk due to running sand problems is likely.

^{*} This indicates an automatically generated 50m buffer and site.





9. Mining

9.1 Coal Mining

Are there any coal mining areas within 75m of the study site?

Yes

The following coal mining information provided by the Coal Authority is not represented on Mapping:

| Distance | Direction | Details |
|------------|-----------|---|
| 0.0 | On Site | The study site is located within the specified search distance of an identified mining area. Further details concerning this can be obtained from the Coal Authority Helpline on 0845 762 6848. |
| _ | | |
| 9.2 Shallo | ow Mining | |

What is the subsidence hazard relating to shallow mining on-site*?

Low

*Please note this data is searched with a 150m buffer.

9.3 Brine Affected Areas

Are there any brine affected areas within 75m of the study site?

No

Guidance: No Guidance Required.



Contact Details

GroundSure Helpline Telephone: 08444 159 000 info@groundsure.com



British Geological Survey Enquiries

Kingsley Dunham Centre Keyworth, Nottingham NG 12 5GG Tel: 0115 936 3143. Fax: 0115 936 3276. Email: enquiries@bgs.ac.uk Web:www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries



National Customer Contact Centre, PO Box 544 Rotherham, S60 1BY Tel: 08708 506 506

Web:www.environment-agency.gov.uk Email:enquiries@environment-agency.gov.uk



Public information access office Public Health England, Wellington House 133-155 Waterloo Road, London, SE1 8UG

https://www.gov.uk/government/organisations/public-healthengland

Email:enquiries@phe.gov.uk Main switchboard: 020 7654 8000

The Coal Authority

200 Lichfield Lane Mansfield Notts NG18 4RG Tel: 0345 7626 848 DX 716176 Mansfield 5 www.coal.gov.uk

Ordnance Survey

Adanac Drive, Southampton SO16 0AS Tel: 08456 050505

Local Authority
Authority: Swansea City and Borough Council
Phone: 01792 636000
Web: www.swansea.gov.uk
Address: County Hall, Oystermouth Road, Swansea, SA1 3SN

Gemapping PLC

Virginia Villas, High Street, Hartley Witney, Hampshire RG27 8NW Tel: 01252 845444















Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, English Nature who retain the Copyright and Intellectual Property Rights for the data. PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028]. This report has been prepared in accordance with the GroundSure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

1 Definitions

In these terms and conditions unless the context otherwise requires:

"Beneficiary" means the person or entity for whose benefit the Client has obtained the Services.

"Client" means the party or parties entering into a Contract with GroundSure.

"Commercial" means any building or property which is not Residential.

"Confidential Information" means the contents of this Contract and all information received from the Client as a result of, or in connection with, this Contract other than

- (i) information which the Client can prove was rightfully in its possession prior to disclosure by GroundSure and
- (ii) any information which is in the public domain (other than by virtue of a breach of this Contract).

"Support Services" means Support Services provided by GroundSure including, without limitation, interpreting third party and in-house environmental data, providing environmental support advice, undertaking environmental audits and assessments, Site investigation, Site monitoring and related items.

"Contract" means the contract between GroundSure and the Client for the provision of the Services, and which shall incorporate these terms and conditions, the Order, and the relevant User Guide.

"Third Party Data Provider" means any third party providing Third Party Content to GroundSure.

"Data Reports" means reports comprising factual data with no accompanying interpretation.

"Fees" has the meaning set out in clause 5.1.

"GroundSure" means GroundSure Limited, a company registered in England and Wales under number 03421028.

"GroundSure Materials" means all materials prepared by GroundSure and provided as part of the Services, including but not limited to Third Party Content, Data Reports, Mapping, and Risk Screening Reports.

"Intellectual Property" means any patent, copyright, design rights, trade or service mark, moral rights, data protection rights, know-how or trade mark in each case whether registered or not and including applications for the same or any other rights of a similar nature anywhere in the world.

"Mapping" means a map, map data or a combination of historical maps of various ages, time periods and scales.

"Order" means an electronic, written or other order form submitted by the Client requesting Services from GroundSure in respect of a specified Site.

"Ordnance Survey" means the Secretary of State for Business, Innovation and Skills, acting through Ordnance Survey, Adanac Drive, Southampton, SO16 0AS, UK.

"Order Website" means the online platform through which Orders may be placed by the Client and accepted by GroundSure.

"Report" means a Risk Screening Report or Data Report for Commercial or Residential property.

"Residential" means any building or property used as or intended to be used as a single dwelling.

"Risk Screening Report" means a risk screening report comprising factual data with an accompanying interpretation by GroundSure.

"Services" means any Report, Mapping and/or Support Services which GroundSure has agreed to provide by accepting an Order pursuant to clause 2.6.

"Site" means the area of land in respect of which the Client has requested GroundSure to provide the Services.

"Third Party Content" means data, database information or other information which is provided to GroundSure by a Third Party Data Provider.

"User Guide" means the user guide, as amended from time to time, available upon request from GroundSure and on the website (www.GroundSure.com) and forming part of this Contract.

2 Scope of Services, terms and conditions, requests for insurance and quotations

- 2.1 GroundSure agrees to provide the Services in accordance with the Contract.
- 2.2 GroundSure shall exercise reasonable skill and care in the provision of the Services
- 2.3 Subject to clause 7.3 the Client acknowledges that it has not relied on any statement or representation made by or on behalf of GroundSure which is not set out and expressly agreed in writing in the Contract and all such statements and representations are hereby excluded to the fullest extent permitted by law.
- 2.4 The Client acknowledges that terms and conditions appearing on a Client's order form, printed stationery or other communication, or any terms or conditions

implied by custom, practice or course of dealing shall be of no effect, and that this Contract shall prevail over all others in relation to the Order.

2.5 If the Client or Beneficiary requests insurance in conjunction with or as a result of the Services, GroundSure shall use reasonable endeavours to recommend such insurance, but makes no warranty that such insurance shall be available from insurers or that it will be offered on reasonable terms. Any insurance purchased by the Client or Beneficiary shall be subject solely to the terms of the policy issued by insurers and GroundSure will have no liability therefor. In addition you acknowledge and agree that GroundSure does not act as an agent or broker for any insurance providers. The Client should take (and ensure that the Beneficiary takes) independent advice to ensure that the insurance policy requested or offered is suitable for its requirements.

2.6 GroundSure's quotations or proposals are valid for a period of 30 days only unless an alternative period of time is explicitly stipulated by GroundSure. GroundSure reserves the right to withdraw any quotation or proposal at any time before an Order is accepted by GroundSure. GroundSure's acceptance of an Order shall be binding only when made in writing and signed by GroundSure's authorised representative or when accepted through the Order Website.

3 The Client's obligations

3.1The Client shall comply with the terms of this Contract and

- (i) procure that the Beneficiary or any third party relying on the Services complies with and acts as if it is bound by the Contract and
- (ii) be liable to GroundSure for the acts and omissions of the Beneficiary or any third party relying on the Services as if such acts and omissions were those of the Client.
- 3.2 The Client shall be solely responsible for ensuring that the Services are appropriate and suitable for its and/or the Beneficiary's needs.
- 3.3 The Client shall supply to GroundSure as soon as practicable and without charge all requisite information (and the Client warrants that such information is accurate, complete and appropriate), including without limitation any environmental information relating to the Site and shall give such assistance as GroundSure shall reasonably require in the provision of the Services including, without limitation, access to the Site, facilities and equipment.
- 3.4 Where the Client's approval or decision is required to enable GroundSure to carry out work in order to provide the Services, such approval or decision shall be given or procured in reasonable time and so as not to delay or disrupt the performance of the Services.

3.5 Save as expressly permitted by this Contract the Client shall not, and shall procure that the Beneficiary shall not, re-sell, alter, add to, or amend the GroundSure Materials, or use the GroundSure Materials in a manner for which they were not intended. The Client may make the GroundSure Materials available to a third party who is considering acquiring some or all of, or providing funding in relation to, the Site, but such third party cannot rely on the same unless expressly permitted under clause 4.

3.6 The Client is responsible for maintaining the confidentiality of its user name and password if using the Order Website and the Client acknowledges that GroundSure accepts no liability of any kind for any loss or damage suffered by the Client as a consequence of using the Order Website.

4 Reliance

4.1The Client acknowledges that the Services provided by GroundSure consist of the presentation and analysis of Third Party Content and other content and that information obtained from a Third Party Data Provider cannot be guaranteed or warranted by GroundSure to be reliable.

4.2 In respect of Data Reports, Mapping and Risk Screening Reports, the following classes of person and no other are entitled to rely on their contents;

(i) the Beneficiary,

(ii) the Beneficiary's professional advisers, (iii) any person providing funding to the Beneficiary in relation to the Site (whether directly or as part of a lending syndicate),

(iv) the first purchaser or first tenant of the Site, and

 $\mbox{\ensuremath{(v)}}$ the professional advisers and lenders of the first purchaser or tenant of the Site.

4.3 In respect of Support Services, only the Client, Beneficiary and parties expressly named in a Report and no other parties are entitled to rely on its contents.

4.4 Save as set out in clauses 4.2 and 4.3 and unless otherwise expressly agreed in writing, no other person or entity of any kind is entitled to rely on any Services or Report issued or provided by GroundSure. Any party considering such Reports and Services does so at their own risk.

5 Fees and Disbursements

5.1GroundSure shall charge and the Client shall pay fees at the rate and frequency specified in the written proposal, Order Website or Order acknowledgement form, plus (in the case of Support Services) all proper disbursements incurred by GroundSure. The Client shall in addition pay all value added tax or other tax payable on such fees and disbursements in relation to the provision of the Services (together "Fees").

- 5.2 The Client shall pay all outstanding Fees to GroundSure in full without deduction, counterclaim or set off within 30 days of the date of GroundSure's invoice or such other period as may be agreed in writing between GroundSure and the Client ("Payment Date"). Interest on late payments will accrue on a daily basis from the Payment Date until the date of payment (whether before or after judgment) at the rate of 8% per annum.
- 5.3 The Client shall be deemed to have agreed the amount of any invoice unless an objection is made in writing within 28 days of the date of the invoice. As soon as reasonably practicable after being notified of an objection, without prejudice to clause 5.2 a member of GroundSure's management team will contact the Client and the parties shall then use all reasonable endeavours to resolve the dispute within 15 days.

6 Intellectual Property and Confidentiality

6.1 Subject to

- (i) full payment of all relevant Fees and
- (ii) compliance with this Contract, the Client is granted (and is permitted to sub-licence to the Beneficiary) a royalty-free, worldwide, non-assignable and (save to the extent set out in this Contract) non-transferable licence to make use of the GroundSure Materials.
- 6.2 All Intellectual Property in the GroundSure Materials are and shall remain owned by GroundSure or GroundSure's licensors (including without limitation the Third Party Data Providers) the Client acknowledges, and shall procure acknowledgement by the Beneficiary of, such ownership. Nothing in this Contract purports to transfer or assign any rights to the Client or the Beneficiary in respect of such Intellectual Property.
- 6.3 Third Party Data Providers may enforce any breach of clauses 6.1 and 6.2 against the Client or Beneficiary.
- $6.4\ \mbox{The Client shall,}$ and shall procure that any recipients of the GroundSure Materials shall:
- (i) not remove, suppress or modify any trade mark, copyright or other proprietary marking belonging to GroundSure or any third party from the Services:
- (ii) use the information obtained as part of the Services in respect of the subject Site only, and shall not store or reuse any information obtained as part of the Services provided in respect of adjacent or nearby sites;
- (iii) not create any product or report which is derived directly or indirectly from the Services (save that those acting in a professional capacity to the Beneficiary may provide advice based upon the Services);
- (v) not reformat or otherwise change (whether by modification, addition or enhancement), the Services (save that those acting for the Beneficiary in a professional capacity shall not be in breach of this clause 6.4(v) where such reformatting is in the normal course of providing advice based upon the Services);
- (vi) where a Report and/or Mapping contains material belonging to Ordnance Survey, acknowledge and agree that such content is protected by Crown Copyright and shall not use such content for any purpose outside of receiving the Services; and
- (vii) not copy in whole or in part by any means any map prints or run-on copies containing content belonging to Ordnance Survey (other than that contained within Ordnance Survey's OS Street Map) without first being in possession of a valid Paper Map Copying Licence from Ordnance Survey,
- 6.5 Notwithstanding clause 6.4, the Client may make reasonable use of the GroundSure Materials in order to advise the Beneficiary in a professional capacity. However, GroundSure shall have no liability in respect of any advice, opinion or report given or provided to Beneficiaries by the Client.
- 6.6 The Client shall procure that any person to whom the Services are made available shall notify GroundSure of any request or requirement to disclose, publish or disseminate any information contained in the Services in accordance with the Freedom of Information Act 2000, the Environmental Information Regulations 2004 or any associated legislation or regulations in force from time to time.

7. Liability: Particular Attention Should Be Paid To This Clause

- 7.1 This Clause 7 sets out the entire liability of GroundSure, including any liability for the acts or omissions of its employees, agents, consultants, subcontractors and Third Party Content, in respect of:
 - (i) any breach of contract, including any deliberate breach of the Contract by GroundSure or its employees, agents or subcontractors:
 - (ii) any use made of the Reports, Services, Materials or any part of them; and
- (iii) any representation, statement or tortious act or omission (including negligence) arising under or in connection with the Contract.
- 7.2 All warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.
- 7.3 Nothing in the Contract limits or excludes the liability of the Supplier for death

or personal injury resulting from negligence, or for any damage or liability incurred by the Client or Beneficiary as a result of fraud or fraudulent misrepresentation.

7.4 GroundSure shall not be liable for

- (i) loss of profits;
- (ii) loss of business;
- (iii) depletion of goodwill and/or similar losses;
- (iv) loss of anticipated savings;
- (v) loss of goods;
- (vi) loss of contract;
- (vii) loss of use;
- (viii) loss or corruption of data or information;
- (ix) business interruption;
- (x) any kind of special, indirect, consequential or pure economic loss, costs, damages, charges or expenses;
- (xi) loss or damage that arise as a result of the use of all or part of the GroundSure Materials in breach of the Contract;
- (xii) loss or damage arising as a result of any error, omission or inaccuracy in any part of the GroundSure Materials where such error, omission or inaccuracy is caused by any Third Party Content or any reasonable interpretation of Third Party Content;
- $\mbox{(xiii)} \qquad \mbox{loss or damage to a computer, software, modem, telephone or other property; and} \\$
- (xiv) loss or damage caused by a delay or loss of use of GroundSure's internet ordering service.
- 7.5 GroundSure's total liability in relation to or under the Contract shall be limited to £10 million for any claim or claims.
- 7.6 GroundSure shall procure that the Beneficiary shall be bound by limitations and exclusions of liability in favour of GroundSure which accord with those detailed in clauses 7.4 and 7.5 (subject to clause 7.3) in respect of all claims which the Beneficiary may bring against GroundSure in relation to the Services or other matters arising pursuant to the Contract.

8 GroundSure's right to suspend or terminate

- 8.1 If GroundSure reasonably believes that the Client or Beneficiary has not provided the information or assistance required to enable the proper provision of the Services, GroundSure shall be entitled to suspend all further performance of the Services until such time as any such deficiency has been made good.
- 8.2 GroundSure shall be entitled to terminate the Contract immediately on written notice in the event that:
- (i) the Client fails to pay any sum due to GroundSure within 30 days of the Payment Date; or
- (ii) the Client (being an individual) has a bankruptcy order made against him or (being a company) shall enter into liquidation whether compulsory or voluntary or have an administration order made against it or if a receiver shall be appointed over the whole or any part of its property assets or undertaking or if the Client is struck off the Register of Companies or dissolved; or
- (iii) the Client being a company is unable to pay its debts within the meaning of Section 123 of the Insolvency Act 1986 or being an individual appears unable to pay his debts within the meaning of Section 268 of the Insolvency Act 1986 or if the Client shall enter into a composition or arrangement with the Client's creditors or shall suffer distress or execution to be levied on his goods; or
- (iv) the Client or the Beneficiary breaches any term of the Contract (including, but not limited to, the obligations in clause 4) which is incapable of remedy or if remediable, is not remedied within five days of notice of the breach.

9. Client's Right to Terminate and Suspend

- 9.1 Subject to clause 10.1, the Client may at any time upon written notice terminate or suspend the provision of all or any of the Services.
- 9.2 In any event, where the Client is a consumer (and not a business) he/she hereby expressly acknowledges and agrees that:
- (i) the supply of Services under this Contract (and therefore the performance of this Contract) commences immediately upon GroundSure's acceptance of the Order; and
 - (ii) the Reports and/or Mapping provided under this Contract are
 - (a) supplied to the Client's specification(s) and in any event
 - (b) by their nature cannot be returned.

10 Consequences of Withdrawal, Termination or Suspension

10.1 Upon termination of the Contract:

(i) GroundSure shall take steps to bring to an end the Services in an orderly manner, vacate any Site with all reasonable speed and shall deliver to the Client and/or Beneficiary any property of the Client and/or Beneficiary in

GroundSure's possession or control; and

(ii) the Client shall pay to GroundSure all and any Fees payable in respect of the performance of the Services up to the date of termination or suspension. In respect of any Support Services provided, the Client shall also pay GroundSure any additional costs incurred in relation to the termination or suspension of the Contract.

11 Anti-Bribery

11.1 The Client warrants that it shall:

- (i) comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Bribery Act 2010:
- (ii) comply with such of GroundSure's anti-bribery and anti-corruption policies as are notified to the Client from time to time; and
- (iii) promptly report to GroundSure any request or demand for any undue financial or other advantage of any kind received by or on behalf of the Client in connection with the performance of this Contract.
- 11.2 Breach of this Clause 11 shall be deemed a material breach of this Contract.

12 General

- 12.1 The Mapping contained in the Services is protected by Crown copyright and must not be used for any purpose other than as part of the Services or as specifically provided in the Contract.
- 12.2 The Client shall be permitted to make one copy only of each Report or Mapping Order. Thereafter the Client shall be entitled to make unlimited copies of the Report or Mapping Order only in accordance with an Ordnance Survey paper map copy license available through GroundSure.
- 12.3 GroundSure reserves the right to amend or vary this Contract. No amendment or variation to this Contract shall be valid unless signed by an authorised representative of GroundSure.
- 12.4 No failure on the part of GroundSure to exercise, and no delay in exercising, any right, power or provision under this Contract shall operate as a waiver thereof.
- 12.5 Save as expressly provided in this Contract, no person other than the persons set out therein shall have any right under the Contract (Rights of Third Parties) Act 1999 to enforce any terms of the Contract.
- 12.6 The Secretary of State for Business, Innovation and Skills ("BIS") or BIS' successor body, as the case may be, acting through Ordnance Survey may enforce a breach of clause 6.4(vi) and clause 6.4(vii) of these terms and conditions against the Client in accordance with the provisions of the Contracts (Rights of Third Parties) Act 1999.
- 12.7 GroundSure shall not be liable to the Client if the provision of the Services is delayed or prevented by one or more of the following circumstances:
- (i) the Client or Beneficiary's failure to provide facilities, access or information:
 - (ii) fire, storm, flood, tempest or epidemic;
 - (iii) Acts of God or the public enemy;
 - (iv) riot, civil commotion or war;
 - (v) strikes, labour disputes or industrial action;
 - (vi) acts or regulations of any governmental or other agency;
- (vii) suspension or delay of services at public registries by Third Party Data Providers;
 - (viii) changes in law; or
 - (ix) any other reason beyond GroundSure's reasonable control.

In the event that GroundSure is prevented from performing the Services (or any part thereof) in accordance with this clause 12.6 for a period of not less than 30 days then GroundSure shall be entitled to terminate this Contract immediately on written notice to the Client.

- 12.8 Any notice provided shall be in writing and shall be deemed to be properly given if delivered by hand or sent by first class post, facsimile or by email to the address, facsimile number or email address of the relevant party as may have been notified by each party to the other for such purpose or in the absence of such notification the last known address.
- 12.9 Such notice shall be deemed to have been received on the day of delivery if delivered by hand, facsimile or email (save to the extent such day is not a working day where it shall be deemed to have been delivered on the next working day) and on the second working day after the day of posting if sent by first class post.
- 12.10 The Contract constitutes the entire agreement between the parties and shall supersede all previous arrangements between the parties relating to the subject matter hereof.
- 12.11 Each of the provisions of the Contract is severable and distinct from the others and if one or more provisions is or should become invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions shall not in any way be tainted or impaired.
- 12.12 This Contract shall be governed by and construed in accordance with English

law and any proceedings arising out of or connected with this Contract shall be subject to the exclusive jurisdiction of the English courts.

- 12.13 GroundSure is an executive member of the Council of Property Search Organisation (CoPSO) and has signed up to the Search Code administered by the Property Codes Compliance Board (PCCB). All Risk Screening Reports shall be supplied in accordance with the provisions of the Search Code.
- 12.14 If the Client or Beneficiary has a complaint about the Services, written notice should be given to the Compliance Officer at GroundSure who will respond in a timely manner.
- 12.15 The Client agrees that it shall, and shall procure that each Beneficiary shall, treat in confidence all Confidential Information and shall not, and shall procure that each Beneficiary shall not (i) disclose any Confidential Information to any third party other than in accordance with the terms of this Contract; and (ii) use Confidential Information for a purpose other than the exercise of its rights and obligations under this Contract. Subject to clause 6.6, nothing shall prevent the Client or any Beneficiary from disclosing Confidential Information to the extent required by law. © GroundSure Limited June 2013



Parsons Brinckerhoff

27-29 PARSONS BRINCKERHOFF LTD, CATHEDRAL ROAD, CARDIFF, CF11 9HA GroundSure Reference:

GS-1587648

Your Reference:

PB84891

Report Date

29 Jul 2014

Report Delivery

Method:

Email - pdf

GroundSure Geoinsight

Address: ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Dear Sir/ Madam,

Thank you for placing your order with GroundSure. Please find enclosed the **GroundSure GeoInsight** as requested.

If you need any further assistance, please do not hesitate to contact our helpline on 08444 159000 quoting the above GroundSure reference number.

Yours faithfully,

Managing Director Groundsure Limited

Enc.

GroundSure GeoInsight



GroundSure GeoInsight


Address: ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Date: 29 Jul 2014

Reference: GS-1587648

Client: Parsons Brinckerhoff

NW NE



SW SE

Aerial Photograph Capture date: 22-May-2010 Grid Reference: 265243,201702 Site Size: 146.24ha

Contents Page

| Overview of Findings | 5 |
|--|----|
| 1 Geology | 8 |
| 1.1 Artificial Ground Map | |
| 1 Geology | |
| 1.1 Artificial Ground | |
| 1.1.1Artificial/ Made Ground | |
| 1.1.2 Permeability of Artificial Ground | |
| 1.2 Superficial Deposits and Landslips Map | |
| 1.2 Superficial Deposits and Landslips | |
| 1.2.1 Superficial Deposits/ Drift Geology | |
| 1.2.3 Landslip | |
| 1.2.4 Landslip Permeability | |
| 1.3 Bedrock and Faults Map | |
| 1.3 Bedrock, Solid Geology & Faults | 14 |
| 1.3.1 Bedrock/ Solid Geology | 14 |
| 1.3.2 Permeability of Bedrock Ground | |
| 1.3.3 Faults | |
| 1.4.1 Radon Affected Areas | |
| 1.4.2 Radon Protection | |
| 2 Ground Workings Map | 18 |
| 2 Ground Workings | |
| 2.1 Historical Surface Ground Working Features derived from Historical Mapping | |
| 2.2 Historical Underground Working Features derived from Historical Mapping | |
| 2.3 Current Ground Workings | |
| 3 Mining, Extraction & Natural Cavities Map | |
| 3 Mining, Extraction & Natural Cavities | |
| | |
| 3.1 Historical Mining | |
| 3.2 Coal Mining | |
| 3.3 Johnson Poole and Bloomer | |
| 3.4 Non-Coal Mining | |
| 3.5 Non-Coal Mining Cavities | |
| 3.6 Natural Cavities | |
| 3.8 Gypsum Extraction | |
| 3.9 Tin Mining | |
| 3.10 Clay Mining | |
| | |
| 4 Natural Ground Subsidence | |
| 4.1 Shrink-Swell Clay Map | |
| 4.2 Landslides Map | |
| 4.3 Ground Dissolution Soluble Rocks Map | |
| 4.4 Compressible Deposits Map | |
| 4.5 Collapsible Deposits Map | |
| 4.6 Running Sand Map | |
| 4 Natural Ground Subsidence | |
| 4.1 Shrink-Swell Clays | |
| 4.2 Landslides | |
| 4.3 Ground Dissolution of Soluble Rocks | |
| 4.4 Compressible Deposits | |
| 4.5 Collapsible Deposits | |
| 4.6 Running Sands | |
| 5 Borehole Records Map | |
| 5 Borehole Records | 38 |



| 6 Estimated Background Soil Chemistry | 39 |
|--|----|
| 7 Railways and Tunnels Map | 41 |
| 7 Railways and Tunnels | 42 |
| 7.1 Tunnels | |
| 7.2 Historical Railway and Tunnel Features | 42 |
| 7.3 Historical Railways | 43 |
| 7.4 Active Railways | 43 |
| 7 5 Railway Projects | 43 |



Overview of Findings

The GroundSure GeoInsight provides high quality geo-environmental information that allows geo-environmental professionals and their clients to make informed decisions and be forewarned of potential ground instability problems that may affect the ground investigation, foundation design and possibly remediation options that could lead to possible additional costs.

The report is based on the BGS 1:50,000 Digital Geological Map of Great Britain, BGS Geosure data; BRITPITS database; Shallow Mining data and Borehole Records, Coal Authority data including brine extraction areas, PBA non-coal mining and natural cavities database, Johnson Poole and Bloomer mining data and GroundSure's unique database including historical surface ground and underground workings.

For further details on each dataset, please refer to each individual section in the report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

| Section 1:Geology | | | | | | | |
|--|---|-----------------|------------|-----------------------------|--|--------------|--|
| 1.1 Artificial Ground | 1.1.1 Is there any Artificial Ground/ Made the study site? | Ground preser | nt beneath | No | | | |
| | 1.1.2 Are there any records relating to per ground within the study site* boundary? | meability of ar | tificial | No | | | |
| 1.2 Superficial Geology and Landslips | 1.2.1 Is there any Superficial Ground/Drift beneath the study site? | t Geology prese | ent | Yes | | | |
| | 1.2.2 Are there any records relating to permeability of superficial geology within the study site boundary? | | | | | | |
| | $1.2.3\mbox{Are}$ there any records of landslip within 500m of the study site boundary? | | | | | | |
| | 1.2.4 Are there any records relating to per within the study site boundary? | No | | | | | |
| 1.3 Bedrock, Solid Geology & Faults | 1.3.1 For records of Bedrock and Solid Geo site* see the detailed findings section. | ology beneath t | the study | | | | |
| | 1.3.2 Are there any records relating to permeability of bedrock within the study site boundary? | | | | Yes | | |
| | 1.3.3 Are there any records of faults within boundary? | n 500m of the s | tudy site | Yes | | | |
| 1.4 Radon data | 1.4.1 Is the property in a Radon Affected A Health Protection Agency (HPA) and if so homes are above the Action Level? | | | | is in a Radon A and 5% of prop ion Level | | |
| | 1.4.2 Is the property in an area where Radon Protection Measures are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? | | | Basic radon pi necessary | otective meas | ures are | |
| Section 2:Ground \ | Workings | On-site | 0-50m | 51-250 | 251-500 | 501-1000 | |
| 2.1 Historical Surface O Mapping | Ground Working Features from Small Scale | 13 | 10 | 9 | Not Searched | Not Searched | |
| 2.2 Historical Undergro | 4 | 0 | 0 | 1 | 10 | | |
| 2.3 Current Ground W | orkings | 1 | 0 | 0 | 3 | 8 | |
| Section 3:Mining, E | Extraction & Natural Cavities | On-site | 0-50m | 51-250 | 251-500 | 501-1000 | |
| 3.1 Historical Mining | | 4 | 0 | 0 | 1 | 4 | |

Report Reference: GS-1587648

PB84891



| Section 3:Mining, Extraction & Natural Cavities | On-site | 0-50m | 51-250 | 251-500 | 501-1000 |
|---|---------|-------|--------|--------------|----------|
| 3.2 Coal Mining | 1 | 0 | 0 | 0 | 0 |
| 3.3 Johnson Poole and Bloomer Mining Area | 0 | 0 | 0 | 0 | 0 |
| 3.4 Non-Coal Mining | 0 | 0 | 0 | 0 | 0 |
| 3.5 Non-Coal Mining Cavities | 0 | 0 | 0 | 0 | 0 |
| 3.6 Natural Cavities | 0 | 0 | 0 | 0 | 0 |
| 3.7 Brine Extraction | 0 | 0 | 0 | 0 | 0 |
| 3.8 Gypsum Extraction | 0 | 0 | 0 | 0 | 0 |
| 3.9 Tin Mining | 0 | 0 | 0 | 0 | 0 |
| 3.10 Clay Mining | 0 | 0 | 0 | 0 | 0 |
| Section 4:Natural Ground Subsidence | On-si | ite | | | |
| 4.1 Shrink Swell Clay | Very L | OW | | | |
| 4.2 Landslides | Low | 1 | | | |
| 4.3 Ground Dissolution of Soluble Rocks | Null | | | | |
| 4.4 Compressible Deposits | High | 1 | | | |
| 4.5 Collapsible Deposits | Very L | OW | | | |
| 4.6 Running Sand | Low | , | | | , |
| Section 5:Borehole Records | On-site | 0-50m | 51-250 | | |
| 5 BGS Recorded Boreholes | 3 | 0 | 2 | | |
| Section 6:Estimated Background Soil Chemistry | On-site | 0-50m | 51-250 | | |
| 6 Records of Background Soil Chemistry | 43 | 3 | 34 | | |
| Section 7:Railways and Tunnels | On-site | 0-50m | 51-250 | 251-500 | |
| 7.1 Tunnels | 0 | 0 | 0 | Not Searched | |
| 7.2 Historical Railway and Tunnel Features | 9 | 2 | 0 | Not Searched | |
| 7.3 Historical Railways | 0 | 0 | 0 | Not Searched | |
| 7.4 Active Railways | 0 | 0 | 0 | Not Searched | |




| Section 7:Railways and Tunnels | On-site | 0-50m | 51-250 | 251-500 | |
|--------------------------------|---------|-------|--------|---------|--|
| 7.5 Railway Projects | 0 | 0 | 0 | 0 | |



1 Geology

1.1 Artificial Ground Map







1 Geology1.1 Artificial Ground

1.1.1Artificial/ Made Ground

The following geological information represented on the mapping is derived from 1:50,000 scale BGS Geological mapping, Sheet No:247

Are there any records of Artificial/Made Ground within 500m of the study site boundary?

No

Database searched and no data found.

1.1.2 Permeability of Artificial Ground


Are there any records relating to permeability of artificial ground within the study site boundary?

No

Database searched and no data found.



1.2 Superficial Deposits and Landslips Map





1.2 Superficial Deposits and Landslips

1.2.1 Superficial Deposits/ Drift Geology

Are there any records of Superficial Deposits/ Drift Geology within 500m of the study site boundary?

Yes

| ID | Distance (m) | Direction | LEX Code | Description | Rock Description |
|-----|-----------------|-----------|------------|---|--------------------------------|
| 1 | 0.0 | On Site | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 2 | 0.0 | On Site | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 3 | 0.0 | On Site | PEAT-P | PEAT | PEAT |
| 4 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 5 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 6 | 0.0 | On Site | ALV-CSSG | ALLUVIUM | CLAY, SILT, SAND AND GRAVEL |
| 7 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 8 | 0.0 | On Site | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 9 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 10 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 11 | 0.0 | On Site | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 12 | 0.0 | On Site | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 13 | 0.0 | On Site | ALV-CSSG | ALLUVIUM | CLAY, SILT, SAND AND GRAVEL |
| 14 | 0.0 | On Site | PEAT-P | PEAT | PEAT |
| 15 | 93.0 | SE | GFSDD-SAGR | GLACIOFLUVIAL SHEET DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 16A | 108.0 | Е | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 17A | 130.0 | E | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 18 | 153.0 | W | PEAT-P | PEAT | PEAT |
| 19 | 296.0 | Е | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 20 | 311.0 | SE | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |
| 21 | 376.0 | SE | TILLD-DMTN | TILL, DEVENSIAN | DIAMICTON |
| 22 | 400.0 | NW | ALV-CSSG | ALLUVIUM | CLAY, SILT, SAND ANI GRAVEL |
| 23 | 476.0 | SE | GFDUD-SAGR | GLACIOFLUVIAL DEPOSITS, DEVENSIAN | SAND AND GRAVEL |



1.2.2 Permeability of Superficial Ground

Are there any records relating to permeability of superficial ground within the study site boundary?

Yes

| Distance (m) | Direction | Flow Type | Maximum Permeability | Minimum Permeability |
|--------------|-----------|---------------|----------------------|----------------------|
| 0.0 | On Site | Intergranular | Very High | High |
| 0.0 | On Site | Mixed | High | Low |
| 0.0 | On Site | Intergranular | Very High | High |
| 0.0 | On Site | Intergranular | Very High | High |
| 0.0 | On Site | Mixed | Low | Very Low |
| 0.0 | On Site | Intergranular | Very High | High |
| 0.0 | On Site | Mixed | Low | Very Low |
| 0.0 | On Site | Mixed | Low | Very Low |
| 0.0 | On Site | Intergranular | Very High | High |
| 0.0 | On Site | Mixed | High | Low |
| 0.0 | On Site | Mixed | High | Low |
| 0.0 | On Site | Intergranular | High | Very Low |
| 0.0 | On Site | Mixed | High | Low |

1.2.3 Landslip

Are there any records of Landslip within 500m of the study site boundary?

No

Database searched and no data found.

This Geology shows the main components as discrete layers, these are: Artificial / Made Ground, Superficial / Drift Geology and Landslips. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.

1.2.4 Landslip Permeability

Are there any records relating to permeability of landslips within the study site** boundary?

No

Database searched and no data found.


Report Reference: GS-1587648 Client Reference: PB84891

12

^{*} This includes an automatically generated 50m buffer zone around the site



1.3 Bedrock and Faults Map





1.3 Bedrock, Solid Geology & Faults

The following geological information represented on the mapping is derived from 1:50,000 scale BGS Geological mapping, Sheet No:247

1.3.1 Bedrock/Solid Geology

Records of Bedrock/Solid Geology within 500m of the study site boundary:

| ID | Distance (m) | Direction | LEX Code | Description | Rock Age |
|-----|--------------|-----------|----------|--|---------------|
| 1 | 492.0 | SW | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 3В | 0.0 | On Site | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 4 | 0.0 | On Site | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 5 | 0.0 | On Site | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 6 | 0.0 | On Site | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 7 | 0.0 | On Site | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 8 | 0.0 | On Site | SW-SDST | Swansea Member - Sandstone | Westphalian D |
| 9 | 0.0 | On Site | SW-SDST | Swansea Member - Sandstone | Westphalian D |
| 10C | 70.0 | E | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 11 | 170.0 | W | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 12 | 207.0 | E | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 13A | 218.0 | NW | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 14D | 224.0 | Ν | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 15 | 249.0 | E | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 16 | 253.0 | W | GDB-MDSS | Grovesend Formation - Mudstone, Siltstone And Sandstone | Westphalian D |
| 17F | 271.0 | N | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 18A | 294.0 | NW | SW-MDSS | Swansea Member - Mudstone, Siltstone And Sandstone | Westphalian D |
| 19 | 312.0 | Е | SW-SDST | Swansea Member - Sandstone | Westphalian D |
| 20 | 325.0 | NW | SW-SDST | Swansea Member - Sandstone | Westphalian D |
| | | | | | |



1.3.2 Permeability of Bedrock Ground

Are there any records relating to permeability of bedrock ground within the study site *boundary?

Yes

| Distance (m) | Direction | Flow Type | Maximum Permeability | Minimum Permeability |
|--------------|-----------|-----------|----------------------|----------------------|
| 0.0 | On Site | Fracture | Moderate | Low |
| 0.0 | On Site | Fracture | Moderate | Low |
| 0.0 | On Site | Fracture | Moderate | Low |
| 0.0 | On Site | Fracture | High | Moderate |

1.3.3 Faults

Are there any records of Faults within 500m of the study site boundary?

Yes

| ID | Distance (m) | Direction | Category Description | Feature Description |
|-----|--------------|-----------|----------------------|------------------------|
| 28 | 0.0 | On Site | FAULT | Normal fault, inferred |
| 29 | 0.0 | On Site | ROCK | Coal seam, inferred |
| 30 | 0.0 | On Site | ROCK | Coal seam, inferred |
| 31B | 0.0 | On Site | ROCK | Coal seam, inferred |
| 32B | 0.0 | On Site | ROCK | Coal seam, inferred |
| 33 | 0.0 | On Site | FAULT | Normal fault, observed |
| 34 | 0.0 | On Site | FAULT | Normal fault, observed |
| 35 | 0.0 | On Site | FAULT | Normal fault, inferred |
| 36 | 0.0 | On Site | FAULT | Normal fault, inferred |
| 37 | 18.0 | NE | FAULT | Normal fault, observed |
| 38 | 29.0 | NW | ROCK | Coal seam, inferred |
| 39C | 70.0 | E | ROCK | Coal seam, inferred |
| 40 | 170.0 | W | FAULT | Normal fault, inferred |
| 41C | 207.0 | Е | ROCK | Coal seam, inferred |
| 42 | 215.0 | N | FAULT | Normal fault, observed |
| 43A | 218.0 | NW | ROCK | Coal seam, inferred |
| 44D | 224.0 | Ν | ROCK | Coal seam, observed |
| 45 | 249.0 | Е | FAULT | Normal fault, inferred |
| 46E | 253.0 | W | FAULT | Normal fault, inferred |
| 47F | 271.0 | Ν | ROCK | Coal seam, inferred |
| 48A | 294.0 | NW | ROCK | Coal seam, inferred |
| 49 | 319.0 | NE | ROCK | Coal seam, inferred |
| 50 | 335.0 | NW | ROCK | Coal seam, inferred |
| 51F | 344.0 | N | ROCK | Coal seam, inferred |
| 52D | 344.0 | N | ROCK | Coal seam, observed |
| 53 | 373.0 | E | FAULT | Normal fault, inferred |
| 54 | 427.0 | N | FAULT | Normal fault, observed |
| 55 | 492.0 | SW | FAULT | Normal fault, inferred |

^{*} This includes an automatically generated 50m buffer zone around the site



| ID | Distance (m) | Direction | Category Description | Feature Description |
|----|--------------|-----------|----------------------|------------------------|
| 56 | 495.0 | NW | FAULT | Normal fault, inferred |

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:50,000 scale.

This Geology shows the main components as discrete layers, these are: Bedrock/ Solid Geology and linear features such as Faults. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.



1.4 Radon Data

1.4.1 Radon Affected Areas


Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The property is in a Radon Affected Area, as between 3 and 5% of properties are above the Action Level

1.4.2 Radon Protection

Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? Basic radon protective measures are necessary



2 Ground Workings Map







2 Ground Workings

2.1 Historical Surface Ground Working Features derived from Historical Mapping

This dataset is based on GroundSure's unique Historical Land Use Database derived from 1:10,560 and 1:10,000 scale historical mapping.

Are there any Historical Surface Ground Working Features within 250m of the study site boundary?

Yes

The following Historical Surface Ground Working Features are provided by GroundSure:

| ID | Distance (m) | Direction | NGR | Use | Date |
|-----|--------------|-----------|------------------|-----------------------------|------|
| 1A | 0.0 | On Site | 265024 201864 | Refuse Heap | 1936 |
| 2A | 0.0 | On Site | 265070 201821 | Colliery | 1936 |
| 3B | 0.0 | On Site | 265033 201582 | Unspecified Pit | 1936 |
| 4 | 0.0 | On Site | 264946 201939 | Refuse Heap | 1964 |
| 5B | 0.0 | On Site | 265034 201586 | Old Gravel Pit | 1913 |
| 6 | 0.0 | On Site | 264815 201891 | Pond | 1914 |
| 7A | 0.0 | On Site | 265029 201871 | Refuse Heap | 1948 |
| 8B | 0.0 | On Site | 265033 201582 | Unspecified Pit | 1948 |
| 9A | 0.0 | On Site | 265070 201821 | Colliery | 1948 |
| 10B | 0.0 | On Site | 265040 201589 | Gravel Pit | 1897 |
| 11B | 0.0 | On Site | 265036 201585 | Unspecified Pit | 1975 |
| 12B | 0.0 | On Site | 265027 201591 | Unspecified Pit | 1964 |
| 13B | 0.0 | On Site | 265035 201587 | Old Gravel Pit | 1921 |
| 14C | 4.0 | NE | 265807 202454 | Cuttings | 1921 |
| 15C | 8.0 | NE | 265813 202453 | Unspecified Ground Workings | 1921 |
| 16C | 17.0 | NE | 265814 202455 | Unspecified Pit | 1964 |
| 17C | 17.0 | NE | 265814 202455 | Unspecified Pit | 1975 |
| 18C | 18.0 | NE | 265800 202473 | Cuttings | 1897 |
| 19D | 33.0 | NE | 265743 202550 | Cuttings | 1921 |
| 20D | 36.0 | NE | 265750 202546 | Cuttings | 1921 |
| 21E | 36.0 | NE | 265698 202621 | Cuttings | 1975 |



| ID | Distance (m) | Direction | NGR | Use | Date | |
|-----|--------------|-----------|------------------|-------------------|------|--|
| 22E | 36.0 | NE | 265698 202621 | Cuttings 19 | | |
| 23D | 37.0 | NE | 265701 202614 | Cuttings 189 | | |
| 24 | 69.0 | Ν | 264769 202343 | Covered Reservoir | 1991 | |
| 25E | 98.0 | N | 265680 202646 | Cuttings 19 | | |
| 26E | 101.0 | Ν | 265677 202648 | Cuttings | | |
| 27 | 150.0 | SE | 265020 200459 | Refuse Hean | | |
| 28G | 154.0 | SE | 264905 200262 | Refuse Heap | | |
| 29F | 202.0 | Ν | 265622 202725 | Cuttings | | |
| 30F | 205.0 | Ν | 265625 202726 | Cuttings 1 | | |
| 31F | 211.0 | NE | 265621 202730 | Cuttings 1897 | | |
| 32 | 215.0 | SE | 265363 200689 | Pond 1913 | | |

2.2 Historical Underground Working Features derived from Historical Mapping

This data is derived from the GroundSure unique Historical Land Use Database. It contains data derived from 1:10,000 and 1:10,560 historical Ordnance Survey Mapping and includes some natural topographical features (Shake Holes for example) as well as manmade features that may have implications for ground stability. Underground and mining features have been identified from surface features such as shafts. The distance that these extend underground is not shown.

Are there any Historical Underground Working Features within 1000m of the study site boundary?

Yes

The following Historical Underground Working Features are provided by GroundSure:

| ID | Distance (m) | Direction | NGR | Use | Date |
|--------------|--------------|-----------|------------------|--------------------------|------|
| 33A | 0.0 | On Site | 265070 201869 | Unspecified Disused Mine | 1964 |
| 34A | 0.0 | On Site | 265070 201869 | Unspecified Disused Mine | 1975 |
| 35A | 0.0 | On Site | 265070 201821 | Colliery | 1948 |
| 36A | 0.0 | On Site | 265070 201821 | Colliery | 1936 |
| Not showr | 480.0 | S | 264756 200086 | Old Coal Pit | 1914 |
| Not showr | 515.0 | S | 264707 200029 | Coal Pit | 1878 |
| Not showr | 536.0 | S | 264701 200070 | Unspecified Shaft | 1878 |
| Not showr | 787.0 | S | 264931 199675 | Colliery | 1948 |
| Not showr | 787.0 | S | 264931 199675 | Colliery | 1936 |
| Not showr | 992.0 | S | 264918 199568 | Tunnel | 1964 |



| ID | Distance (m) | Direction | NGR | Use | Date |
|--------------|--------------|-----------|------------------|--------|------|
| Not shown | 993.0 | S | 265755 199362 | Tunnel | 1913 |
| Not shown | 993.0 | S | 264918 199568 | Tunnel | 1994 |
| Not shown | 993.0 | S | 264918 199568 | Tunnel | 1980 |
| Not shown | 993.0 | S | 264918 199568 | Tunnel | 1968 |
| Not | 998.0 | S | 265739 199358 | Tunnel | 1921 |

2.3 Current Ground Workings

This dataset is derived from the BGS BRITPITS database covering active; inactive mines; quarries; oil wells; gas wells and mineral wharves; and rail deposits throughout the British Isles.

Are there any BGS Current Ground Workings within 1000m of the study site boundary?

Yes

The following Current Ground Workings information is provided by British Geological Survey:


| ID | Distance (m) | Direction | NGR | Commodity Produced | Pit Name | Type of working | Status |
|--------------|-----------------|-----------|------------------|-----------------------|---------------------------------------|--|--------|
| 48B | 0.0 | On Site | 265036 201591 | Sand & Gravel | Aber-gelli-fach Gravel Pit | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| 49G | 261.0 | S | 264893 200311 | Sand & Gravel | Bryn-whilach Plantation Gravel Pit | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| Not shown | 465.0 | NE | 265652 202994 | Sandstone | Waun-fach | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| 51 | 476.0 | W | 263598 200743 | Sand | Waen Ffyrdd Plantation Sand Pit | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| Not shown | 507.0 | S | 264757 200086 | Coal, Deep | Bryn-whilach | Working is wholly underground, access by shaft, adit or drift. Working may be termed Colliery, Mine, Drift Mine, Slant, Level, Adit or Ingoing Eye (Ingaun Ee - Scots) | Ceased |
| 53 | 573.0 | W | 264154 201828 | Sandstone | Gelli-feddan | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| Not shown | 620.0 | N | 264937 202972 | Sandstone | Gelli-gron | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| 55 | 681.0 | NW | 263805 201290 | Sandstone | Llidiard -y-cleders | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| 56 | 786.0 | NW | 264137 202724 | Sandstone | Pen-y-fedw-isaf | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| Not shown | 874.0 | S | 264288 199775 | Sand | Nant-y-ganol Wood Sand Pit | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |
| Not shown | 877.0 | NW | 264910 203289 | Sandstone | Waterworks Cottage | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |



| ID | Distance (m) | Direction | NGR | Commodity Produced | Pit Name | Type of working | Status |
|--------------|-----------------|-----------|------------------|-----------------------|--------------|--|--------|
| Not shown | 958.0 | E | 266801 201886 | Sandstone | Rhyd-y-pandy | A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site | Ceased |



3 Mining, Extraction & Natural Cavities Map







3.1 Historical Mining

This dataset is derived from GroundSure unique Historical Land-use Database that are indicative of mining or extraction activities.

Are there any Historical Mining areas within 1000m of the study site boundary?

Yes

The following Historical Mining information is provided by GroundSure:

| ID | Distance (m) | Direction | NGR | Details | Date |
|--------------|-----------------|-----------|------------------|--------------------------|------|
| 1A | 0.0 | On Site | 265070 201869 | Unspecified Disused Mine | |
| 2A | 0.0 | On Site | 265070 201869 | Unspecified Disused Mine | |
| 3A | 0.0 | On Site | 265070 201821 | Colliery | |
| 4A | 0.0 | On Site | 265070 201821 | Colliery | 1948 |
| 5B | 480.0 | S | 264756 200086 | Old Coal Pit | |
| 6B | 515.0 | S | 264707 200029 | Coal Pit | |
| 7B | 536.0 | S | 264701 200070 | Unspecified Shaft | 1878 |
| Not shown | 787.0 | S | 264931 199675 | Colliery | 1936 |
| Not shown | 787.0 | S | 264931 199675 | Colliery | 1948 |

3.2 Coal Mining

This dataset provides information as to whether the study site lies within a known coal mining affected area as defined by the coal authority.

Are there any Coal Mining areas within 1000m of the study site boundary?

Yes

The following Coal Mining information provided by the Coal Authority is not represented on Mapping:

| Distance (m) | Direction | Details |
|--------------|-----------|---|
| 0.0 | On Site | The study site is located within the specified search distance of an identified mining area. Further details concerning this can be obtained from the Coal Authority Helpline on 0845 762 6848. |



3.3 Johnson Poole and Bloomer

This dataset provides information as to whether the study site lies within an area where JPB hold information relating to mining.

Are there any JPB Mining areas within 1000m of the study site boundary?

No

The following information provided by JPB is not represented on mapping: Database searched and no data found.

3.4 Non-Coal Mining

This dataset provides information as to whether the study site lies within an area which may have been subject to non-coal historic mining.

Are there any Non-Coal Mining areas within 1000m of the study site boundary?

No

Database searched and no data found.

3.5 Non-Coal Mining Cavities

This dataset provides information from the Peter Brett Associates (PBA) mining cavities database (compiled for the national study entitled "Review of mining instability in Great Britain, 1990" PBA has also continued adding to this database) on mineral extraction by mining.

Are there any Non-Coal Mining cavities within 1000m of the study site boundary?

No

Database searched and no data found.

3.6 Natural Cavities

This dataset provides information based on Peter Brett Associates natural cavities database.

Are there any Natural Cavities within 1000m of the study site boundary?

No

Database searched and no data found.

3.7 Brine Extraction

This dataset provides information from the Brine Compensation Board which has been discontinued and is now covered by the Coal Authority.

Are there any Brine Extraction areas within 1000m of the study site boundary?

No

Database searched and no data found.



3.8 Gypsum Extraction

This dataset provides information on Gypsum extraction from British Gypsum records.

Are there any Gypsum Extraction areas within 1000m of the study site boundary?

No

Database searched and no data found.

3.9 Tin Mining

This dataset provides information on tin mining areas and is derived from tin mining records. This search is based upon postcode information to a sector level.

Are there any Tin Mining areas within 1000m of the study site boundary?

No

Database searched and no data found.

3.10 Clay Mining

This dataset provides information on Kaolin and Ball Clay mining from relevant mining records.


Are there any Clay Mining areas within 1000m of the study site boundary?

No

Database searched and no data found.




4 Natural Ground Subsidence 4.1 Shrink-Swell Clay Map






4.2 Landslides Map






4.3 Ground Dissolution Soluble Rocks Map






4.4 Compressible Deposits Map






4.5 Collapsible Deposits Map





4.6 Running Sand Map







4 Natural Ground Subsidence

The National Ground Subsidence rating is obtained through the 6 natural ground stability hazard datasets, which are supplied by the British Geological Survey (BGS).

The following GeoSure data represented on the mapping is derived from the BGS Digital Geological map of Great Britain at 1:50,000 scale.

What is the maximum hazard rating of natural subsidence within the study site* boundary?

High

4.1 Shrink-Swell Clays

The following Shrink Swell information provided by the British Geological Survey:

| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|--------------|-----------|---------------|--|
| 1 | 0.0 | On Site | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |
| 2 | 0.0 | On Site | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |
| 3 | 0.0 | On Site | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |
| 4 | 0.0 | On Site | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |
| 5 | 0.0 | On Site | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |
| 6 | 0.0 | On Site | Very Low | Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays. |
| 7 | 0.0 | On Site | Very Low | Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays. |
| 8 | 10.0 | S | Negligible | Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays. |

^{*} This includes an automatically generated 50m buffer zone around the site



4.2 Landslides

The following Landslides information provided by the British Geological Survey:

| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|--------------|-----------|---------------|---|
| 1 | 0.0 | On Site | Low | Possibility of slope instability problems after major changes in ground conditions. Consideration should be given to stability if changes to drainage or excavations take place. Possible increase in construction cost to reduce potential slope stability problems. Existing property - no significant increase in insurance risk due to natural slope instability problems. |
| 2 | 0.0 | On Site | Low | Possibility of slope instability problems after major changes in ground conditions. Consideration should be given to stability if changes to drainage or excavations take place. Possible increase in construction cost to reduce potential slope stability problems. Existing property - no significant increase in insurance risk due to natural slope instability problems. |
| 3 | 0.0 | On Site | Low | Possibility of slope instability problems after major changes in ground conditions. Consideration should be given to stability if changes to drainage or excavations take place. Possible increase in construction cost to reduce potential slope stability problems. Existing property - no significant increase in insurance risk due to natural slope instability problems. |
| 4 | 0.0 | On Site | Very Low | Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides. |
| 5 | 0.0 | On Site | Very Low | Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides. |

4.3 Ground Dissolution of Soluble Rocks

The following Compressible Deposits information provided by the British Geological Survey:

| Distance (m) | Direction | Hazard Rating | Details |
|--------------|-----------|-----------------|--|
| 0 | On site | Null-Negligible | Soluble rocks are not present in the search area. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks. |

4.4 Compressible Deposits

The following Compressible Deposits information provided by the British Geological Survey:

| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|-----------------|-----------|---------------|--|
| 1 | 0.0 | On Site | Negligible | No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits. |



| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|-----------------|-----------|---------------|---|
| 2 | 0.0 | On Site | High | Very significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build - consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Construction may not be possible at economic cost. For existing property - probable increase in insurance risk from compressibility especially if water conditions or loading of the ground change significantly. |
| 3 | 0.0 | On Site | High | Very significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build - consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Construction may not be possible at economic cost. For existing property probable increase in insurance risk from compressibility especially if water conditions or loading of the ground change significantly. |
| 4 | 0.0 | On Site | Moderate | Significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build - consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Extra construction costs are likely. For existing property - possible increase in insurance risk from compressibility, especially if water conditions or loading of the ground change significantly. |
| 5 | 0.0 | On Site | Negligible | No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits. |
| 6 | 0.0 | On Site | High | Very significant potential for compressibility problems. Avoid large differential loadings of ground. Do not drain or de-water ground near the property without technical advice. For new build - consider possibility of compressible ground in ground investigation, construction and building design. Consider effects of groundwater changes. Construction may not be possible at economic cost. For existing property probable increase in insurance risk from compressibility especially if water conditions or loading of the ground change significantly. |

4.5 Collapsible Deposits

The following Collapsible Rocks information provided by the British Geological Survey:

| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|-----------------|-----------|---------------|--|
| 1 | 0.0 | On Site | Negligible | No indicators for collapsible deposits identified. No actions required to avoid problems due to collapsible deposits. No special ground investigation required, or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |
| 2 | 0.0 | On Site | Negligible | No indicators for collapsible deposits identified. No actions required to avoid problems due to collapsible deposits. No special ground investigation required, or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |
| 3 | 0.0 | On Site | Negligible | No indicators for collapsible deposits identified. No actions required to avoid problems due to collapsible deposits. No special ground investigation required, or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |
| 4 | 0.0 | On Site | Very Low | Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |
| 5 | 0.0 | On Site | Very Low | Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits. |




4.6 Running Sands

The following Running Sands information provided by the British Geological Survey:

| ID | Distance (m) | Direction | Hazard Rating | Details |
|----|-----------------|-----------|---------------|--|
| 1 | 0.0 | On Site | Negligible | No indicators for running sand identified. No special actions required to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand. |
| 2 | 0.0 | On Site | Very Low | Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand. |
| 3 | 0.0 | On Site | Very Low | Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand. |
| 4 | 0.0 | On Site | Low | Possibility of running sand problems after major changes in ground conditions. Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should reduce likelihood of problems due to running sand. For new build - consider possibility of running sand into trenches or excavations if water table is high or sandy strata are exposed to water. Avoid concentrated water inputs to site. Unlikely to be an increase in construction costs due to potential for running sand. For existing property - no significant increase in insurance risk due to running sand problems is likely. |



5 Borehole Records Map







5 Borehole Records

The systematic analysis of data extracted from the BGS Borehole Records database provides the following information.

Records of boreholes within 250m of the study site boundary:

5

| ID | Distance (m) | Direction | NGR | BGS Reference | Drilled Length | Borehole Name |
|----|-----------------|-----------|------------------|---------------|----------------|--|
| 1 | 0.0 | On Site | 265200 201700 | SN60SE16 | -1.0 | ABERGELLI SLANT, BRYN WHILACH. 2FT V WORKINGS PLAN |
| 2 | 0.0 | On Site | 265200 201600 | SN60SE24 | 16.0 | ABERGELLI-FACH FARM P4 |
| 3 | 0.0 | On Site | 265110 201810 | SN60SE15 | -1.0 | ABERGELLI COLLIERY |
| 4 | 203.0 | W | 264570 201760 | SN60SW68 | 7.92 | ABERGELLI. BOREHOLES |
| 5 | 210.0 | NW | 264630 202410 | SN60SW63 | 1.98 | RIVER TOWN SCHEME, LOWER LLIW RESERVOIR, TP.10 |

Additional online information is available for the following boreholes listed above:

#1: scans.bgs.ac.uk/sobi_scans/boreholes/256136

#2: scans.bgs.ac.uk/sobi_scans/boreholes/256144

#3: scans.bgs.ac.uk/sobi_scans/boreholes/256135

#4: scans.bgs.ac.uk/sobi_scans/boreholes/256277

#5: scans.bgs.ac.uk/sobi_scans/boreholes/256272

Report Reference: GS-1587648





6 Estimated Background Soil Chemistry

Records of background estimated soil chemistry within 250m of the study site boundary:

80

For further information on how this data is calculated and limitations upon its use, please see the GroundSure GeoInsight User Guide, available on request.

| Distance (m) | Direction | Sample Type | Arsenic (As) | Cadmium (Cd) | Chromium (Cr) | Nickel (Ni) | Lead (Pb) |
|--------------|-----------|-------------|---------------|--------------|---------------|---------------|------------|
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | < 1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 15 - 25 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 15 - 25 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 15 - 25 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |




| Distance (m) | Direction | Sample Type | Arsenic (As) | Cadmium (Cd) | Chromium (Cr) | Nickel (Ni) | Lead (Pb) |
|--------------|-----------|-------------|---------------|--------------|---------------|---------------|------------|
| 0.0 | On Site | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 12.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 19.0 | NE | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 49.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 51.0 | SE | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 56.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 67.0 | W | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 67.0 | W | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 70.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 77.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 78.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 93.0 | SE | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 103.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 106.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 108.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 115.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 126.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 129.0 | E | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 130.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 137.0 | NE | Sediment | 15 - 25 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 137.0 | SE | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 146.0 | Е | Sediment | 35 - 45 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 149.0 | E | Sediment | 35 - 45 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 153.0 | W | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 156.0 | Е | Sediment | 35 - 45 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 156.0 | NW | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 168.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 170.0 | W | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 30 - 45 mg/kg | <150 mg/kg |
| 173.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 179.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 207.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 208.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 214.0 | N | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 218.0 | NW | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 221.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 224.0 | NW | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 224.0 | N | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| 249.0 | Е | Sediment | 25 - 35 mg/kg | <1.8 mg/kg | 60 - 90 mg/kg | 15 - 30 mg/kg | <150 mg/kg |
| | | | | | | | |

 $^{^*}$ As this data is based upon underlying 1:50,000 scale geological information, a 50m buffer has been added to the search radius.



7 Railways and Tunnels Map







7 Railways and Tunnels

7.1 Tunnels

This data is derived from OpenStreetMap and provides information on the possible locations of underground railway systems in the UK - the London Underground, the Tyne & Wear Metro and the Glasgow Subway.

Have any underground railway lines been identified within the study site boundary?

No

Have any underground railway lines been identified within 250m of the study site boundary?

No

Database searched and no data found.

Any records that have been identified are represented on the Railways and Tunnels Map.

This data is derived from Ordnance Survey mapping and provides information on the possible locations of railway tunnels forming part of the UK overground railway network.

Have any other railway tunnels been identified within the site boundary?

No

Have any other railway tunnels been identified within 250m of the site boundary?

Nο

Database searched and no data found.

Any records that have been identified are represented on the Railways and Tunnels Map.

7.2 Historical Railway and Tunnel Features

This data is derived from GroundSure's unique Historical Land-use Database and contains features relating to tunnels, railway tracks or associated works that have been identified from historical Ordnance Survey mapping.

 $Have any \ historical \ railway \ or \ tunnel \ features \ been \ identified \ within \ the \ study \ site \ boundary?$

Yes

Have any historical railway or tunnel features been identified within 250m of the study site boundary?

Yes

| ID | Distance (m) | Direction | NGR | Details | Date |
|-----|-----------------|-----------|------------------|-----------------|------|
| 1C | 0 | On Site | 264984 201852 | Railway Sidings | 1964 |
| 2A | 0 | On Site | 265040 201842 | Railway Sidings | 1948 |
| 3A | 0 | On Site | 265058 201840 | Railway Sidings | 1964 |
| 4A | 0 | On Site | 265040 201842 | Railway Sidings | 1936 |
| 5A | 0 | On Site | 265043 201843 | Railway Sidings | 1938 |
| 8A | 0 | On Site | 264970 201835 | Railway Sidings | 1960 |
| 9C | 0 | On Site | 264992 201849 | Railway Sidings | 1989 |
| 10C | 0 | On Site | 264992 201850 | Railway Sidings | 1958 |



| ID | Distance (m) | Direction | NGR | Details | Date |
|-----|-----------------|-----------|------------------|-----------------|------|
| 11A | 0 | On Site | 265034 201845 | Railway Sidings | 1935 |
| 6B | 36 | NE | 265728 202586 | Tramway Sidings | 1975 |
| 7B | 36 | NE | 265728 202586 | Tramway Sidings | 1964 |

Any records that have been identified are represented on the Railways and Tunnels Map.

7.3 Historical Railways

This data is derived from OpenStreetMap and provides information on the possible alignments of abandoned or dismantled railway lines in proximity to the study site.

Have any historical railway lines been identified within the study site boundary?

No

Have any historical railway lines been identified within 250m of the study site boundary?

No

Database searched and no data found.

Note: multiple sections of the same track may be listed in the detail above

Any records that have been identified are represented on the Railways and Tunnels Map.

7.4 Active Railways

These datasets are derived from Ordnance Survey mapping and OpenStreetMap and provide information on the possible locations of active railway lines in proximity to the study site.

Have any active railway lines been identified within the study site boundary?

No

Have any active railway lines been identified within 250m of the study site boundary?

No

Database searched and no data found.

Note: multiple sections of the same track may be listed in the detail above Any records that have been identified are represented on the Railways and Tunnels Map.

7.5 Railway Projects

These datasets provide information on the location of large scale railway projects High Speed 2 and Crossrail.

Is the study site within 5km of the route of the High Speed 2 rail project?

No

Is the study site within 500m of the route of the Crossrail rail project?

No

Further information on proximity to these routes, the project construction status and associated works can be obtained through the purchase of a **GroundSure HS2** and **Crossrail Report**.

Contact Details



GroundSure Helpline Telephone: 08444 159 000 info@groundsure.com



British Geological Survey Enquiries

Kingsley Dunham Centre Keyworth, Nottingham NG12 5GG Tel: 0115 936 3143. Fax: 0115 936 3276.

Email:enquiries@bgs.ac.uk Web:www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries



British Gypsum

British Gypsum Ltd East Leake Loughborough Leicestershire LE12 6HX



The Coal Authority

200 Lichfield Lane Mansfield Notts NG18 4RG Tel: 0345 7626 848 DX 716176 Mansfield 5 www.coal.gov.uk



Public Health England

Public information access office Public Health England, Wellington House 133-155 Waterloo Road, London, SE1 8UG

 $\label{lem:https://www.gov.uk/government/organisations/public-health-england } Email: enquiries@phe.gov.uk$

Main switchboard: 020 7654 8000



Johnson Poole & Bloomer Limited

Harris and Pearson Building, Brettel Lane Brierley Hill, West Midlands DY5 3LH Tel: +44 (0) 1384 262 000 Email:enquiries.gs@jpb.co.uk Website: www.jpb.co.uk



Ordnance Survey

Adanac Drive, Southampton SO16 0AS

Tel: 08456 050505

Website: http://www.ordnancesurvey.co.uk/





Getmapping PLC

Virginia Villas, High Street, Hartley Witney, Hampshire RG27 8NW Tel: 01252 845444

Website:http://www1.getmapping.com/



Peter Brett Associates

Caversham Bridge House
Waterman Place
Reading
Berkshire RG1 8DN
Tel: +44 (0)118 950 0761 E-mail:reading@pba.co.uk
Website:http://www.peterbrett.com/home



Acknowledgements: Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028]. This report has been prepared in accordance with the GroundSure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

1 Definitions

In these terms and conditions unless the context otherwise requires:

"Beneficiary" means the person or entity for whose benefit the Client has obtained the Services.

"Client" means the party or parties entering into a Contract with GroundSure.

"Commercial" means any building or property which is not Residential.

"Confidential Information" means the contents of this Contract and all information received from the Client as a result of, or in connection with, this Contract other than

(i) information which the Client can prove was rightfully in its possession prior to disclosure by GroundSure and

(ii) any information which is in the public domain (other than by virtue of a breach of this Contract).

"Support Services" means Support Services provided by GroundSure including, without limitation, interpreting third party and in-house environmental data, providing environmental support advice, undertaking environmental audits and assessments, Site investigation, Site monitoring and related items.

"Contract" means the contract between GroundSure and the Client for the provision of the Services, and which shall incorporate these terms and conditions, the Order, and the relevant User Guide.

"Third Party Data Provider" means any third party providing Third Party Content to GroundSure.

"Data Reports" means reports comprising factual data with no accompanying interpretation.

"Fees" has the meaning set out in clause 5.1.

"GroundSure" means GroundSure Limited, a company registered in England and Wales under number 03421028.

"GroundSure Materials" means all materials prepared by GroundSure and provided as part of the Services, including but not limited to Third Party Content, Data Reports, Mapping, and Risk Screening Reports.

"Intellectual Property" means any patent, copyright, design rights, trade or service mark, moral rights, data protection rights, know-how or trade mark in each case whether registered or not and including applications for the same or any other rights of a similar nature anywhere in the world.

"Mapping" means a map, map data or a combination of historical maps of various ages, time periods and scales.

"Order" means an electronic, written or other order form submitted by the Client requesting Services from GroundSure in respect of a specified Site.

"Ordnance Survey" means the Secretary of State for Business, Innovation and Skills, acting through Ordnance Survey, Adanac Drive, Southampton, SO16 0AS, UK.

"Order Website" means the online platform through which Orders may be placed by the Client and accepted by GroundSure.

"Report" means a Risk Screening Report or Data Report for Commercial or Residential property.

"Residential" means any building or property used as or intended to be used as a single dwelling.

"Risk Screening Report" means a risk screening report comprising factual data with an accompanying interpretation by GroundSure.

"Services" means any Report, Mapping and/or Support Services which GroundSure has agreed to provide by accepting an Order pursuant to clause 2.6.

"Site" means the area of land in respect of which the Client has requested GroundSure to provide the Services.

"Third Party Content" means data, database information or other information which is provided to GroundSure by a Third Party Data Provider.

"User Guide" means the user guide, as amended from time to time, available upon request from GroundSure and on the website (www.GroundSure.com) and forming part of this Contract.

2 Scope of Services, terms and conditions, requests for insurance and quotations

 $2.1\,Ground Sure\,agrees\,to\,provide\,the\,Services\,in\,accordance\,with\,the\,Contract.$

2.2 GroundSure shall exercise reasonable skill and care in the provision of the Services.

2.3 Subject to clause 7.3 the Client acknowledges that it has not relied on any statement or representation made by or on behalf of GroundSure which is not set out and expressly agreed in writing in the Contract and all such statements and representations are hereby excluded to the fullest extent permitted by law.

2.4 The Client acknowledges that terms and conditions appearing on a Client's order form, printed stationery or other communication, or any terms or conditions implied by custom, practice or course of dealing shall be of no effect, and that this Contract shall prevail over all others in relation to the Order.

2.5 If the Client or Beneficiary requests insurance in conjunction with or as a result of the Services, GroundSure shall use reasonable endeavours to recommend such insurance, but makes no warranty that such insurance shall be available from insurers or that it will be offered on reasonable terms. Any insurance purchased by the Client or Beneficiary shall be subject solely to the terms of the policy issued by insurers and GroundSure will have no liability therefor. In addition you acknowledge and agree that GroundSure does not act as an agent or broker for any insurance providers. The Client should take (and ensure that the Beneficiary takes) independent advice to ensure that the insurance policy requested or offered is suitable for its requirements.

2.6 GroundSure's quotations or proposals are valid for a period of 30 days only unless an alternative period of time is explicitly stipulated by GroundSure. GroundSure reserves the right to withdraw any quotation or proposal at any time before an Order is accepted by GroundSure. GroundSure's acceptance of an Order

shall be binding only when made in writing and signed by GroundSure's authorised representative or when accepted through the Order Website.

3 The Client's obligations

3.1The Client shall comply with the terms of this Contract and

(i) procure that the Beneficiary or any third party relying on the Services complies with and acts as if it is bound by the Contract and

(ii) be liable to GroundSure for the acts and omissions of the Beneficiary or any third party relying on the Services as if such acts and omissions were those of the Client.

3.2 The Client shall be solely responsible for ensuring that the Services are appropriate and suitable for its and/or the Beneficiary's needs.

3.3 The Client shall supply to GroundSure as soon as practicable and without charge all requisite information (and the Client warrants that such information is accurate, complete and appropriate), including without limitation any environmental information relating to the Site and shall give such assistance as GroundSure shall reasonably require in the provision of the Services including, without limitation, access to the Site, facilities and equipment.

3.4 Where the Client's approval or decision is required to enable GroundSure to carry out work in order to provide the Services, such approval or decision shall be given or procured in reasonable time and so as not to delay or disrupt the performance of the Services.

3.5 Save as expressly permitted by this Contract the Client shall not, and shall procure that the Beneficiary shall not, re-sell, alter, add to, or amend the GroundSure Materials, or use the GroundSure Materials in a manner for which they were not intended. The Client may make the GroundSure Materials available to a third party who is considering acquiring some or all of, or providing funding in relation to, the Site, but such third party cannot rely on the same unless expressly permitted under clause 4.

3.6 The Client is responsible for maintaining the confidentiality of its user name and password if using the Order Website and the Client acknowledges that GroundSure accepts no liability of any kind for any loss or damage suffered by the Client as a consequence of using the Order Website.

4 Reliance

4.1The Client acknowledges that the Services provided by GroundSure consist of the presentation and analysis of Third Party Content and other content and that information obtained from a Third Party Data Provider cannot be guaranteed or warranted by GroundSure to be reliable.

4.2 In respect of Data Reports, Mapping and Risk Screening Reports, the following classes of person and no other are entitled to rely on their contents;

(i) the Beneficiary,

(ii) the Beneficiary's professional advisers, (iii) any person providing funding to the Beneficiary in relation to the Site (whether directly or as part of a lending syndicate), $\frac{1}{2} \sum_{i=1}^{n} \frac{1}{2} \sum_{i=1}^{n} \frac{1}{$

(iv) the first purchaser or first tenant of the Site, and

 $\mbox{(v)}$ the professional advisers and lenders of the first purchaser or tenant of the Site.

4.3 In respect of Support Services, only the Client, Beneficiary and parties expressly named in a Report and no other parties are entitled to rely on its contents.

4.4 Save as set out in clauses 4.2 and 4.3 and unless otherwise expressly agreed in writing, no other person or entity of any kind is entitled to rely on any Services or Report issued or provided by GroundSure. Any party considering such Reports and Services does so at their own risk.

5 Fees and Disbursements

5.1GroundSure shall charge and the Client shall pay fees at the rate and frequency specified in the written proposal, Order Website or Order acknowledgement form, plus (in the case of Support Services) all proper disbursements incurred by GroundSure. The Client shall in addition pay all value added tax or other tax payable on such fees and disbursements in relation to the provision of the Services (together "Fees").

5.2 The Client shall pay all outstanding Fees to GroundSure in full without deduction, counterclaim or set off within 30 days of the date of GroundSure's invoice or such other period as may be agreed in writing between GroundSure and the Client ("Payment Date"). Interest on late payments will accrue on a daily basis from the Payment Date until the date of payment (whether before or after judgment) at the rate of 8% per annum.

5.3 The Client shall be deemed to have agreed the amount of any invoice unless an objection is made in writing within 28 days of the date of the invoice. As soon as reasonably practicable after being notified of an objection, without prejudice to clause 5.2 a member of GroundSure's management team will contact the Client and the parties shall then use all reasonable endeavours to resolve the dispute within 15 days.

6 Intellectual Property and Confidentiality

6.1 Subject to

full payment of all relevant Fees and

(ii) compliance with this Contract, the Client is granted (and is permitted to sub-licence to the Beneficiary) a royalty-free, worldwide, non-assignable and (save to the extent set out in this Contract) non-transferable licence to make use of the GroundSure Materials.

6.2 All Intellectual Property in the GroundSure Materials are and shall remain owned by GroundSure or GroundSure's licensors (including without limitation the Third Party Data Providers) the Client acknowledges, and shall procure acknowledgement by the Beneficiary of, such ownership. Nothing in this Contract purports to transfer or assign any rights to the Client or the Beneficiary in respect of such Intellectual Property.

6.3 Third Party Data Providers may enforce any breach of clauses 6.1 and 6.2 against the Client or Beneficiary.

- $6.4\ {\rm The}\ {\rm Client}\ {\rm shall},$ and shall procure that any recipients of the GroundSure Materials shall:
- (i) not remove, suppress or modify any trade mark, copyright or other proprietary marking belonging to GroundSure or any third party from the Services;
- (ii) use the information obtained as part of the Services in respect of the subject Site only, and shall not store or reuse any information obtained as part of the Services provided in respect of adjacent or nearby sites;
- (iii) not create any product or report which is derived directly or indirectly from the Services (save that those acting in a professional capacity to the Beneficiary may provide advice based upon the Services);
- (iv) not combine the Services with or incorporate such Services into any other information data or service;
- (v) not reformat or otherwise change (whether by modification, addition or enhancement), the Services (save that those acting for the Beneficiary in a professional capacity shall not be in breach of this clause 6.4(v) where such reformatting is in the normal course of providing advice based upon the Services);
- (vi) where a Report and/or Mapping contains material belonging to Ordnance Survey, acknowledge and agree that such content is protected by Crown Copyright and shall not use such content for any purpose outside of receiving the Services; and
- (vii) not copy in whole or in part by any means any map prints or run-on copies containing content belonging to Ordnance Survey (other than that contained within Ordnance Survey's OS Street Map) without first being in possession of a valid Paper Map Copying Licence from Ordnance Survey,
- 6.5 Notwithstanding clause 6.4, the Client may make reasonable use of the GroundSure Materials in order to advise the Beneficiary in a professional capacity. However, GroundSure shall have no liability in respect of any advice, opinion or report given or provided to Beneficiaries by the Client.
- 6.6 The Client shall procure that any person to whom the Services are made available shall notify GroundSure of any request or requirement to disclose, publish or disseminate any information contained in the Services in accordance with the Freedom of Information Act 2000, the Environmental Information Regulations 2004 or any associated legislation or regulations in force from time to time.

7. Liability: Particular Attention Should Be Paid To This Clause

- 7.1 This Clause 7 sets out the entire liability of GroundSure, including any liability for the acts or omissions of its employees, agents, consultants, subcontractors and Third Party Content, in respect of:
 - (i) any breach of contract, including any deliberate breach of the Contract by GroundSure or its employees, agents or subcontractors:
 - (ii) any use made of the Reports, Services, Materials or any part of them; and
- (iii) any representation, statement or tortious act or omission (including negligence) arising under or in connection with the Contract.
- 7.2 All warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.
- 7.3 Nothing in the Contract limits or excludes the liability of the Supplier for death or personal injury resulting from negligence, or for any damage or liability incurred by the Client or Beneficiary as a result of fraud or fraudulent misrepresentation.
- 7.4 GroundSure shall not be liable for
 - (i) loss of profits;
 - (ii) loss of business;
 - (iii) depletion of goodwill and/or similar losses;
 - (iv) loss of anticipated savings;
 - (v) loss of goods;
 - (vi) loss of contract;
 - (vii) loss of use;
 - (viii) loss or corruption of data or information;
 - (ix) business interruption;
- (x) any kind of special, indirect, consequential or pure economic loss, costs, damages, charges or expenses;
- (xi) loss or damage that arise as a result of the use of all or part of the GroundSure Materials in breach of the Contract;
- (xii) loss or damage arising as a result of any error, omission or inaccuracy in any part of the GroundSure Materials where such error, omission or inaccuracy is caused by any Third Party Content or any reasonable interpretation of Third Party Content;
- $\mbox{(xiii)} \mbox{ loss or damage to a computer, software, modem, telephone or other property; and }$
- (xiv) loss or damage caused by a delay or loss of use of GroundSure's internet ordering service.
- 7.5 GroundSure's total liability in relation to or under the Contract shall be limited to £10 million for any claim or claims.
- 7.6 GroundSure shall procure that the Beneficiary shall be bound by limitations and exclusions of liability in favour of GroundSure which accord with those detailed in clauses 7.4 and 7.5 (subject to clause 7.3) in respect of all claims which the Beneficiary may bring against GroundSure in relation to the Services or other matters arising pursuant to the Contract.

8 GroundSure's right to suspend or terminate

- 8.1 If GroundSure reasonably believes that the Client or Beneficiary has not provided the information or assistance required to enable the proper provision of the Services, GroundSure shall be entitled to suspend all further performance of the Services until such time as any such deficiency has been made good.
- 8.2 GroundSure shall be entitled to terminate the Contract immediately on written notice in the event that:
 - (i) the Client fails to pay any sum due to GroundSure within 30

days of the Payment Date; or

- (ii) the Client (being an individual) has a bankruptcy order made against him or (being a company) shall enter into liquidation whether compulsory or voluntary or have an administration order made against it or if a receiver shall be appointed over the whole or any part of its property assets or undertaking or if the Client is struck off the Register of Companies or dissolved; or
- (iii) the Client being a company is unable to pay its debts within the meaning of Section 123 of the Insolvency Act 1986 or being an individual appears unable to pay his debts within the meaning of Section 268 of the Insolvency Act 1986 or if the Client shall enter into a composition or arrangement with the Client's creditors or shall suffer distress or execution to be levied on his goods; or
- (iv) the Client or the Beneficiary breaches any term of the Contract (including, but not limited to, the obligations in clause 4) which is incapable of remedy or if remediable, is not remedied within five days of notice of the breach.

9. Client's Right to Terminate and Suspend

- 9.1 Subject to clause 10.1, the Client may at any time upon written notice terminate or suspend the provision of all or any of the Services.
- 9.2 In any event, where the Client is a consumer (and not a business) he/she hereby expressly acknowledges and agrees that:
- (i) the supply of Services under this Contract (and therefore the performance of this Contract) commences immediately upon GroundSure's acceptance of the Order; and
 - (ii) the Reports and/or Mapping provided under this Contract are (a) supplied to the Client's specification(s) and in any event
 - (b) by their nature cannot be returned.

10 Consequences of Withdrawal, Termination or Suspension

10.1 Upon termination of the Contract:

- (i) GroundSure shall take steps to bring to an end the Services in an orderly manner, vacate any Site with all reasonable speed and shall deliver to the Client and/or Beneficiary any property of the Client and/or Beneficiary in GroundSure's possession or control; and
- (ii) the Client shall pay to GroundSure all and any Fees payable in respect of the performance of the Services up to the date of termination or suspension. In respect of any Support Services provided, the Client shall also pay GroundSure any additional costs incurred in relation to the termination or suspension of the Contract.

11 Anti-Bribery

11.1 The Client warrants that it shall:

- (i) comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Bribery Act 2010:
- (ii) comply with such of GroundSure's anti-bribery and anti-corruption policies as are notified to the Client from time to time; and
- (iii) promptly report to GroundSure any request or demand for any undue financial or other advantage of any kind received by or on behalf of the Client in connection with the performance of this Contract.
- 11.2 Breach of this Clause 11 shall be deemed a material breach of this Contract.

12 General

- 12.1 The Mapping contained in the Services is protected by Crown copyright and must not be used for any purpose other than as part of the Services or as specifically provided in the Contract.
- 12.2 The Client shall be permitted to make one copy only of each Report or Mapping Order. Thereafter the Client shall be entitled to make unlimited copies of the Report or Mapping Order only in accordance with an Ordnance Survey paper map copy license available through GroundSure.
- 12.3 GroundSure reserves the right to amend or vary this Contract. No amendment or variation to this Contract shall be valid unless signed by an authorised representative of GroundSure.
- 12.4 No failure on the part of GroundSure to exercise, and no delay in exercising, any right, power or provision under this Contract shall operate as a waiver thereof.
- 12.5 Save as expressly provided in this Contract, no person other than the persons set out therein shall have any right under the Contract (Rights of Third Parties) Act 1999 to enforce any terms of the Contract.
- 12.6 The Secretary of State for Business, Innovation and Skills ("BIS") or BIS' successor body, as the case may be, acting through Ordnance Survey may enforce a breach of clause 6.4(vi) and clause 6.4(vii) of these terms and conditions against the Client in accordance with the provisions of the Contracts (Rights of Third Parties) Act 1999.
- 12.7 GroundSure shall not be liable to the Client if the provision of the Services is delayed or prevented by one or more of the following circumstances:
- (i) the Client or Beneficiary's failure to provide facilities, access or information:
 - (ii) fire, storm, flood, tempest or epidemic;
 - (iii) Acts of God or the public enemy;
 - (iv) riot, civil commotion or war;
 - (v) strikes, labour disputes or industrial action;
 - (vi) acts or regulations of any governmental or other agency;
- (vii) suspension or delay of services at public registries by Third Party Data Providers;
 - (viii) changes in law; or
- (ix) any other reason beyond GroundSure's reasonable control. In the event that GroundSure is prevented from performing the Services (or any part thereof) in accordance with this clause 12.6 for a period of not less than 30 days then GroundSure shall be entitled to terminate this Contract immediately on written notice to the Client.
- 12.8 Any notice provided shall be in writing and shall be deemed to be properly

given if delivered by hand or sent by first class post, facsimile or by email to the address, facsimile number or email address of the relevant party as may have been notified by each party to the other for such purpose or in the absence of such notification the last known address.

12.9 Such notice shall be deemed to have been received on the day of delivery if delivered by hand, facsimile or email (save to the extent such day is not a working day where it shall be deemed to have been delivered on the next working day) and on the second working day after the day of posting if sent by first class post.

12.10 The Contract constitutes the entire agreement between the parties and shall supersede all previous arrangements between the parties relating to the subject matter hereof.

12.11 Each of the provisions of the Contract is severable and distinct from the others and if one or more provisions is or should become invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions shall not in any way be tainted or impaired.


12.12 This Contract shall be governed by and construed in accordance with English law and any proceedings arising out of or connected with this Contract shall be subject to the exclusive jurisdiction of the English courts.

12.13 GroundSure is an executive member of the Council of Property Search Organisation (CoPSO) and has signed up to the Search Code administered by the Property Codes Compliance Board (PCCB). All Risk Screening Reports shall be supplied in accordance with the provisions of the Search Code.


12.14 If the Client or Beneficiary has a complaint about the Services, written notice should be given to the Compliance Officer at GroundSure who will respond in a timely manner.

12.15 The Client agrees that it shall, and shall procure that each Beneficiary shall, treat in confidence all Confidential Information and shall not, and shall procure that each Beneficiary shall not (i) disclose any Confidential Information to any third party other than in accordance with the terms of this Contract; and (ii) use Confidential Information for a purpose other than the exercise of its rights and obligations under this Contract. Subject to clause 6.6, nothing shall prevent the Client or any Beneficiary from disclosing Confidential Information to the extent required by law

© GroundSure Limited June 2013











E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | | | |
|---|--|-----|--|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | | | |
| | | | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646_LS_3_4 264485, 201915 | | | |
| Map Name: | County Series | N | | |
| Map date: | 1916 | W E | | |
| Scale: | 1:2,500 | | | |
| Printed at: | 1:2,500 | S | | |
| Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A |) | | | |
| Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A | S | | | |




T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014






| Site Details: | | | | |
|--|-------------------------------------|--|--|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | | | |
| Client Ref: | | | | |
| Grid Ref: | GS-1587646_LS_3_4 264485, 201915 | | | |
| Map Name: | National Grid | N | | |
| Map date: | 1960 | W E | | |
| Scale: | 1:2,500 | T | | |
| Printed at: | 1:2,500 | S | | |
| | | | | |
| | | Surveyed 1960 Revised 1960 Edition N/A | | |
| | | Copyright 1961 Levelled 1956 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | Surveyed 1960 Revised 1960 Edition N/A Copyright 1961 | | |
| | | Levelled 1956 | | |
| | | | | |
| | | | | |




E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014






| Site Details: | : | | | |
|---|-------------------------------------|--------|--|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | | | |
| Olivera Burk | DD04004 | | | |
| | GS-1587646_LS_3_5 264485, 202545 | | | |
| Map Name: | County Series | N Å | | |
| Map date: | 1876 | W E | | |
| Scale: | 1:2,500 | T | | |
| Printed at: | 1:2,500 | S | | |
| Surveyed 1876 Revised 1876 Edition N// Copyright N// Levelled N// | 6 A A | | | |




E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_3_5

Grid Ref: 264485, 202545

Map Name: National Grid

1958 Map date:

Scale: 1:2,500

Printed at: 1:2,500

Surveyed 1958 Revised 1958 Edition N/A Copyright 1959 Levelled 1956




Produced by GroundSure Environmental Insight

T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_3_5 264485, 202545 Grid Ref:

Map Name: National Grid

1989 Map date:

Scale: 1:2,500

Printed at: 1:2,500

Surveyed 1989 Revised 1989 Edition N/A Copyright 1989 Levelled N/A



Produced by GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Grid Ref:

Report Ref: GS-1587646_LS_3_5 264485, 202545

Map Name: National Grid

1993 Map date:

Scale: 1:2,500

Printed at: 1:2,500

Surveyed N/A Revised N/A



Edition N/A Copyright 1993 Levelled N/A

Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_2 Grid Ref: 265115, 200655

Map Name: County Series

Map date: 1876-1878

1:2,500 Scale:

Printed at: 1:2,500



Surveyed 1876 Revised 1876 Surveyed 1876 Revised 1876 Edition N/A
Copyright N/A
Levelled N/A Edition N/A Copyright N/A Levelled N/A Surveyed 1878 Revised 1878 Surveyed 1876 Revised 1876 Edition N/A Copyright N/A Levelled N/A Copyright N/A Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_2

Grid Ref: 265115, 200655

Map Name: County Series

1916-1918 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1916 Surveyed 1918 Revised 1916 Revised 1918 Edition N/A Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A Surveyed 1916 Surveyed 1917 Revised 1916 Revised 1917 Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A




Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

Production date: 30 July 2014









Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_2

Grid Ref: 265115, 200655

Map Name: National Grid

Map date: 1974

Scale: 1:2,500

Printed at: 1:2,500

Surveyed 1974 Revised 1974 Edition N/A Copyright 1975 Levelled 1963




Produced by GroundSure Environmental Insight

T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014











E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_3 Grid Ref: 265115, 201285


Map Name: National Grid

1992-1993 Map date:

1:2,500 Scale:

Printed at: 1:2,500







Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Levelled N/A

Produced by GroundSure Environmental Insight T: 08444 159000


Levelled N/A

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







Client Ref: PB84891


Report Ref: GS-1587646_LS_4_4 Grid Ref: 265115, 201915


Map Name: County Series

Map date:

Scale:

Printed at: 1:2,500







Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014






| Site Details: | | |
|---|--|-----|
| ABERGELL FARM,FELI SA5 7NN | I FACH NDRE,ABERTAWE, | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646_LS_4_4 265115, 201915 | |
| Map Name: | National Grid | N |
| Map date: | 1958 | W E |
| Scale: | 1:2,500 | |
| Printed at: | 1:2,500 | S |
| Surveyed 1958 Revised 1958 Edition N/A Copyright 1959 Levelled 1956 | | |
| Surveyed 1958 Revised 1958 Edition N/A Copyright 1959 Levelled 1946 | | |




E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Surveyed 1956 Revised 1989

Edition N/A Copyright 1989

Levelled 1956

Produced by GroundSure Environmental Insight

Surveyed 1992 Revised 1992

Copyright 1992

Levelled N/A

T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014











E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

@ Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_5 Grid Ref: 265115, 202545

Map Name: National Grid

1960 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1960 Revised 1960 Edition N/A Copyright 1961 Levelled 1956




Produced by GroundSure Environmental Insight T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_4_5 Grid Ref: 265115, 202545

Map Name: National Grid

1989-1992 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1989 Revised 1989 Surveyed 1992 Revised 1992 Edition N/A Edition N/A Copyright 1989 Levelled N/A Copyright 1992 Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_2 Grid Ref: 265745, 200655

Map Name: County Series

Map date: 1876

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1876 Revised 1876 Edition N/A Copyright N/A Levelled N/A Surveyed 1876 Revised 1876 Edition N/A Copyright N/A Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_2 **Grid Ref:** 265745, 200655


Map Name: County Series

Map date: 1935

Scale: 1:2,500

Printed at: 1:2,500







Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014











T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

Production date: 30 July 2014










E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891 Report Ref: GS-1587646_LS_5_3 Grid Ref: 265745, 201285

Map Name: County Series

Map date: 1876

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1876 Revised 1876 Edition N/A Copyright N/A Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000


E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Surveyed 1899 Revised 1899 Edition N/A

Copyright N/A Levelled N/A


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_3 **Grid Ref:** 265745, 201285

Map Name: County Series

Map date: 1918

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1918
Revised 1918
Edition N/A
Copyright N/A
Levelled N/A




Produced by GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

@ Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_3 **Grid Ref:** 265745, 201285

Map Name: County Series

Map date: 1935

Scale: 1:2,500

Printed at: 1:2,500

W E

Surveyed 1935 Revised 1935 Edition N/A Copyright N/A Levelled N/A



Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com


3

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014











E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










GroundSure Environmental Insight

T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|--|--|---|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | |
| | | |
| | | |
| | PB84891 GS-1587646_LS_5_5 265745, 202545 | |
| Map Name: | County Series | N |
| Map date: | 1898 | W E |
| Scale: | 1:2,500 | |
| Printed at: | 1:2,500 | S |
| | | |
| | | Surveyed 1898 Revised 1898 Edition N/A Copyright N/A Levelled N/A |
| | | |
| | | |
| | | |
| | | |




E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_5 265745, 202545 Grid Ref:

Map Name: National Grid

1960 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1960 Revised 1960 Edition N/A Copyright 1961 Levelled 1956



Produced by

GroundSure Environmental Insight

Surveyed 1960

Revised 1960

Levelled 1956

Edition N/A Copyright 1961


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_5 Grid Ref: 265745, 202545

Map Name: National Grid

1992-1993 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1992 Revised 1992 Surveyed N/A Revised N/A Edition N/A Edition N/A Copyright 1992 Levelled N/A Copyright 1993 Levelled N/A



Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_5_5 Grid Ref: 265745, 202545

Map Name: National Grid

1992-1993 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed N/A Revised N/A Surveyed 1992 Revised 1992 Edition N/A Edition N/A Copyright 1993 Levelled N/A Copyright 1992 Levelled N/A



Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207


Production date: 30 July 2014





APPENDIX A

GROUNDSURE REPORTS





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891 Report Ref: GS-1587646 Grid Ref: 265243, 201500

Map Name: County Series

Map date: 1876-1878

Scale: 1:10,560

Printed at: 1:10,560

Surveyed 1876 Surveyed 1877 Revised 1876 Revised 1877 Edition N/A Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A Surveyed 1877 Surveyed 1878 Revised 1878 Revised 1877 Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A



Produced by


GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| I FACH NDRE,ABERTAWE, | |
|---|---|
| | |
| PB84891 GS-1587646 265243, 201500 | |
| County Series | N A |
| 1896-1897 | W E |
| 1:10,560 | ** |
| 1:10,560 | S |
| | Surveyed 1876 Revised 1897 Edition N/A Copyright N/A Levelled N/A |
| | Surveyed 1877 Revised 1897 Edition N/A Copyright N/A Levelled N/A |
| | PB84891 GS-1587646 265243, 201500 County Series 1896-1897 1:10,560 |



GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|---|---|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | |
| | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N Å |
| Map date: | 1913-1914 | W E |
| Scale: | 1:10,560 | Ţ |
| Printed at: | 1:10,560 | S |
| Surveyed 1875 Revised 1913 Edition N/A Copyright N/A Levelled N/A | 3 A | Surveyed 1875 Revised 1913 Edition N/A Copyright N/A Levelled N/A |
| Surveyed 1875 Revised 1914 Edition N/A Copyright N/A Levelled N/A | | Surveyed 1876 Revised 1913 Edition N/A Copyright N/A Levelled N/A |




T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|--|---|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | |
| DD04004 | | |
| GS-1587646 265243, 201500 | | |
| County Series | N | |
| 1921 | N E | |
| 1:10,560 | | |
| 1:10,560 | S | |
| | Surveyed 1876 Revised 1921 Edition N/A Copyright N/A Levelled N/A | |
| | PB84891 GS-1587646 265243, 201500 County Series 1921 | |




T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|--|--|---|
| ABERGELL FARM,FELI SA5 7NN | I FACH INDRE,ABERTAWE, | |
| | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N Å |
| Map date: | 1935-1938 | W E |
| Scale: | 1:10,560 | 7 |
| Printed at: | 1:10,560 | S |
| Surveyed 1875 Revised 1938 Edition 1938 Copyright N/A Levelled N/A | 3 3 | Surveyed N/A Revised N/A Edition N/A Copyright N/A Levelled N/A |
| Surveyed 1875 Revised 1935 Edition N/A Copyright N/A Levelled N/A | ; , , , , , , , , , , , , , , , , , , , | Surveyed 1876 Revised 1936 Edition N/A Copyright N/A Levelled N/A |



GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|---|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | |
| | | |
| | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N A |
| Map date: | 1948 | W E |
| Scale: | 1:10,560 | 7 |
| Printed at: | 1:10,560 | S |
| Surveyed 1875 Revised 1948 Edition N/A Copyright N/A Levelled N/A | } | Surveyed 1876 Revised 1948 Edition N/A Copyright N/A Levelled 1947 |
| Surveyed 1875 Revised 1948 Edition N/A Copyright N/A Levelled N/A | 3 N | Surveyed 1876 Revised 1948 Edition N/A Copyright N/A Levelled N/A |



GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|---|---|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | |
| | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | Provisional | N |
| Map date: | 1964 | W E |
| Scale: | 1:10,560 | |
| Printed at: | 1:10,560 | S |
| Surveyed 1964 Revised 1964 Edition N/A Copyright N/A Levelled N/A | 4 A | Surveyed 1964 Revised 1964 Edition N/A Copyright N/A Levelled N/A |
| | | |
| | | |




T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | | |
|---------------------------------|--|------|---|
| ABERGELL FARM,FEL SA5 7NN | .I FACH INDRE,ABERTA | AWE, | |
| | PB84891 GS-1587646 265243, 20150 | 00 | |
| Map Name: | National Grid | | N |
| Map date: | 1975 | | W E |
| Scale: | 1:10,000 | | |
| Printed at: | 1:10,000 | | S |
| | | | Surveyed 1974 Revised 1975 Edition N/A Copyright N/A Levelled N/A |
| | | | |




T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|--|---------------|----------|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | |
| | | |
| | | |
| | | |
| Client Ref: Report Ref: Grid Ref: | GS-1587646 | |
| Map Name: | National Grid | Ņ |
| Map date: | 1991 | W E |
| Scale: | 1:10,000 | W |
| Printed at: | 1:10,000 | S |
| | | |
| | | |
| Surveyed 1990 |) | |
| Revised 1991 Edition N/A | \ | |
| Copyright N/A Levelled N/A | A | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |




T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

@ Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014






| Site Details: | Site Details: | | |
|---|---|--|--|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | | |
| Map Name: | County Series | N | |
| Map date: | 9152 | W E | |
| Scale: | 1:10,560 | | |
| Printed at: | 1:10,560 | s | |
| | | Surveyed 1875 Revised 1952 Edition N/A Copyright N/A Levelled 1947 | |



E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891 Report Ref: GS-1587646 Grid Ref: 265243, 201500

Map Name: County Series

Map date: 1876-1878

Scale: 1:10,560

Printed at: 1:10,560

Surveyed 1876 Surveyed 1877 Revised 1876 Revised 1877 Edition N/A Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A Surveyed 1877 Surveyed 1878 Revised 1878 Revised 1877 Edition N/A Copyright N/A Copyright N/A Levelled N/A Levelled N/A



Produced by


GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| I FACH NDRE,ABERTAWE, | |
|---|---|
| | |
| PB84891 GS-1587646 265243, 201500 | |
| County Series | N A |
| 1896-1897 | W E |
| 1:10,560 | 7 |
| 1:10,560 | S |
| | Surveyed 1876 Revised 1897 Edition N/A Copyright N/A Levelled N/A |
| | Surveyed 1877 Revised 1897 Edition N/A Copyright N/A Levelled N/A |
| | PB84891 GS-1587646 265243, 201500 County Series 1896-1897 1:10,560 |



Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|---|---|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | |
| | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N Å |
| Map date: | 1913-1914 | W E |
| Scale: | 1:10,560 | Ţ |
| Printed at: | 1:10,560 | S |
| Surveyed 1875 Revised 1913 Edition N/A Copyright N/A Levelled N/A | 3 A | Surveyed 1875 Revised 1913 Edition N/A Copyright N/A Levelled N/A |
| Surveyed 1875 Revised 1914 Edition N/A Copyright N/A Levelled N/A | | Surveyed 1876 Revised 1913 Edition N/A Copyright N/A Levelled N/A |




T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Produced by


GroundSure Environmental Insight

T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| LI FACH INDRE,ABERTAWE, | |
|------------------------------|---|
| DD04004 | |
| GS-1587646 265243, 201500 | |
| County Series | N |
| 1921 | N E |
| 1:10,560 | |
| 1:10,560 | S |
| | Surveyed 1876 Revised 1921 Edition N/A Copyright N/A Levelled N/A |
| | PB84891 GS-1587646 265243, 201500 County Series 1921 |




T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|--|--|---|
| ABERGELL FARM,FELI SA5 7NN | I FACH INDRE,ABERTAWE, | |
| | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N Å |
| Map date: | 1935-1938 | W E |
| Scale: | 1:10,560 | Ţ |
| Printed at: | 1:10,560 | S |
| Surveyed 1875 Revised 1938 Edition 1938 Copyright N/A Levelled N/A | 3 3 | Surveyed N/A Revised N/A Edition N/A Copyright N/A Levelled N/A |
| Surveyed 1875 Revised 1935 Edition N/A Copyright N/A Levelled N/A | ; , , , , , , , , , , , , , , , , , , , | Surveyed 1876 Revised 1936 Edition N/A Copyright N/A Levelled N/A |



Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|---|--|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | |
| | | |
| | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | |
| Map Name: | County Series | N |
| Map date: | 1948 | W E |
| Scale: | 1:10,560 | Ţ |
| Printed at: | 1:10,560 | S |
| | | |
| Surveyed 1875 Revised 1948 Edition N/A Copyright N/A Levelled N/A | 3 A A | Surveyed 1876 Revised 1948 Edition N/A Copyright N/A Levelled 1947 |
| | | |
| Surveyed 1875 | 5 | |
| Revised 1948 Edition N/A Copyright N/A Levelled N/A | 3 A A | Surveyed 1876 Revised 1948 Edition N/A Copyright N/A Levelled N/A |
| | | |
| | | |
| | | |



Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | Site Details: | | |
|---|---|---|--|
| ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN | | | |
| | | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | | |
| Map Name: | Provisional | N | |
| Map date: | 1964 | W E | |
| Scale: | 1:10,560 | | |
| Printed at: | 1:10,560 | S | |
| Surveyed 1964 Revised 1964 Edition N/A Copyright N/A Levelled N/A | \ \ \ | Surveyed 1964 Revised 1964 Edition N/A Copyright N/A Levelled N/A | |
| | | | |
| | | | |




T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | | |
|---------------------------------|---|-----|---|
| ABERGELL FARM,FEL SA5 7NN | .I FACH INDRE,ABERTA\ | WE, | |
| | PB84891 GS-1587646 265243, 201500 |) | |
| Map Name: | National Grid | | N |
| Map date: | 1975 | | W E |
| Scale: | 1:10,000 | | |
| Printed at: | 1:10,000 | | S |
| | | | Surveyed 1974 Revised 1975 Edition N/A Copyright N/A Levelled N/A |
| | | | |




T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|----------------------------|----------|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | |
| | | |
| | | |
| | | |
| Client Ref: Report Ref: Grid Ref: | GS-1587646 | |
| Map Name: | National Grid | Ņ |
| Map date: | 1991 | W E |
| Scale: | 1:10,000 | W |
| Printed at: | 1:10,000 | S |
| | | |
| | | |
| Surveyed 1990 |) | |
| Revised 1991 Edition N/A | \ | |
| Copyright N/A Levelled N/A | A | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |




T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

@ Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014






| Site Details: | Site Details: | | |
|---|---|--|--|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646 265243, 201500 | | |
| Map Name: | County Series | N | |
| Map date: | 9152 | W E | |
| Scale: | 1:10,560 | | |
| Printed at: | 1:10,560 | s | |
| | | Surveyed 1875 Revised 1952 Edition N/A Copyright N/A Levelled 1947 | |




E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|----------------------------------|--|-----|
| ABERGELL FARM,FELI SA5 7NN | I FACH INDRE,ABERTAWE, | |
| | DD04004 | |
| | GS-1587646_LS_2_2 263855, 200655 | |
| Map Name: | County Series | N |
| Map date: | 1898 | W E |
| Scale: | 1:2,500 | 7 |
| Printed at: | 1:2,500 | S |
| | | |
| | Surveyed 1898 Revised 1898 Edition N/A Copyright N/A Levelled N/A | |
| F | urveyed 1898 Revised 1898 Edition N/A Copyright N/A Levelled N/A | |




T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | |
|---|--|-----|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | |
| | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646_LS_2_2 263855, 200655 | |
| Map Name: | County Series | N |
| Map date: | 1916 | W E |
| Scale: | 1:2,500 | |
| Printed at: | 1:2,500 | S |
| F | Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A | |




T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014











E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










E: info@groundsure.com W: www.groundsure.com

Production date: 30 July 2014






| Site Details: | | | | |
|---|--|-----|--|--|
| ABERGELL FARM,FELI SA5 7NN | LI FACH INDRE,ABERTAWE, | | | |
| | PB84891 GS-1587646_LS_3_2 264485, 200655 | | | |
| Map Name: | County Series | Ņ | | |
| Map date: | 1898 | W E | | |
| Scale: | 1:2,500 | | | |
| Printed at: | 1:2,500 | S | | |
| Surveyed 1898 Revised 1898 Edition N/A Copyright N/A Levelled N/A | 3 \ \ | | | |
| Surveyed 1898 Revised 1898 Edition N/A Copyright N/A Levelled N/A | 3 L | | | |



E: info@groundsure.com W: www.groundsure.com

Production date: 30 July 2014





| Site Details: | | | | |
|---|--|--------|--|--|
| ABERGELL FARM,FEL SA5 7NN | LI FACH INDRE,ABERTAWE, | | | |
| | PB84891 GS-1587646_LS_3_2 264485, 200655 | | | |
| Map Name: | County Series | N A | | |
| Map date: | 1916 | W E | | |
| Scale: | 1:2,500 | V | | |
| Printed at: | 1:2,500 | S | | |
| Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A | S A | | | |
| Surveyed 1916 Revised 1916 Edition N/A Copyright N/A Levelled N/A | 3 | | | |




T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





| Site Details: | | | | |
|---|--|--------|--|--|
| ABERGELL FARM,FELI SA5 7NN | I FACH INDRE,ABERTAWE, | | | |
| Client Ref: Report Ref: Grid Ref: | PB84891 GS-1587646_LS_3_2 264485, 200655 | | | |
| Map Name: | County Series | N A | | |
| Map date: | 1935 | W E | | |
| Scale: | 1:2,500 | T | | |
| Printed at: | 1:2,500 | S | | |
| Surveyed 1935 Revised 1935 Edition N/A Copyright N/A Levelled N/A | ; \ \ | | | |
| Surveyed 1935 Revised 1935 Edition N/A Copyright N/A Levelled N/A | , | | | |




T: 08444 159000

E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details: ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN Client Ref: PB84891 **Report Ref:** GS-1587646_LS_3_2 264485, 200655 Grid Ref: Map Name: National Grid 1958 Map date: 1:2,500 Scale: **Printed at:** 1:2,500 Surveyed 1958 Revised 1958 Edition N/A Copyright 1959 Levelled 1956



Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014







SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_3_2 Grid Ref: 264485, 200655

Map Name: National Grid

Map date: 1993

1:2,500 Scale:

Printed at: 1:2,500

Surveyed N/A Revised N/A Edition N/A Copyright 1993 Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM,FELINDRE,ABERTAWE, SA5 7NN

Client Ref: PB84891 Report Ref: GS-1587646_LS_3_3 Grid Ref: 264485, 201285

Map Name: County Series

Map date: 1876

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1876 Revised 1876 Edition N/A Copyright N/A Levelled N/A




Produced by GroundSure Environmental Insight T: 08444 159000


E: <u>info@groundsure.com</u>
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









Produced by

GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000


E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014










T: 08444 159000

E: info@groundsure.com W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014





Site Details:

ABERGELLI FACH FARM, FELINDRE, ABERTAWE, SA5 7NN

Client Ref: PB84891

Report Ref: GS-1587646_LS_3_3 Grid Ref: 264485, 201285

Map Name: National Grid

1989 Map date:

1:2,500 Scale:

Printed at: 1:2,500

Surveyed 1956 Revised 1989 Edition N/A Copyright 1989 Levelled 1956



Produced by GroundSure Environmental Insight


T: 08444 159000

E: info@groundsure.com


W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014









T: 08444 159000

E: info@groundsure.com

W: www.groundsure.com

© Crown copyright and database rights 2013 Ordnance Survey 100035207

Production date: 30 July 2014