

## The Millbrook Power (Gas Fired Power Station) Order

## 7.1 Photographs and Photomontages

Planning Act 2008
The Infrastructure Planning
(Applications: Prescribed Forms and Procedure) Regulations 2009

PINS Reference Number:EN010068Document Reference:7.1Regulation Number:5(2)(q)

Author: Optimised Environments


RevisionDateDescription0October 2017Submission Version





## **Contents**




Figure 1	Viewpoint Location Plan.
Figure 2	Indicative Layout.
Figure 3	Viewpoint 1 : Footpath south west of Stewartby.
Figure 4	Viewpoint 2 : Footpath by Chequers Pub.
Figure 5	Viewpoint 3 : Ampthill Park Katherine's Cross.
Figure 6	Viewpoint 4 : Houghton House.
Figure 7	Viewpoint 6 : Green Sand Way / B530.
Figure 8	Viewpoint 6a : Country Park Access.
Figure 9	Viewpoint 6b : Country Park Visitor Centre.
Figure 10	Viewpoint 8 : Marston Church Path.
Figure 11	Viewpoint 9 : Footpath junction north of Lidlington.
Figure 12	Viewpoint 10 : The Kennels, near Cranfield.
Figure 13	Viewpoint 11 : Picnic Area Lidlington.
Figure 14	Viewpoint 12 : Access to Rookery North Pit, Green Lane.
Figure 15	Viewpoint 13 : Hill Farm Bridleway.
Figure 16	Viewpoint 14 : Footpath 7, near Vehicle Proving Ground.
Figure 17	Viewpoint 15 : Footpath within Country Park, near railway.











Indicative Layout

Project:

Millbrook OCGT

FIGURE 2: Indicative Layout





Viewpoint Grid Reference - 502654 E 241380 N View Direction - 248 degrees

Viewpoint Elevation - c 43 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.54 km Viewing Distance - 32 cm

Date and time of photo - 25/03/2017 08:42

Millbrook OCGT

Title:

FIGURE 3:Viewpoint 1
Footpath south west of Stewartby



**Existing baseline view** from footpath south west of Stewartby. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 08:42

Data for viewpoint 1: Footpath south west of Stewartby


Viewpoint Grid Reference - 502654 E 241380 N View Direction - 248 degrees

Viewpoint Elevation - c 43 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 1.54 km - 32 cm

Photomontage view from footpath south west of Stewartby showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees.



Wireline view from footpath south west of Stewartby showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.



**Existing baseline view** from footpath south west of Stewartby. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 08:42

Data for viewpoint 1: Footpath south west of Stewartby

Viewpoint Grid Reference - 502654 E 241380 N View Direction - 248 degrees


Viewpoint Elevation - c 43 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)


Distance to the Project site centre Viewing Distance - 1.54 km - 32 cm




Photomontage view from footpath south west of Stewartby showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees.



Wireline view from footpath south west of Stewartby showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 248 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





- 503006 E 240270 N Viewpoint Grid Reference - 282 degrees View Direction

Viewpoint Elevation - c 55 m AOD - 72 degrees (Cylindrical projection)

Horizontal Field of View Distance to the Project site centre - 1.74 km

Viewing Distance - 32 cm Date and time of photo - 25/03/2017 12:05 Millbrook OCGT

FIGURE 4: Viewpoint 2 Footpath by Chequers Pub **Viewpoint 2: Footpath by Chequers Pub** 



**Existing baseline view** from footpath by Chequers Pub. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 282 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 12:05 Camera: Canon EOS 5D Mark II

Data for viewpoint 2: Footpath by Chequers Pub


Viewpoint Grid Reference - 503006 E 240270 N View Direction - 282 degrees Viewpoint Elevation - c 55 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.74 km Viewing Distance - 32 cm



Photomontage view from footpath by Chequers Pub showing the the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 282 degrees.



**Viewpoint 2: Footpath by Chequers Pub** 



**Existing baseline view** from footpath by Chequers Pub. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 282 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 12:05 Camera: Canon EOS 5D Mark II

Data for viewpoint 2: Footpath by Chequers Pub


Viewpoint Grid Reference - 503006 E 240270 N View Direction - 282 degrees Viewpoint Elevation - c 55 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)


Distance to the Project site centre - 1.74 km Viewing Distance - 32 cm




Photomontage view from footpath by Chequers Pub showing the the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 282 degrees.



Wireline view from footpath by Chequers Pub showing the the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 282 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





- 502470 E 238406 N Viewpoint Grid Reference

View Direction - 332 degrees Viewpoint Elevation - c 115 m AOD

- 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre - 2.52 km Viewing Distance - 32 cm Date and time of photo - 25/03/17 13:15

Millbrook OCGT

FIGURE 5: Viewpoint 3 Ampthill Park Katherine's Cross



**Existing baseline view** from Ampthill Park, Katherine's Cross. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees.


Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 13:15

Data for viewpoint 3: Ampthill Park, Katherine's Cross

Viewpoint Grid Reference - 502470 E 238406 N
View Direction - 332 degrees
Viewpoint Elevation - c 115 m AOD
Horizontal Field of View - 72 degrees
Distance to the Project site
Viewing Distance - 32 cm



Photomontage view Ampthill Park, Katherine's Cross showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees.



Wireline view Ampthill Park, Katherine's Cross showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees.



Existing baseline view from Ampthill Park, Katherine's Cross. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees.,


Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 13:15

Data for viewpoint 3: Ampthill Park, Katherine's Cross


- 502470 E 238406 N - 332 degrees - c 115 m AOD Viewpoint Grid Reference View Direction Viewpoint Elevation Horizontal Field of View - 72 degrees Distance to the Project site Viewing Distance - 2.52 km - 32 cm




Photomontage view from Ampthill Park, Katherine's Cross showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees.



Wireline view from Ampthill Park, Katherine's Cross showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 332 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





Viewpoint Grid Reference - 503921 E 239499 N View Direction - 293 degrees

Viewpoint Elevation - c 105 m AOD Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 2.85 km - 32 cm - 13/03/17 10:10

Millbrook OCGT

Title:

FIGURE 6:Viewpoint 4
Houghton House

**Viewpoint 4: Houghton House** 



**Existing baseline view** from Houghton House. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 10:10

Data for viewpoint 4: Houghton House

Viewpoint Grid Reference View Direction - 503921 E 239499 N Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre - 2.85 km Viewing Distance - 32 cm

- 293 degrees - c 105 m AOD - 72 degrees (Cylindrical projection)



Photomontage view from Houghton House showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees.



Wireline view from Houghton House showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

**Viewpoint 4: Houghton House** 



**Existing baseline view** from Houghton House. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 10:10

Data for viewpoint 4: Houghton House

Viewpoint Grid Reference View Direction - 503921 E 239499 N Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre - 2.85 km Viewing Distance - 32 cm


- 293 degrees - c 105 m AOD - 72 degrees (Cylindrical projection)




Photomontage view from Houghton House showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees.



Wireline view from Houghton House showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 293 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





View Direction - 314 degrees Viewpoint Elevation

- c 120 m AOD - 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre - 2.69 km Viewing Distance - 32 cm Date and time of photo - 25/03/17 11:20 Millbrook OCGT

FIGURE 7: Viewpoint 6 Green Sand Way / B530

**Viewpoint 6: Green Sand Way / B530** 

Reproduced from Ordnance Survey digital terrain height data @ Crown Copyright 2017. All rights reserved. Licence Number 0100031673.



Existing baseline view from Green Sand Way / B530. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 11:20

Data for viewpoint 6: Green Sand Way / B530


Viewpoint Grid Reference- 503225 E 238769 NView Direction- 314 degreesViewpoint Elevation- c 120 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 2.69 km Viewing Distance - 32 cm



**Photomontage view** from Green Sand Way / B530 showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees.



Wireline view from Green Sand Way / B530 showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

**Viewpoint 6: Green Sand Way / B530** 





Existing baseline view from Green Sand Way / B530. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 11:20

Data for viewpoint 6: Green Sand Way / B530

Viewpoint Grid Reference- 503225 E 238769 NView Direction- 314 degreesViewpoint Elevation- c 120 m AOD


Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 2.69 km Viewing Distance - 32 cm


- /2 degrees (Cylindrical projection)- 2.69 km




Photomontage view from Green Sand Way / B530 showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees.



Wireline view from Green Sand Way / B530 showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 314 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





Viewpoint Grid Reference View Direction Viewpoint Elevation Horizontal Field of View Distance to Project site centre Viewing Distance Date and time of photo

- 500139 E 241410 N - 52 - 124 degrees

- c 37 m AOD

- 25/03/17 10:48

- 2 X 72 degrees (Cylindrical projection)

- 1.39 km - 32 cm

Millbrook OCGT

FIGURE 8: Viewpoint 6a Country Park Access



**Existing baseline view** from Country Park Access. (72 degrees horizontal field of view, 32 cm viewing distance). View direction **52** - 124 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 10:48

Data for viewpoint 6a: Country Park Access

Viewpoint Grid Reference- 500139 E 241410 NView Direction- 52 degreesViewpoint Elevation- c 37 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 1.39 km - 32 cm



Existing baseline view from Country Park Access. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 10:48 Camera: Canon EOS 5D Mark II

Data for viewpoint 6a: Country Park Access

Viewpoint Grid Reference View Direction - 500139 E 241410 N - 124 degrees Viewpoint Elevation - c 37 m AOD

- 2 X 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre - 1.39 km Viewing Distance - 32 cm



Photomontage view from Country Park Access showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.



Wireline view from Country Park Access showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.



Photomontage view from Country Park Access showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.





Photomontage view from Country Park Access showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.




Wireline view from Country Park Access showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.




Photomontage view from Country Park Access showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees.



Wireline view from Country Park Access showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 52 - 124 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





- 500616 E 241667 N Viewpoint Grid Reference - 110 - 182 degrees View Direction Viewpoint Elevation - c 37 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.24 km

Viewing Distance - 32 cm

Date and time of photo - 13/03/2017 16:03 Millbrook OCGT

FIGURE 9: Viewpoint 6b Country Park Visitor Centre



**Existing baseline view** from Country Park Visitor Centre. (72 degrees horizontal field of view, 32 cm viewing distance). View direction **110** - 182 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 16:03

Data for viewpoint 6b: Country Park Visitor Centre

Viewpoint Grid Reference- 500616 E 241667 NView Direction- 110 degreesViewpoint Elevation- c 37 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 1.24 km - 32 cm

- 1 24 km

## **Viewpoint 6b: Country Park Visitor Centre**



**Existing baseline view** from Country Park Visitor Centre. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - **182** degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 16:03

Data for viewpoint 6b: Country Park Visitor Centre


Viewpoint Grid Reference - 500616 E 241667 N
View Direction - 182 degrees
Viewpoint Elevation - c 37 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.24 km
Viewing Distance - 32 cm




**Photomontage view** from Country Park Visitor Centre showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.



Wireline view from Country Park Visitor Centre showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.




Photomontage view from Country Park Visitor Centre showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.



Wireline view from Country Park Visitor Centre showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees... Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.




Photomontage view from Country Park Visitor Centre showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.




Wireline view from Country Park Visitor Centre showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.




Photomontage view from Country Park Visitor Centre showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.



Wireline view from Country Park Visitor Centre showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 110 - 182 degrees.. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





- 499662 E 241067.5 N Viewpoint Grid Reference

View Direction - 95 degrees Viewpoint Elevation - c 40 m AOD

- 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.69 km Viewing Distance - 32 cm Date and time of photo

Horizontal Field of View

- 13/03/17 15:18

Millbrook OCGT

FIGURE 10: Viewpoint 8 Marston Church Path

**Viewpoint 8: Marston Church Path** 

Reproduced from Ordnance Survey digital terrain height data © Crown Copyright 2017. All rights reserved. Licence Number 0100031673.



**Existing baseline view** from Marston Church Path. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 15:18

Data for viewpoint 8: Marston Church Path

Viewpoint Grid Reference View Direction - 499662 E 241067.5 N

Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre Viewing Distance - 1.69 km - 32 cm

- 95 degrees - c 40 m AOD - 72 degrees (Cylindrical projection)



**Photomontage view** from Marston Church Path showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees.



Wireline view from Marston Church Path showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

**Viewpoint 8: Marston Church Path** 

Reproduced from Ordnance Survey digital terrain height data © Crown Copyright 2017. All rights reserved. Licence Number 0100031673.



**Existing baseline view** from Marston Church Path. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 15:18

Data for viewpoint 8: Marston Church Path

Viewpoint Grid Reference View Direction - 499662 E 241067.5 N

Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre Viewing Distance - 1.69 km - 32 cm


- 95 degrees - c 40 m AOD - 72 degrees (Cylindrical projection)




Photomontage view from Marston Church Path showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees.



Wireline view from Marston Church Path showing the Project and consented Covanta RRF scheme.. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 95 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





## Data for viewpoint 9: Footpath junction north of Lidlington

Viewpoint Grid Reference - 499025 E 239429 N

View Direction - 62 degrees Viewpoint Elevation - c 57 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 2.58 km - 32 cm - 13/03/17 13:40

Project:

Millbrook OCGT

Title:

**FIGURE 11**:Viewpoint 9 Footpath junction north of Lidlington

**Viewpoint 9: Footpath junction north of Lidlington** 

Reproduced from Ordnance Survey digital terrain height data © Crown Copyright 2017. All rights reserved. Licence Number 0100031673.



**Existing baseline view** from footpath junction north of Lidlington. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 13:40

Data for viewpoint 9: Footpath junction north of Lidlington


Viewpoint Grid Reference - 499025 E 239429 N View Direction - 62 degrees Viewpoint Elevation - c 57 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 2.58 km Viewing Distance - 32 cm



Photomontage view from footpath junction north of Lidlington showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees.



Wireline view from footpath junction north of Lidlington showing the Project.. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

**Viewpoint 9: Footpath junction north of Lidlington** 

Reproduced from Ordnance Survey digital terrain height data © Crown Copyright 2017. All rights reserved. Licence Number 0100031673.



**Existing baseline view** from footpath junction north of Lidlington. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 13:40

Data for viewpoint 9: Footpath junction north of Lidlington


Viewpoint Grid Reference - 499025 E 239429 N View Direction - 62 degrees Viewpoint Elevation - c 57 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)


Distance to the Project site centre - 2.58 km Viewing Distance - 32 cm




Photomontage view from footpath junction north of Lidlington showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees.



Wireline view from footpath junction north of Lidlington showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 62 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





Viewpoint Grid Reference View Direction

- 100 degrees Viewpoint Elevation - c 106 m AOD

Horizontal Field of View Distance to the Project site centre - 5.72 km

Viewing Distance Date and time of photo - 495625 E 241327 N

- 72 degrees

- 32 cm - 25/03/17 12:38 Millbrook OCGT

FIGURE 12: Viewpoint 10 The Kennels, near Cranfield




Existing baseline view from The Kennels, near Cranfield. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 12:38

Data for viewpoint 10: The Kennels, near Cranfield

- 495625 E 241327 N - 100 degrees - c 106 m AOD Viewpoint Grid Reference View Direction Viewpoint Elevation Horizontal Field of View - 72 degrees Distance to the Project site centre - 5.77 km
Viewing Distance - 32 cm

Photomontage view from The Kennels, near Cranfield showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees.



**Wireline view** from The Kennels, near Cranfield showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.



Existing baseline view from The Kennels, near Cranfield. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 12:38


Data for viewpoint 10: The Kennels, near Cranfield


- 495625 E 241327 N - 100 degrees - c 106 m AOD Viewpoint Grid Reference View Direction Viewpoint Elevation Horizontal Field of View - 72 degrees Distance to the Project site centre - 5.77 km
Viewing Distance - 32 cm

Photomontage view from The Kennels, near Cranfield showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees.



Wireline view from The Kennels, near Cranfield showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 100 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





- 498911 E 238541 N Viewpoint Grid Reference View Direction - 49 degrees Viewpoint Elevation - c 130 m AOD

- 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre - 3.18 km Viewing Distance - 32 cm Date and time of photo - 13/03/17 14:05

Millbrook OCGT

FIGURE 13: Viewpoint 11 Picnic Area Lidlington



**Existing baseline view** from Picnic area Lidlington. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 14:05

Data for viewpoint 11: Picnic Area Lidlington

- 498911 E 238541 N - 49 degrees - c 130 m AOD Viewpoint Grid Reference View Direction Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre Viewing Distance - 3.18 km - 32 cm

- 72 degrees (Cylindrical projection)



Photomontage view from Picnic area Lidlington showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees.



Wireline view from Picnic area Lidlington showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.



**Existing baseline view** from Picnic area Lidlington. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 14:05

Data for viewpoint 11: Picnic Area Lidlington

- 498911 E 238541 N - 49 degrees - c 130 m AOD Viewpoint Grid Reference View Direction Viewpoint Elevation


Horizontal Field of View

Distance to the Project site centre Viewing Distance - 3.18 km - 32 cm


- 72 degrees (Cylindrical projection)




Photomontage view from Picnic area Lidlington showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees.



Wireline view from Picnic area Lidlington showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 49 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





Data for viewpoint 12: Access to Rookery North Pit, Green Lane

Viewpoint Grid Reference
View Direction
Viewpoint Elevation
- 1

- 501568 E 242171 N - 189 degrees - c 37m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 1.55 km

Viewing Distance - 32 cm

Date and time of photo - 13/03/17 08:45

Project:

Millbrook OCGT

Title:

**FIGURE 14**: Viewpoint 12 Access to Rookery North Pit, Green Lane



Existing baseline view from Access to Rookery North Pit, Green Lane. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 08:45

Data for viewpoint 12: Access to Rookery North Pit, Green Lane

Viewpoint Grid Reference- 501568 E 242171 NView Direction- 189 degreesViewpoint Elevation- c 37m AOD


Viewpoint Elevation - c 37m AOD
Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 1.55 km - 32 cm

**Viewpoint 12: Access to Rookery North Pit, Green Lane** 



Photomontage view from Access to Rookery North Pit, Green Lane showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees.



Wireline view from Access to Rookery North Pit, Green Lane showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.



Existing baseline view from Access to Rookery North Pit, Green Lane. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 08:45

Data for viewpoint 12: Access to Rookery North Pit, Green Lane

Viewpoint Grid Reference- 501568 E 242171 NView Direction- 189 degreesViewpoint Elevation- c 37m AOD

Viewpoint Elevation - c 37m AOD
Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 1.55 km - 32 cm


**Viewpoint 12: Access to Rookery North Pit, Green Lane** 




Photomontage view from Access to Rookery North Pit, Green Lane showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees.



Wireline view from Access to Rookery North Pit, Green Lane showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 189 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





## Data for viewpoint 13: Hill Farm Bridleway

Viewpoint Grid Reference - 497841 E 242573 N View Direction - 119 degrees Viewpoint Elevation - c 82 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 3.97 km
Viewing Distance - 32 cm
Date and time of photo - 13/03/17 12:23

Project:


Millbrook OCGT

Title:

FIGURE 15: Viewpoint 13
Hill Farm Bridleway

**Viewpoint 13: Hill Farm Bridleway** 





**Existing baseline view** from Hill Farm Bridleway. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 12:23

Data for viewpoint 13: Hill Farm Bridleway


Viewpoint Grid Reference- 497841 E 242573 NView Direction- 119 degreesViewpoint Elevation- c 82 m AOD

Horizontal Field of View - 72 degrees (Cylindrical projection)

Distance to the Project site centre - 3.97 km
Viewing Distance - 32 cm




**Photomontage view** from Hill Farm Bridleway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees.



Wireline view from Hill Farm Bridleway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

**Viewpoint 13: Hill Farm Bridleway** 





**Existing baseline view** from Hill Farm Bridleway. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 12:23


Data for viewpoint 13: Hill Farm Bridleway

Viewpoint Grid Reference View Direction - 497841 E 242573 N - 119 degrees Viewpoint Elevation - c 82 m AOD


Horizontal Field of View - 72 degrees (Cylindrical projection)


Distance to the Project site centre - 3.97 km
Viewing Distance - 32 cm

Photomontage view from Hill Farm Bridleway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees.



Wireline view from Hill Farm Bridleway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 119 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.





Data for viewpoint 14: Footpath 7, near Vehicle Proving Ground

Viewpoint Grid Reference - 501133 E 240034 N View Direction - 317 - 29 degrees Viewpoint Elevation - c 65 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre Viewing Distance - 32 cm - 25/03/17 10:22

Project:

Millbrook OCGT

Title:

FIGURE 16: Viewpoint 14

Footpath 7, near Vehicle Proving Ground



**Existing baseline view** from Footpath 7, near Vehicle Proving Ground. (72 degrees horizontal field of view, 32 cm viewing distance). View direction **317** - 29 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 10:22

Data for viewpoint 14: Footpath 7, near Vehicle Proving Ground

Viewpoint Grid Reference View Direction - 501133 E 240034 N - 317 degrees Viewpoint Elevation - c 65 m AOD

- 2 X 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre Viewing Distance - 0.63 km - 32 cm



**Existing baseline view** from Footpath 7, near Vehicle Proving Ground. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.

Camera: Canon EOS 5D Mark II Focal Length: 50mm Camera Height: 1.5m Date: 25/03/17 Time: 10:22

Data for viewpoint 14: Footpath 7, near Vehicle Proving Ground


Viewpoint Grid Reference - 501133 E 240034 N
View Direction - 29 degrees
Viewpoint Elevation - c 65 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre - 0.63 km Viewing Distance - 32 cm



**Photomontage view** from Footpath 7, near Vehicle Proving Ground. showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction **317** - 29 degrees.



Wireline view from Footpath 7, near Vehicle Proving Ground showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.




Photomontage view from Footpath 7, near Vehicle Proving Ground showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.



Wireline view from Footpath 7, near Vehicle Proving Ground showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.



**Photomontage view** from Footpath 7, near Vehicle Proving Ground showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.




Wireline view from Footpath 7, near Vehicle Proving Ground showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.


**Viewpoint 14: Footpath 7, near Vehicle Proving Ground** 




Photomontage view from Footpath 7, near Vehicle Proving Ground showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.



Wireline view from Footpath 7, near Vehicle Proving Ground showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 317 - 29 degrees.





Viewpoint Grid Reference - 500962 E 241024 N
View Direction - 103 - 175 degrees
Viewpoint Elevation - c 44 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre - 0.51 km
Viewing Distance - 32 cm

Date and time of photo - 13/03/2017 14:44

Millbrook OCGT

Title:

**FIGURE 17**:Viewpoint 15 Footpath within Country Park, near railway

Viewpoint 15: Footpath within Country Park, near railway



Existing baseline view from Footpath within Country Park, near railway. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.

Camera: Canon EOS 5D Mark II

Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 14:44

Data for viewpoint 15: Footpath within Country Park, near railway

Viewpoint Grid Reference View Direction - 500962 E 241024 N - 103 degrees Viewpoint Elevation

- c 44 m AOD - 2 X 72 degrees (Cylindrical projection) Horizontal Field of View

Distance to the Project site centre Viewing Distance - 0.51 km - 32 cm



Existing baseline view from Footpath within Country Park, near railway. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.

Focal Length: 50mm Camera Height: 1.5m Date: 13/03/17 Time: 14:44

Data for viewpoint 15: Footpath within Country Park, near railway


- 500962 E 241024 N Viewpoint Grid Reference View Direction - 175 degrees Viewpoint Elevation - c 44 m AOD

Horizontal Field of View - 2 X 72 degrees (Cylindrical projection)

Distance to the Project site centre - 0.51 km Viewing Distance - 32 cm




Photomontage view from Footpath within Country Park, near railway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.



Wireline view from Footpath within Country Park, near railway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.



Photomontage view from Footpath within Country Park, near railway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.




Wireline view from Footpath within Country Park, near railway showing the Project. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.

Viewpoint 15: Footpath within Country Park, near railway

Reproduced from Ordnance Survey digital terrain height data © Crown Copyright 2017. All rights reserved. Licence Number 0100031673.




Photomontage view from Footpath within Country Park, near railway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.



Wireline view from Footpath within Country Park, near railway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.



Photomontage view from Footpath within Country Park, near railway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees.



Wireline view from Footpath within Country Park, near railway showing the Project and consented Covanta RRF scheme. (72 degrees horizontal field of view, 32 cm viewing distance). View direction 103 - 175 degrees. Note: Photomontage and wireline do not illustrate multiple electricity wires connecting the proposed Transmission Tower to the SEC compounds.